

DEPARTMENTAL REPORTS

OCTOBER 2019 MONTHLY REPORTS


The following monthly reports are attached:

Building Permit Activity Report
Property Maintenance Inspection Report
Zoning Clearances Issued
Environmental Services Report
Delinquent Meals and Lodging Tax
Business License
Parks and Recreation
City Clips
Utility Outage Report
Water System Chlorination Report
Department of Environmental Quality Report
Franklin Municipal Airport

New Single Family Dwellings Under Construction

October 2019

- 📍 27006 Flaggy Run Rd
- 📍 28243 Round Hill Rd
- 📍 425 Bruce St
- 📍 22461 Indian Town Rd
- 📍 36123 Broadwater Rd
- 📍 20304 Harris Rd
- 📍 27077 Dogwood Bend Rd
- 📍 13114 Wakefield Rd
- 📍 200 Landview Ln
- 📍 113 Regency Ln
- 📍 115 Regency Ln
- 📍 208 Kings Ln
- 📍 201 Landview Ln
- 📍 21200 Buckhorn Quarter Rd
- 📍 29410 Creekside Lane
- 📍 20278 Harris Rd
- 📍 6996 Hicks Ford Rd
- 📍 32491 Sandy Creek Dr
- 📍 409 S High St
- 📍 21750 Bethel Rd
- 📍 9418 Sadler Rd
- 📍 32529 Pebble Brook Dr
- 📍 28375 Sunbeam Rd
- 📍 34391 Unity Rd
- 📍 22587 Harvest Dr



- 31423 Rolling Hill Road
 - 21473 Southampton Pkwy
 - 33131 Quaker Rd
 - 11519 Tucker Swamp Rd
 - 33536 Joyners Bridge Rd
 - 21485 Harvest Dr
 - 22573 Harvest Dr
-

Map Legend

Blue = Site Built Homes

Yellow = Modular Homes

Red = Manufactured Homes

RESIDENTIAL CONSTRUCTION

NEW SINGLE FAMILY

Owner/Address	Description/Parcel ID	Estimated Value
YODER, DANIEL AND STARR 33131 QUAKER ROAD 23866	NEW SINGLE FAMILY TP 23-23B	242,111
ARENDELL, SUMMER 11519 TUCKER SWAMP ROAD 23898	MOBILE HOME TP 25-8-1	400
BRINKLER, RICHARD III 33536 JOYNER'S BRIDGE ROAD 23851	NEW SINGLE FAMILY TP 63-31K	133,000
WIRT, WILLIAM S. 21485 HARVEST DRIVE 23851	NEW SINGLE FAMILY TP 62C-1-62	160,000
WIRT, WILLIAM S. 22573 HARVEST DRIVE 23851	NEW SINGLE FAMILY TP 62C-1-68	200,000
TOTAL NEW SINGLE FAM CONSTRUCTION:	5	735,511

RESIDENTIAL ADDITIONS

Owner/Address	Description/Parcel ID	Estimated Value
DOVER, SEAN & ASHLEY 29410 CREEKSIDE LANE 23837	RESIDENTIAL ADDITION TP 61A-2-24	8,000
FREEMAN, LILLIAN E - C/O: DOTSON, EDGAR 400 PINE ST 23851	RESIDENTIAL ADDITION	2,000
DRAKE, CHRISTOPHER S. 31302 STATESVILLE ROAD - NEWSOMS 23874	RESIDENTIAL ADDITION TP 102-24C	122,863
WILLIAMS, LEAH-BETH 17106 IVOR ROAD 23837	RESIDENTIAL ADDITION TP 46 1A	27,000
GILBERT, BARBARA 24223 BRYANT'S CHURCH ROAD 23829	RESIDENTIAL ADDITION TP 73 11 4	22,725
TOTAL RESIDENTIAL ADDITIONS:	5	182,588

RESIDENTIAL RENOVATIONS

Owner/Address	Description/Parcel ID	Estimated Value
EAST END APOSTOLIC FAITH CHURCH OF GOD 410 EAST STREET 23851	RE-ROOF TP 107-(055)-9-10	117,000
BLAIR, LINVAL A. 307 WEST FIRST AVE 23851	RESIDENTIAL TP 123-(048)-32-4	2,500
TOPPING, DEXTER 34036 CAMP FARM ROAD 23898	RESIDENTIAL TP 35 30E	11,000
GORNORA, LISA 511 CLAY STREET 23851	RESIDENTIAL TP 106-(048)-BLK 1-11	13,000

LITTLE, VERYLESSIE 215 HALL STREET 23851	RESIDENTIAL TP 122-(068)-BLK 1A-7	14,000
CLARK, DENNIS 3684 CRUMPLER ROAD 23888	RESIDENTIAL TP 2 9A	18,000
MILLER, CHRISTOPHER LEE 2016 ROSEWOOD AVE 23851	RESIDENTIAL TP 138-(059)-BLK D-42	10,300
TOTAL RESIDENTIAL RENOVATIONS	7	185,800
TOTAL ALL RESIDENTIAL CONSTRUCTION:	17	1,103,899

COMMERCIAL CONSTRUCTION

COMMERCIAL ADDITIONS		
Owner/Address	Description/Parcel ID	Estimated Value
GSCCC 18406 DARDEN SCOUT RD. 23837	COMMERCIAL ADDITIONS	80,000
TOTAL COMMERCIAL ADDITIONS:	1	80,000

COMMERCIAL RENOVATIONS		
Owner/Address	Description/Parcel ID	Estimated Value
FRANKLIN I LIMITED PARTNERSHIP 1205 SOUTH ST 23851	COMMERCIAL RENOVATIONS TP 138-(090)-19	9,000
WIGGINS, JOE NYE & JOE NYE LIFE EST 33372 SCHOOLHOUSE ROAD 23851	COMMERCIAL RENOVATIONS TP 106-15	20,000
COPELAND, PETER AND VICKY 24652 NEW MARKET ROAD 23837	COMMERCIAL RENOVATIONS TP 76-31E 76 126	246,000
COMMUNITY HEALTH SYSTEMS (SMH) 100 FAIRVIEW DR 23851	COMMERCIAL RENOVATIONS TP 73-3-1	72,000
TOTAL COMMERCIAL RENOVATIONS:	4	347,000
TOTAL ALL COMMERCIAL CONSTRUCTION:	5	427,000

OTHER BUILDING PERMITS

Owner/Address	Description/Parcel ID	Estimated Value
ROGERS, JOHN 203 YEIDEE ST 23851	GARAGE/CARPORT	6,418
LEE, SARA GRAY 18385 DRAKE ROAD 23851	GARAGE/CARPORT	30,000
CARROLL, CHRISTINE & TEELE, MARK 30432 CAMP PARKWAY 23837	GARAGE/CARPORT	40,000

JONES, LARRY J. GARAGE/CARPORT 8,400
 26552 EAST NOTTAWAY DR 23837

TOTALS: 4 84,818

DEMOLITION PERMIT

Owner/Address	Description/Parcel ID	Estimated Value
APPLEWHITE, LLOYD A IRREVOCABLE TRUST 23364 INDIAN WOODS TR 23837	DEMOLITION	4,000

TOTALS: 1 4,000

TOTAL # OF BUILDING PERMITS / VALUE: 27 1,619,717

CERTIFICATES OF OCCUPANCY

DATE ISSUED	ADDRESS	TYPE
NO C/O's ISSUED		

TOTAL PERMIT & INSPECTION FEES GENERATED: 16,500.00

TOTAL OTHER REVENUE GENERATED: 2,035.00

STATE SURCHARGE COLLECTED: GENERATED: 212.60

TOTAL REVENUE GENERATED: 18,747.60

OTHER PERMITS ISSUED:

TYPE	RES	COMM	FEES	VALUE
ELECTRICAL PERMIT	27	3	2,945.00	178,158
MECHANICAL PERMIT	26	3	2,545.00	202,793
PLUMBING PERMIT	16	0	1,030.00	36,076
ZONING PERMIT	12	4	400.00	3,429
TOTALS:	81	10	6,920.00	420,456

PROJECT CODE RECAP

PERMITS BY TYPE	# OF PERMITS	EST VALUE	FEES
COMMERCIAL ADDITIONS	1	80,000	275.00
COMMERCIAL RENOVATIONS	4	347,000	1940.00
COMMERCIAL RENOVATIONS	4	347,000	1940.00
DEMOLITION	1	4,000	25.00
ELECTRICAL PERMITS	30	178,158	2945.00
GARAGE/CARPORT	4	84,818	350.00
MECHANICAL PERMIT	29	202,793	2545.00
MOBILE HOME	1	400	145.00
NEW SINGLE FAMILY DWELLING	4	735,111	1225.00
PLUMBING PERMITS	16	36,076	1030.00
RESIDENTIAL ADDITION	5	182,588	1200.00
RE-ROOF	1	117,000	585.00
RESIDENTIAL REPAIR-BUILDING	6	68,800	665.00
ZONING CLEARANCE	16	3,429	400.00

PERMITS BY TYPE - CONTINUED	# OF PERMITS	EST VALUE	FEEES
TOTALS	122	2,387,173	15270.00

PERMITS BY AREA

DESCRIPTION	# OF PERMITS	ESTIMATED VALUE
SOUTHAMPTON COUNTY	77	1,680,128
FRANKLIN (ALL)	28	256,477
TOTALS	105	1,936,605

INSPECTIONS BY TYPE

PERMIT TYPE	# OF INSPECTIONS	RES	COMM
BUILDING PERMIT	124	106	18
ELECTRICAL PERMIT	62	49	13
EROSION CONTROL PERMIT	38	0	38
MECHANICAL PERMIT	32	29	3
PLUMBING PERMIT	33	29	4
SIGN PERMIT	3	0	3
ZONING PERMIT	2	2	0
TOTALS	294	215	79
CODE ENFORCEMENT	63		
TOTALS	357		

Franklin-Southampton
PERMITS FINALED FROM: 10/01/2019 TO 10/31/2019
ALL PERMITS FOR SOUTHAMPTON COUNTY

Dt Finaled	Permit #	Address Map #	Description	Job Value
10/25/2019	B-17-001054	34487 GENERAL MAHONE BOULEVARD 7-45A	INSTALLATION AND REMOVE	22,000
10/28/2019	B-18-000665	24191 ADAMS GROVE ROAD 23844 67-25	REMOVE AND INSTALL	10,000
10/28/2019	B-18-000940	23317 BRYANTS CHURCH ROAD 23829 73-19	REMOVE ADN INSTALL PANEL	10,000
10/09/2019	E-18-001001	17445 ROSEMONT ROAD 23878 47-9B	ELECTRICAL INSTALLATION	9,000
10/25/2019	B-18-001008	33373 SEACOCK CHAPEL ROAD 23866 23-20B	CONSTRUCT A 5,457 SQUARE	416,200
10/03/2019	B-18-001214	16214 IVOR ROAD 23837 33-7-2	ENCAPSULATE 1200' ON SFD IAW	12,058
10/15/2019	B-19-000033	22461 INDIAN TOWN ROAD 23837 59-19	CONSTRUCTION OF A 1221	80,000
10/15/2019	E-19-000039	22461 INDIAN TOWN ROAD 23837 59-19	ELECTRICAL INSTALLATION	2,500
10/16/2019	B-19-000133	17401 BLACKCREEK ROAD 23898 49-5P	CONSTRUCT A 30' X 60' POST	10,000
10/25/2019	M-19-000173	33373 SEACOCK CHAPEL ROAD 23866 23-20B	MECHANICAL INSTALLATION	30,800
10/25/2019	E-19-000233	33373 SEACOCK CHAPEL ROAD 23866 23-20B	ELECTRICAL INSTALLATION	4,837
10/25/2019	P-19-000234	33373 SEACOCK CHAPEL ROAD 23866 23-20B	PLUMBING INSTALLATION	4,837
10/03/2019	B-19-000319	18012 DARDEN SCOUT ROAD 23837 46-8D	CONSTRUCTION OF A 2100	120,000
10/02/2019	Z-19-000320	18012 DARDEN SCOUT ROAD 23837 46-8D	ZONING CLEARANCE	1
10/15/2019	P-19-000395	22461 INDIAN TOWN ROAD 23837 59-19	PLUMBING INSTALLATION	1
10/15/2019	M-19-000433	22461 INDIAN TOWN ROAD 23837 TP 59-19	MECHANICAL INSTALLATION	5,000
10/03/2019	E-19-000489	18012 DARDEN SCOUT ROAD 23837 46-8D	ELECTRICAL INSTALLATION	4,200
10/15/2019	P-19-000493	22461 INDIAN TOWN ROAD 23837 59-19	PLUMBING INSTALLATION	2,500
10/03/2019	E-19-000504	16214 IVOR RD 23837 COURT 33 - -7 - -2	ELECTRICAL INSTALLATION	250
10/22/2019	B-19-000562	21459 WATERVIEW COURT 23851 62C-1-22	CONSTRUCTION OF A 2547 NSFD	357,000
10/28/2019	E-19-000562	22420 SOUTHAMPTON PARKWAY 23837 TP 73-25	ELECTRICAL INSTALLATION	98,695
10/22/2019	E-19-000583	21459 WATERVIEW COURT 23851 62C-1-22	ELECTRICAL INSTALLATION	200
10/11/2019	E-19-000584	17430 OLD LAMB ROAD TP 72-3	ELECTRICAL INSTALLATION	78,600
10/01/2019	B-19-000610	26163 FOX BRANCH ROAD 23844 85-1	CONSTRUCT A 1723 SQUARE	172,500
10/03/2019	M-19-000613	18012 DARDEN SCOUT ROAD 23851 46-8D	MECHANICAL INSTALLATION	6,500
10/03/2019	P-19-000622	18012 DARDEN SCOUT ROAD 23851 46-8D	PLUMBING INSTALLATION	6,400

PERMITS ISSUED FROM: 10/01/2019 TO 10/31/2019

Permit#/ Contractor	Dt Issued	Property Address Owner Name	Description Parcel ID#	Fee	Job Value
10/11/2019	P-19-000627	17430 OLD LAMB ROAD 23829 72-3	PLUMBING INSTALLATION		9,800
10/23/2019	B-19-000659	33372 SCHOOLHOUSE ROAD 23851 106-15,15F&1	INSTALLATION OF SIX		13,000
10/03/2019	E-19-000694	23201 JERUSALEM ROAD 23837 75-38 & 38A	ELECTRICAL INSTALLATION		5,000
10/07/2019	E-19-000702	28319 F AND G S'HAMPTON PKWY 23837 76-3A	ELECTRICAL INSTALLATION		1,000
10/22/2019	M-19-000705	21459 WATERVIEW COURT 23851 TP 62C-1-22	MECHANICAL INSTALLATION		8,900
10/01/2019	P-19-000717	26163 FOX BRANCH ROAD TP 85-1	PLUMBING INSTALLATION		5,300
10/01/2019	M-19-000718	26163 FOX BRANCH ROAD TP 85-1	MECHANICAL INSTALLATION		350
10/08/2019	B-19-000740	36426 UNITY ROAD 23898 TP 36-19D	INSTALL 26' X 28' SQ. FT. METAL		5,000
10/01/2019	M-19-000746	26163 FOX BRANCH ROAD TP 85-1	MECHANICAL INSTALLATION		7,100
10/29/2019	E-19-000747	24428 GREENHEAD RD - COURTLAND TP 74-54A	ELECTRICAL INSTALLATION		3,100
10/11/2019	B-19-000751	28179 MOSLEY DR 23851 TP 94B-3-6B	INSTALL AND SET UP NEW 1450		11,025
10/11/2019	M-19-000753	17430 OLD LAMB ROAD 72-3	MECHANICAL INSTALLATION		27,340
10/11/2019	P-19-000756	28179 MOSLEY DR TP 94B-3-6B	PLUMBING INSTALLATION		300
10/11/2019	M-19-000757	28179 MOSLEY DR TP 94B-3-6B	MECHANICAL INSTALLATION		1,500
10/11/2019	E-19-000758	28179 MOSLEY DR TP 94B-3-6B	ELECTRICAL INSTALLATION		750
10/01/2019	E-19-000761	26163 FOX BRANCH ROAD TP 85-1	ELECTRICAL INSTALLATION		3,000
10/11/2019	S-19-000782	17430 OLD LAMB ROAD TP 72-3	SIGN INSTALLATION		5,087
10/22/2019	P-19-000813	21459 WATERVIEW COURT 23851 TP 62C-1-22	New Single Family Dwelling		6,000
10/08/2019	E-19-000820	32491 SANDY CREEK 63B-(1)-21	ELECTRICAL INSTALLATION		3,600
10/01/2019	B-19-000841	22416 MEDICINE SPRING ROAD 23837 TP 58-4-2	INSTALL SIX INTELLIJACKS AND		16,110
10/29/2019	M-19-000845	24428 GREENHEAD RD - COURTLAND 74-54A	MECHANICAL INSTALLATION		100
10/24/2019	B-19-000874	32425 TWIN POND DR 23866 TP 35 18E	CONSTRUCT FRONT PORCH TO		8,000
10/31/2019	E-19-000876	33372 SCHOOLHOUSE RD FRANKLIN, VA Not in record	ELECTRICAL INSTALLATION		3,500
10/15/2019	B-19-000906	24463 ADAMS GROVE ROAD 23847 TP 67-34	INSTALL TEMPORARY HANDICAP		2,820
10/09/2019	E-19-000919	25072 A OAK TRAIL TP 60A-13-2	ELECTRICAL REPAIRS		1
10/09/2019	E-19-000921	25062 A OAK TRAIL TP 60A-13-2	ELECTRICAL REPAIRS		1

PERMITS ISSUED FROM: 10/01/2019 TO 10/31/2019

Permit#/ Contractor	Dt Issued	Property Address Owner Name	Description Parcel ID#	Fee	Job Value
10/02/2019	B-19-000937	27017 DELAWARE ROAD 23851 TP 92-19B	DEMOLISH EXISTING FARM BARN		4,500
10/01/2019	E-19-000955	21750 BETHEL ROAD 23851 62-47L	TEMPORARY SERVICE POLE		0
10/03/2019	E-19-000962	22281 LINDEN STREET 23837 TP 60A-1-8-7A	ELECTRICAL UPGRADE		1,500
10/25/2019	M-19-000982	33373 SEACOCK CHAPEL ROAD 23866 23-20B	MECHANICAL INSTALLATION		100
10/23/2019	E-19-000991	22394 DREWRY ROAD 23844 TP 54A-2-15	ELECTRICAL REPLACEMENT		2,850
10/24/2019	M-19-001019	13526 IVOR ROAD - SEDLEY 23878 TP 34-1A	MECHANICAL INSTALLATION		5,613

TOTAL # OF PERMITS: 58 TOTAL VALUE: 1,626,326

PERMITS FINALED FROM: 10/01/2019 TO 10/31/2019

Page 1 of 1

ALL PERMITS FOR FRANKLIN (ALL)

Dt Finaled	Permit #	Address Map #	Description	Job Value
10/23/2019	E-18-000339	130 LAKEVIEW RD 23851 TP 22-152-1A	ELECTRICAL INSTALLATION	187,000
10/17/2019	S-19-000460	128 COUNCIL DRIVE 23851 134-211-3	SIGN INSTALLATION	2,535
10/16/2019	B-19-000678	108 CARRIE DRIVE 23851 73-103-83	INSTALLATION OF THREE	4,325
10/25/2019	E-19-000766	312 FAIRVIEW DRIVE TP 72-221-1	ELECTRICAL INSTALLATION	6,000
10/02/2019	E-19-000826	1518 SOUTH ST 23851 Not in record	ELECTRICAL REPLACEMENT	2,500
10/30/2019	B-19-000931	200 NORTH MECHANIC ST 23851 Not in record	REMOVE EXISTING ROOFING	86,698
10/30/2019	B-19-000972	410 EAST STREET 23851 TP 107-(055)-9-10	REMOVE/REPLACE EXISTING	117,000
10/10/2019	B-19-000979	307 WEST FIRST AVE 23851 TP 123-(048)-32-4	REMOVE LEAKING FLAT ROOF	2,500
10/23/2019	B-19-000989	215 HALL STREET 23851 TP 122-(068)-BLK 1A-7	STABILIZE EXISTING PORTION	14,000
10/23/2019	M-19-001004	228 HUNTERDALE RD 23851 TP 071-(004)-109	MECHANICAL REPAIR	925

TOTAL # OF PERMITS: 10 TOTAL VALUE: 423,483

DATE INSP	RECORD/INSP	INSP TYPE	RESULTS	INSPECTOR	OWNER PROPERTY ADDRESS
10/01/2019	X-006072-001	B025	A	BG	Newsoms-Boykins
EROSION & SEDIMENT Landscape Inspection Pods A,B,E					
10/02/2019	X-005965-002	PM01	A	LG	Todd S. Kessler 108 Britt Street
In-Operative Vehicle In-Operative Vehicle Silver 4 door sedan with expired tags ,no inspection and partially disassembled in drive way , 60 day point will be oct. 29, 2019 , original inspaction on july 29 ,2019					
CAR HAS BEEN REMOVED FROM PROPERTY					
10/02/2019	X-005969-002	PM01	A	LG	220 Stonewall st
In-Operative Vehicle In-Operative Vehicle ,white 4 door sedan older model with white wall tires in back yard on corner / original inspection on 8/01/2019 , 60 days as of oct. 1st 2019 send citation					
CAR HAS BEEN REMOVED FROM PROPERTY					
10/02/2019	X-006068-001	B022	V	WS	EAST END APOSTOLIC FAITH 410 east st
INVESTIGATION WORK WITHOUT PERMIT/ STOP WORK ORDER PLACE ON SITE					
10/02/2019	X-006069-001	PM06	V	WS	MILLENNIUM SERVICE CO LLC 147 STEWART DR.
High Grass HIGH GRASS AND WEEDS AT DITCH LINE AT BACK OF LOT/SENDING LETTER 70190160 0001 1602 8095					
10/02/2019	X-006070-001	PM06	V	WS	BRONCO FEDERAL CREDIT UNION 135 STEWART DR. 120-110-2G
High Grass HIGH GRASS AND WEEDS AT DITCH LINE AT BACK OF LOT/ SENDING LETTER 7019 0160 0001 1602 8101					
10/02/2019	X-006071-001	PM02	V	WS	KENNETH J CHARITY 311 SOUTH MAIN ST.
Main Building Property Maint PLYWOOD COMING OFF WINDOW AND AWNING SAGGING / PULLING AWAY FROM BUILDING. VERY UNSAFE CAN FALL ONTO SIDEWALK					
10/02/2019	X-006073-001	B025	A	BG	Newsoms-Boykins
EROSION & SEDIMENT Maintenance work ongoing on site, filling in low areas, removing silt fence, stakes, wattles, fixing stone flumes					
10/03/2019	X-006040-002	PM02	C	WS	SOUTHLAND PROPERTIES 1394 ARMORY DR.
Main Building Property Maint Main Building Property Maint CHIPPING & PEELING PAINT ON WOOD TRIM ,ROOF ALSO CHIPPING & PEELING, POT HOLES IN PARKING LOT. ALSO ROOF PANEL MISSING. SENDING LETTER ----- SPOKE WITH INGRID CLARK REP. FOR PIZZA HUT, SHE HAS REPAIRED POT HOLES AND IS REPLACING MISSING ROOF TILE ,ASKED FOR MORE TIME ON OTHER ITEMS BECAUSE FRANKLIN, SOUTH HILL AND SUFFOLK LOCATIONS ARE TO BE COMPLETELY REMODELED OR COMPLETE REBUILD IN 2020.GAVE CONDITIONAL APPROVAL TO HOLD OFF ON OTHER ITEMS BASED ON REPLACEMENT OR REMODEL OF BUILDING IN 2020					
10/03/2019	X-006074-001	PM09	V	PS	0000 ARMORY DR 2385
Zoning Ordinance Enforcement COMPLAINT RECEIVED REGARDING TRUCK ADVERTISING CAMPAIGN CANDIDATE TOO CLOSE TO R-O-W AND TRUCK IS OBSTRUCTING TRAFFIC.					
10/03/2019	X-006074-002	PM09	V	DB	JOSEPH BLAKE BLYTHE 1101 ARMORY DR
Zoning Ordinance Enforcement Zoning Ordinance Enforcement COMPLAINT RECEIVED REGARDING TRUCK ADVERTISING CAMPAIGN CANDIDATE TOO CLOSE TO R-O-W AND TRUCK IS OBSTRUCTING TRAFFIC.					
TRUCK IS NOT OBSTRUCTING TRAFFIC, BUT PROPERTY OWNER WILL BE SENT/GIVING COURTESY LETTER FOR ADVERTISING ON A MOTOR VEHICLE PARKED ON OR BESIDED A PUBLIC STREET FOR THE SOLE PURPOSE OF ADVERTISING WHICH IS PROHIBITED. ON 10/17/019					

DATE INSP	RECORD/INSP	INSP TYPE	RESULTS	INSPECTOR	OWNER PROPERTY ADDRESS
Remarks for X-006074-002 continued...					
10/04/2019	X-006075-001	PM02	V	PS	YANNA 555 ASHTON AVE 2385
Main Building Property Maint COMPLAINT RECEIVED OF UNUSUAL ODOR/UNUSUAL AMOUNT OF FLIES NEAR AND AROUND HOUSE.					
THIS PROPERTY WILL BE CITED FOR TRASH AND DEBRIS IN FRONT, SIDE AND REAR OF PROERPTY.					
10/04/2019	X-006078-001	PM10	V	WS	wiedemann ranch inc/ kentucky 1290 armory dr.
City Ordinance Enforcement ALL TREES, SCHRUBS, FLOWERS ETC., NEED TO BE REPLANTED AND BROUGHT BACK TO SITE PLAN SPECS. SENDING LETTER # 7019 0160 0001 1602 8125 KENTUCKY FRIED CHICKEN					
10/04/2019	X-006079-001	B025	A	BG	Southeastern Landview Lane
EROSION & SEDIMENT Silt fence needs to be re-erected. Foundation work ongoing.					
10/07/2019	X-006019-001	Z008	V	DEG	407 JOHNSON STREET LLC 407 JOHNSON ST
COMPLAINT COMPLAINT RECEIVED OF FENCE BEING ERRECTED ON NEIGHBORING PROPERTY. INSPECTION DONE. COURTESY NOTICE SENT TO OWNER. RE-INSPECTION SCHEDULED FOR OCTOBE 7, 2019.					
Mark Wilson, contractor for owner will be in to mark site plan where fence is erected.					
10/07/2019	X-006081-001	PM06	V	WS	200 EAST SECOND AVE. LLC 200 EAST SECOND AVE
High Grass WEEDS AND VINES GROWING UP THE SIDE OF BUILDING, COVERING METER BASE AND SERVICE ENTRANCE.					
10/08/2019	X-006084-001	B023	A	BG	Arendell Tucker Swamp
9-1-1 (IDENTIFICATION) 911 address for home on Tucker Swamp					
10/08/2019	X-006086-001	PM06	V	DB	JONBETT LLC 221 HOLLY STREET
High Grass SENT CITATION 7019 0160 0001 1602 5391. W/F/U 10/18/2019					
10/08/2019	X-006019-002	Z008	V	DB	407 JOHNSON STREET LLC 407 JOHNSON ST
COMPLAINT COMPLAINT COMPLAINT RECEIVED OF FENCE BEING ERRECTED ON NEIGHBORING PROPERTY. INSPECTION DONE. COURTESY NOTICE SENT TO OWNER. RE-INSPECTION SCHEDULED FOR OCTOBE 7, 2019.					
Mark Wilson, contractor for owner will be in to mark site plan where fence is erected.					
MET WITH MR MARK WILSON (757 807-1869) ON SITE AT 407 JOHNSON. 6 FT PRIVACY FENCE ENCROACHING OVER AND ON OTHER PROPERTY. WILL GIVE MR. WILSON 30 DAYS TO REMOVE FENCE AND RESUBMIT CORRECTED SITE PLAN BEFORE RE-ERECTING FENCE WHICH HAS TO INCLUDE 3FT OR 4 FT OPEN/CLOSE ON FRONT SETBACK OF 25 FT. IN zONE R-2. W/F/U 11/7/19.					
10/09/2019	X-006087-001	PM11	V	DB	SARAH RICKS COOPER 310 BARRETT STREET
Other/Misc. Contractor working in house and removing articles. no permit on file.					
Placard "stop work" - no permit(s) on file.					
Placard 310 Barrett Street "unsafe" - due to condition of dwelling					
10/09/2019	X-006088-001	PM06	V	DB	LAWRENCE, DWANIE S. 303 EDWARDS ST
High Grass send citation - 7019 0160 0001 1602 5407					
10/09/2019	X-006089-001	B025	A	BG	Southampton Solar Newsoms/Boykins
EROSION & SEDIMENT Added additional matting where SF removed in B1. Regraded low area in A2 and replaced pipes under gravel road with two larger pipes to allow for increased flow. Regraded and added topsoil in A1.					

DATE INSP	RECORD/INSP	INSP TYPE	RESULTS	INSPECTOR	OWNER PROPERTY ADDRESS
Remarks for X-006089-001 continued...					
10/10/2019	X-006094-001	PM07	V	WS	desai investments llc 0 north college dr/corner
Trash and Debris PLYWOOD ON GROUND/ PILES OF DIRT AND GRASS					
10/11/2019	X-006093-001	PM06	V	PS	MATERSON, ROBERT G 22363 DREWRY ROAD
High Grass Confirmed : grass is high					
10/11/2019	X-005560-003	PM11	A	WS	COOK, BRANDON W. / TP 507 NORFLEET STREET
Other/Misc. Other/Misc. TRASH AND DEBRIS /SHEET METAL AT BACK OF LOT /WOOD/STORM WINDOWS AGAINST HOUSE WINDOWS HAVE BEEN REMOVED FROM SIDE OF HOUSE AND SHEET METAL AT BACK IN ALLEY WAY REMOVED					
10/11/2019	X-005560-002	PM11	V	WS	COOK, BRANDON W. / TP 507 NORFLEET STREET
Other/Misc. TRASH AND DEBRIS /SHEET METAL AT BACK OF LOT /WOOD/STORM WINDOWS AGAINST HOUSE					
10/11/2019	X-006069-002	PM06	A	WS	MILLENNIUM SERVICE CO LLC 147 STEWART DR.
High Grass High Grass HIGH GRASS AND WEEDS AT DITCH LINE AT BACK OF LOT/SENDING LETTER 70190160 0001 1602 8095 IS CUT TO DITCH CLOSE TICKET					
10/11/2019	X-006070-002	PM06	A	WS	BRONCO FEDERAL CREDIT UNION 135 STEWART DR. 120-110-2G
High Grass High Grass HIGH GRASS AND WEEDS AT DITCH LINE AT BACK OF LOT/ SENDING LETTER 7019 0160 0001 1602 8101 IS CUT TO DITCH / CLOSE TICKET					
10/11/2019	X-006091-001	Z009	A	DB	JONES, HELENA PARKER 28515 THOMASTON ROAD 2387
OTHER INSPECTION FOR CERTIFICATE OF OCCUPANCY.					
757-654-6960					
INCORRECT ADDRESS ON PERMIT/INSPECTION TICKET.					
10/11/2019	X-006092-001	PM06	V	WS	HARRISON, JO ANNE 27344 FLAGGY RUN ROAD 2383
High Grass / appears no one leaving there / a pad lock is on storm door / left door hanger to call office/ will do follow up with letter					
10/15/2019	X-006096-001	B022	A	WS	BIRDSONG PEANUTS 106 barrettt st
INVESTIGATION WORK WITHOUT PERMIT/ NEW ROOF, SPOKE WITH CONTRACTORS OFFICE , TOLD HER TO CALL FOR PERMIT WITHIN THE HOUR OR I WOULD BE BACK TO POST STOP WORK ORDER. CHECK FOR WORK IS BEING OVERNIGHTED					
10/15/2019	X-006067-001	PM06	A	WS	HABITAT FOR HUMANITY OF SOUTH 125 LANDVIEW LN
High Grass HIGH GRASS / SENDING LETTER / 7019 0160 0001 1602 8088 IS CUT/CLOSE TICKET					
10/16/2019	X-006097-001	B025	A	P/G	Franklin
EROSION & SEDIMENT First significant rainfall in over a month. Inspected performance of existing and recently maintained BMPs throughout city to evaluate performance.					
10/16/2019	X-006098-001	B025	A	P/G	Southampton Solar Newsoms/Boykins
EROSION & SEDIMENT Evaluated condition of Solar site during first significant rainfall in over a month.					
10/17/2019	X-006099-001	B025	A	P/G	MartINETTE Flaggy Run
EROSION & SEDIMENT Driveway installation. No work completed in the last month. Pipes installed but no geotextile or riprap					

DATE INSP	RECORD/INSP	INSP TYPE	RESULTS	INSPECTOR	OWNER PROPERTY ADDRESS
Remarks for X-006099-001 continued... installed.					
10/17/2019	X-006081-002	PM06	A	WS	200 EAST SECOND AVE. LLC 200 EAST SECOND AVE
High Grass High Grass WEEDS AND VINES GROWING UP THE SIDE OF BUILDING, COVERING METER BASE AND SERVICE ENTRANCE. IS DONE CLOSE TICKET					
10/17/2019	X-006074-004	PM09	A	DB	JOSEPH BLAKE BLYTHE 1101 ARMORY DR
Zoning Ordinance Enforcement Zoning Ordinance Enforcement Zoning Ordinance Enforcement COMPLAINT RECEIVED REGARDING TRUCK ADVERTISING CAMPAIGN CANDIDATE TOO CLOSE TO R-O-W AND TRUCK IS OBSTRUCTING TRAFFIC. TRUCK IS NOT OBSTRUCTING TRAFFIC, BUT PROPERTY OWNER WILL BE CITED FOR ADVERTISING ON A MOTOR VEHICLE PARKED ON OR BESIDED A PUBLIC STREET FOR THE SOLE PURPOSE OF ADVERTISING WHICH IS PROHIBITED.					
10/21/2019	X-005357-002	*FC*	A	DB	BRANTLEY, AUELIUS 1524 CLAY STREET
*** FINAL CLOSING INSP *** OTHER PLUMBING INVESTIGATION -Observed piping from well removed from the ground and disconnected from the public domestic supply to house. Must post all outside well outlets as non-potable water. Will require annual cross connection inspections.					
10/21/2019	X-005364-001	PM02	V	PS	McGuire, Patrick 18195 RAILROAD AVE 2382
Main Building Property Maint several issues still exist					
10/22/2019	X-005987-002	PM01	A	LG	301 Stonewall St
In-Operative Vehicle In-Operative Vehicle several inoperative : white 4 door sedan , blue 2 door sedan , white suv under car port red two door older model large car . 60 days as of 8/19/2019 , violation noted on aug 16 ,2019 Cars have been Removed From Property					
10/23/2019	X-005933-003	B022	V	WS	VERYLESSIE LITTLE 2000 south st
INVESTIGATION INVESTIGATION WORK WITHOUT PERMIT/hvac -new unit and duct work spoke to mr. Lyons brother of Verylessie Little (owner of property) she is coming in for permit					
10/23/2019	X-006102-001	B025	A	P/G	Southampton Solar Newsoms/Boykins
EROSION & SEDIMENT Grass growing well in low areas that were filled in and seeded/matted. Still a couple ponding areas in A1, a2, B3. Grass growing well in B1, additional matting added. Landscapers removing trees that perished, new trees delivered while on site.					
10/24/2019	X-006106-001	Z009	V	DB	DEANGELA COOPER 105 HOGART STREET
OTHER RECEIVED COMPLAINT FROM SGT. BRETTGEAR OF THE POLICE DEPT.(757) 562-8539. HE HAD RECEIVED A REPORT OF SOMEONE RENTING ROOMS AT THE ADDRESS ABOVE. 10/24/2019- IT HAS BEEN DETERMINED THAT SEVERALS ROOMS ARE BEING USED FOR RENTING AT THIS PROPERTY. A LETTER OF VIOLATIONS OF THE CITY OF FRANKLIN ZONING ORDINANCE WILL BE SENT OUT.					
10/24/2019	X-006107-001	PM06	V	WS	geraldine h hancock 339 north college dr
High Grass WEEDS AND GRASS AROUND LIGHT POLE FOR PARKING LOT/ SENDING LETTER 70190160 0001 1602 8231					
10/25/2019	X-006106-002	Z009	V	DB	DEANGELA COOPER 105 HOGART STREET
OTHER OTHER RECEIVED COMPLAINT FROM SGT. BRETTGEAR OF THE POLICE DEPT.(757) 562-8539. HE HAD RECEIVED A REPORT OF					

DATE INSP	RECORD/INSP	INSP TYPE	RESULTS	INSPECTOR	OWNER PROPERTY ADDRESS
Remarks for X-006106-002 continued...					
SOMEONE RENTING ROOMS AT THE ADDRESS ABOVE.					
10/24/2019- IT HAS BEEN DETERMINED THAT SEVERALS ROOMS ARE BEING USED FOR RENTING AT THIS PROPERTY. A LETTER OF VIOLATIONS OF THE CITY OF FRANKLIN ZONING ORDINANCE WILL BE SENT OUT.					
10/25/2019 - The OWNER, DEANGELA COOPER CAME INTO THE OFFICE. SHE WAS GIVING A ZONING CLEARANCE APPLICATION, WITH A COPY OF THE R-2 ZONING ORDINANCE AND DEFINITIONS. EXPLAIN TO HER THAT A COMPLAINT WAS RECEIVED THAT SHE WAS RUNNING A BOARDING HOUSE AT 105 HOGART. SHE NEEDS TO SUBMIT A ZONING CLEARANCE AS TO WHAT SHE HAVE THERE. WHETHER IT WAS A GROUP HOME, BOARDING HOME, ADULT DAY CARE, ETC. SHE SAID SHE WILL SUBMIT. W/F/U IN SEVEN ON NOVEMBER 1, 2019.					
10/25/2019	X-006108-001	B025	A	P/G	Creekside
EROSION & SEDIMENT Tree clearing ongoing for new residence. No sediment running off site, but will need to add gravel to entrance to prevent tracking.					
10/25/2019	X-006109-001	B025	A	P/G	Antonette Flaggy Run
EROSION & SEDIMENT Geotextile added on both sides of driveway, riprap placed on west side so far					
10/28/2019	X-006110-001	PM01	A	LG	827 Rail Road AVE
In-Operative Vehicle dark 4 door sedan on property in plain view , 60 piont is on 12/30/2019					
10/28/2019	X-006111-001	P009	A	LG	City of Franklin VA Franklin VA
OTHER Pro Active inspections City of Franklin Including Visits , door Hangers ,and Flyer Circulation					
10/28/2019	X-006005-001	PM01	A	LG	316/318 South High St
In-Operative Vehicle Two door silverish /gray small car in yard beside apartment 318 , car noted on aug. 28 2019 , 60 days as of 10/28/2019					
CAR HAS BEEN REMOVED					
10/29/2019	X-006112-001	PM01	V	WS	LINWOOD SAUNDERS 304 THOMAS ST.
In-Operative Vehicle SENDING LETTER #7019 0160 0001 1602 8248					
10/29/2019	X-006113-001	PM11	A	LG	City OF Franklin Franklin
Other/Misc. PRO-ACTIVE INSPECTIONS INCLUDING VISITS ,DOOR HANGERS AND PROPERTY MAINTENANCE FLYER CIRCULATION					
10/29/2019	X-006116-001	B025	A	P/G	Regency
EROSION & SEDIMENT Sediment from residential project on road leading to storm drain. Contractor needs to recover and clean road.					
10/29/2019	X-006119-001	B022	V	WS	FRANKLIN SOUTH APARTMENTS 1205 south st
INVESTIGATION WORK WITHOUT PERMIT/ COMMERCIAL ROOF REPLACE/SPOKE ON PHONE WITH CONTRACTOR CAME IN FOR PERMIT					
10/30/2019	X-006115-001	PM01	V	WS	MICHAEL W & CHRISTINE W FORD 420 THOMAS ST
In-Operative Vehicle SENDING LETTER 7019 0160 0001 1602 8255					
10/30/2019	X-006117-001	B025	A	P/G	Newsoms/Boykins
EROSION & SEDIMENT Areas of B1 recently matted are stable. Grass growing well on areas in A2 and B3 recently backfilled. Drain tile must have been hit during construction project, will need to be fixed.					

DATE INSP	RECORD/INSP	INSP TYPE	RESULTS	INSPECTOR	OWNER PROPERTY ADDRESS
-----------	-------------	-----------	---------	-----------	---------------------------

Remarks for X-006117-001 continued...

10/30/2019	X-006120-001	Z008	V	S/S	COREY OLDS 804 CHESTNUT
------------	--------------	------	---	-----	----------------------------

COMPLAINT TENANT COMPLAINED OF WATER UNDER HOUSE AND SMELL OF SEWAGE, THERE ALSO IS AND OPEN INSPECTION FOR ADDRESS FOR SEWER INSTALL; A FINAL INSPECTION IS NEEDED. WATER BEING PUMPED FROM UNDER HOUSE WHEN WE ARRIVED. APPEARED TO BE GROUND WATER, CRAWL SPACE 18" BELOW OUTSIDE OF HOUSE. COULD NOT SMELL SEWAGE, JUST SMELL OF GROUND WATER. CHECKED FOR MOLD AND MILDEW WITHIN HOUSE NO SIGNS AT TIME OF INSPECTION

10/31/2019	X-006014-001	PM01	A	LG	217 Hall ST
------------	--------------	------	---	----	-------------

In-Operative Vehicle 4x4 dodge truck on side yard , vehicle noted on aug. 30 2019 , 60 days asof 10/30/2019

Current Tag have been placed on the Vehicle

10/31/2019	X-006121-001	PM01	V	LG	Alvin Blow 102 Barrett Street
------------	--------------	------	---	----	----------------------------------

In-Operative Vehicle dump Truck ,No tags and no Inspection sitting over Days

10/31/2019	X-006122-001	PM11	A	LG	City Of Franklin VA. Franklin VA.
------------	--------------	------	---	----	--------------------------------------

Other/Misc. Pro Active Daily Inspections including Visits ,Phone Calls , Door Hangers and Property Maintenance flyer circulation

10/31/2019	X-006123-001	B022	V	WS	jennifer cutright 23157 calvin dr.
------------	--------------	------	---	----	---------------------------------------

INVESTIGATION no permit visible from road for garage being built in back yard;checked at office no record of permit; left door hanger for them to post permit visible from road and also call into office to verify permit number

10/31/2019	X-006124-001	PM07	A	DB	HABITAT FOR HUMANITY 502 SOUTH HIGH ST
------------	--------------	------	---	----	---

Trash and Debris complaint of trash -and debris-
Results: NO TRASH AND DEBRIS CITED.

10/31/2019	X-006007-001	PM01	A	LG	501 South High
------------	--------------	------	---	----	----------------

In-Operative Vehicle one four door white truck and one gray van with stripes , vehicles noted on Aug. 8 2019 , 60 days as 10/29/2019

Current tags have been lpaced on Vehicles

TOTAL # of INSPECTIONS: 63

	A	B	C	D	E	F	G	H	I	J
1	ZONING CLEARANCES REVIEWED AND ISSUED 2019 (CITY)									
2										
3		Retail / Business	New SFD	New Comm	Additions /Alts Commercial	Additions /Alts Residential	Home Occp.	Accessory Structures (signs, fences, pools, decks, etc.)	Tents, Promotional Displays, Other	Totals
4	January			1	5	4	1			11
5	February			1	4	1	3			9
6	March	2	2		4	2	4	2	1	17
7	April		3	1	2	2	1	4	3	16
8	May		1	1	1	2	1	4		10
9	June	1		2		2	3	2	1	11
10	July	3	1	6	4	5	13	1	4	37
11	August		2	1	1	5			2	11
12	September	1	2	1			1	4		9
13	October	1				1	1	1	1	5
14	November									
15	December									
16	Totals	8	11	14	21	24	28	18	12	136

	A	B	C	D	E	F	G	H	I	J
1	ZONING CLEARANCES REVIEWED AND ISSUED 2019 (County)									
2										
3		Retail / Business	New SFD	New Comm	Additions /Alts Commercial	Additions /Alts Residential	Home Occp.	Accessory Structures (signs, fences, pools, decks, etc.)	Tents, Promotional Displays, Other	Totals
4	January		2	1		6	3			12
5	February		3			3	2	6		14
6	March		5	2	1	5	2	1		16
7	April		2	1	2		6	2		13
8	May		8	1		3	2	4		18
9	June		10	3	2	6		4		25
10	July		3	3	8	3		3		20
11	August		2	1	2	4		3		12
12	September		6			1		4		11
13	October		4	1		4	1	1		11
14	November									
15	December									
16	Totals		45	13	15	35	16	28		152

Project Status Report



Environmental Services Division October 2019


■ : City of Franklin

■ : Southampton County

Active Construction Projects

October 2019


- Rock Church
- Rising Star Baptist Church
- SA Gym Addition
- Belmont Peanuts
- Woodard Building
- Dollar General Capron
- Enviva Expansion
- Newsoms Storage
- Hayden Village
- Verizon Cell Tower
- SPS Road Improvements
- Storage Solutions
- Jerry D Rose Inc



Current Plan Review/On Hold/Upcoming Projects

October 2019

-  PRTI Tire Recycling
-  Birdsong Peanuts
-  Hancock Peanut Demolition
-  Repair Tech
-  Camp Pkwy Commerce Ctr
-  Flaggy Run Solar



PROJECT STATUS REPORT: Franklin - Southampton County (Environmental Services Division)

REPORTING MONTH: OCTOBER 2019

CUP/Site Plan Reviewed Date	Project Title	Project Address	Owner/Applicant Name	Site Plan under Review	Bldg Permit Issued	LD Permit Issued	Total Disturbed Acreage	Design/Inspection Comments
CITY OF FRANKLIN:								
8/25/2017	Rock Church - Gymnasium Bldg	130 Lakeview Road	Rock Church/Kimley Horn	Complete	Yes	Yes	1.03	ESD approved site plan 8/25/2017 and issued Land Disturbing Permit on 9/20/2017. Crowder and White Contractor continuing with site work. Prepared pad foundation. Bldg plans approved-contractor foundation and framing work completed. Interior construction underway. Performing E & S Control Inspections as required. Site work is 80% complete
11/29/2017	Hayden School (Site design)	Franklin, Virginia	Hoggard-Eure Associates	Complete	Yes	Yes	1.97	plan design with Community Development Staff on 11/29/2017. Received site plans and drainage computations and site plan review application on December 8, 2017. Performed first site plan review on 12/29/2017. Project review meeting with CD and Public Works Depts on 2/27/2018. Recieved revised site plans on June 1, 2018. Recieved fourth site plan review on 7/19/2018. Developer continued with site redesign on 10/11/2018 for budget purposes. Revisions underway on complete construction phasing plan to secure the Temporary CO. Contacted Luna Development Services early February 2019 and stated they will commence with site work in 30 days. Developer is in process of obtaining surety bond and land disturbance permit. Installation of Stormwater BMP, concrete dumpster pad and drainage system. Prepared parking lot for asphalt paving fall 2019. Continuing with interior construction work.

PROJECT STATUS REPORT: Franklin - Southampton County (Environmental Services Division)

REPORTING MONTH: OCTOBER 2019

3/11/2019	Verizon Cell Tower	Franklin, Virginia	Clark Nexen Engineers	Complete	Yes	Yes	0.65	Received site plans, plan review application w/fees and stormwater management report. Completed the first site plan review on 3/28/2019. Developer progressing with plan preparation - Temp construction easement on plans. Contractor installed the construction access road in September and Foundation contractor completed the footing in late September/early October. Cell tower construction complete in October and perimeter security fencing in November 2019. Site work is 90% complete
7/17/2018	McDonalds-Site Improvements	Franklin, Virginia	Core States Group	Complete	Yes	Yes	0.055	Preliminary site plan submittal for alterations to existing handicap parking and building sidewalk for compliancy with federal ADA federal regulations. Proceeding with reconstruction design of access road. Site plan approved on 9/28/2018. Awaiting contractor selection by McDonalds/Design consultant- Revised project start date from March 2019 to September 2019. Notice to Proceed was issued on 8/19/2019 and LD Permit was issued on 8/26/2019. Project was completed with additional landscaping in early October 2019.
SOUTHAMPTON COUNTY:								
4/25/2018	Mini Self Storage Building	Newsoms, Virginia	S.V. Camp, L.S.	Complete	Yes	Yes	0.8	Proposed Mini Self Storage Building. Received site plans on April 25, 2018 and returned First submittal review comments on May 9, 2018. Received second submittal plan set on 6/8/2018 for review. Complete site plan review. Awaiting surety bond and LD Permit application. Issued the LD permit on 9/27/2018. Minor construction work performed to remove topsoil. Construction underway with Storage units at 90 percent complete and preparing for perimeter gravel access area.

PROJECT STATUS REPORT: Franklin - Southampton County (Environmental Services Division)

REPORTING MONTH: OCTOBER 2019

10/1/2018	Chip Transit Parking Lot Expansion	Courtland, Virginia	S.V. Camp, L.S.	Complete	No	Yes	0.5	Site plan for the proposed parking lot expansion for Jerry Rose/CHIP Transit Trucking business. Received the first submittal 10/1/2018 and Second submittal on 3/21/2019. Conditionally approved site plan on 4/9/2019. Awaiting LD Permit and E&S Inspection Fees from Gray & Sons Contractor. Construction underway with completion of commercial entrance with pipe culvert. Contractor installed 300 lf of HPDE pipe along the north property line to drain into the rear ditch. Contacted the contractor to secure the as-built drawings from surveyor.
11/18/2019	YAK MAT/Jordan Investment	Southampton County, Virginia	S.V. Camp, L.S.	Complete	No	Yes	65.34	Site plan showing the relocation of crane mats to another portion of Matt Crowder property near Rose Valley Road and Route 671. The relocation operation will occur on mats to reduce the land disturbance and shall include reseeding disturbed areas as required.
11/30/2018	Enviva Pellet Processing Expansion Project	Southampton County, Virginia	Kiewit	Complete	No	Yes	19.58	Proposed plant expansion project in the Southampton Industrial Authority on Rose Valley Road. Completed Site plan and Stormwater Management Plan reviews. Conducted conference call with design engineer on February 2019 to resolve stormwater design. <u>Awaiting the site plan and stormwater management report resubmittal in late February 2019. Conditional plan approval on 2/26/2019 waiting on plan submittal. Surety bond approved 4/11/2019 on and recieved VSMP coverage letter on 4/15/2019. Pre-Construction Meeting on 4/23/2019. Project was limited to work on the Southside of the Plant due to conflicts with operations. Site contractor completed the SWM BMP and initial clearing, E & S Controls and seeding as required. Site work is 80% complete.</u>

PROJECT STATUS REPORT: Franklin - Southampton County (Environmental Services Division)

REPORTING MONTH: OCTOBER 2019

9/12/2019	Storage Solutions	Southampton County, Virginia	S.V. Camp, L.S.	Complete	Yes	Yes	1.45	<p>Performed site plan review on 7/1/2019 and received second submittal on 9/9/2019. F-S Comm Development-ESD addressing redesign requests from consultant engineer. Approved site plan 9/12/2019 and issued LD Permit and Notice to Proceed. DEQ Coverage Letter on 9/26/2019. Contractor Performed E&S Control Inspections as required</p>
2/11/2019	Belmont Peanuts	Capron, Virginia	Kimley Horn	Complete	Yes	Yes	4.7	<p>Environmental Services Division (ESD) met with the design consultant in City Hall on 1/9/2019 and onsite on 1/15/2019 to discuss site design, construction schedule and plan review requirements. ESD will meet with design team again on 2/20/2019 to discuss site plan review comments and possible site redesign options (Value engineering) in City Hall at 2:30pm. Received second submittal on 3/7/2019 waiting on SWPPP, surety bond and LD App with fees. <u>Site Plan Conditionally approved on 3/13/2019 Pre-Construction Meeting on 4/2/2019 Surety Bond Approved 3/28/2019 DEQ Coverage Letter 4/15/2019. Performing E&S/SWM Inspections as required. VDOT turn lane and adjacent ditch completed in late summer. Site work requires additional stabilization and BMP installation 80% complete.</u></p>

PROJECT STATUS REPORT: Franklin - Southampton County (Environmental Services Division)

REPORTING MONTH: OCTOBER 2019

10/22/2018	Southampton Academy	Courtland, Virginia	Kimley Horn	Complete	Yes	Yes	0.8	ESD received the first plan submittal 10/22/2018 and second plan submittal 1/1/2019. The site plan is conditionally approved and the design consultant/developer is preparing to secure the surety bond and land disturbance permit. Developer secured the LD permit on 3/11/2019 and ESD sent Surety Bond request on SHC Attorney on 3/11/19. Recieved surety bond approval 3/15/2019. Pre-Construction meeting on 3/26/2019. Disturbed areas adjacent to the building while gym is under construction. Building construction underway while sitewaork remains at 80% complete. Preforming E&S Constrol Inspections as required.
10/18/2018	Dominion Energy Roadway Improvement at Southampton Power Station	Southampton County	Golder Associates, P.C.	Complete	No	Yes	0.5	First submittal 10/18/2018 and Second submittal 1/31/2019. Site plan is approved. Site work needs to be completed during the plant closure. Land Disturbance permit was issued in advance of power plant closure to ensure no delays occurred with respect to plant operations. Dominion Energy is preparing to send COF a separate check for E & S Control Inspection fees \$100.00. Construction underway by Crowder & White Construction. Raod paving with asphalt and final stabilization is complete.

PROJECT STATUS REPORT: Franklin - Southampton County (Environmental Services Division)

REPORTING MONTH: OCTOBER 2019

5/9/2018	Rising Star Baptist Church	30277 Little Texas Road	Vernon Kee/S.V. Camp, L.S.	Complete	Yes	Yes	0.96	<p>Completed site plan review 6/2018. Issued Land disturbance permit on June 21, 2018. Contractor proceeding with sitework/E&S control plan as per the approved site plan. Contractor completed building foundation, walls and roof. Proceeding with interior work. Performing E & S Control Inspections as required. Contractor resuming completion of site work. Contractor is applying soil blanket matting, seed and fertilizer. Site work is 90% complete.</p>
----------	----------------------------	-------------------------	----------------------------	----------	-----	-----	------	---

DELINQUENT MEALS & LODGING TAX REPORT AS OF OCTOBER 21 2019

(DUE SEPTEMBER 20 2019)

MEALS TAX

BUSINESS NAME:	MONTH DELINQUENT:	TOTAL MONTHS
FRANKLIN BOWLING CENTER	JULY & AUGUST 2019	2
MAN MARKET	AUGUST 2019	1
PARK N SHOP 8	AUGUST 2019	1
PARK N SHOP 18	AUGUST 2019	1
CORNER OF SOUTH	JULY & AUGUST 2019	2

LODGING TAX

BUSINESS NAME:	MONTH DELINQUENT:	TOTAL MONTHS

ALL LODGING TAX RETURNS ARE CURRENT

**New Business Up-date
October 2019**

Business Name	Location	Contact Info	Type of Service
Morrissette Construction Inc/Henry Morrissette/Owner	410 East Street Franklin, Virginia 23851	434-917-3676	Contractor
J R Wills & Son Inc/Gordon Wills/Owner	100 Fairview Drive Franklin, Virginia 23851	757-242-6470	Contractor
Hess Farrier Service/Hunter Hess/Owner	131 Lakeview Road Franklin, Virginia 23851	757-359-0629	Horse Shoe Repair
Y.M.I. Pretty/Aniya Powell/Owner	713 North High Street Franklin, Virginia 23851	252-326-2278	Counselling for Girls
Painted Poni Studio/Katherine Henderson/Owner	210 South Main Street Franklin, Virginia 23851	757-647-5631	Farmers' Market
Hunterdale Investments LLC/Kelly Bowers/Owner	303 North Main Street Franklin, Virginia 23851	757-560-5366	Property Management & Designs

	A	B	C	D	E	F	G	H	I	K	L
1				Franklin Department of Parks & Recreation							
2				Oct-19							
3	Athletics										
4	Paul D. Camp Softball (Practice)				550						
5	Mustang Football (Practice)				1050						
6	Franklin F (Cheer)				600						
7	Franklin Youth Football League Game				600						
8	Franklin High School				250						
9	Total				3,050						
10											
11											
12											
13	Programs										
14	Aikido				60						
15	Pool Club				300						
16	Domino Club				100						
17	Open Recreation				1400						
18	Pinocle				10						
19	Franklin Ministers Association				10						
20	Junior Youth Empowerment				15						
21	Tutoring and Reading Program				20						
22	Bid Wiz				20						
23	Dance Team Practice				30						
24	Activity of the week				15						
25	Franklin wellness coalition				45						
26	Activity of the week				15						
27	Franklin wellness coalition				45						
28	Total				2,040						
29											
30	Cover 3 Feeding										
31	Snacks				100						
32	Dinners				100						
33	Total				200						

Monthly Chart

Category	Value
Senior Citizens	500
Volunteers	100
Grand Total	7500

20	Junior Youth Empowerment				15						
21	Tutoring and Reading Program				20						
22	Bid Wiz				20						
23	Dance Team Practice				30						
24	Activity of the week				15						
25	Franklin wellness coalition				45						
26	Activity of the week				15						
27	Franklin wellness coalition				45						
28	Total				2,040						
29											
30	Cover 3 Feeding										
31	Snacks				100						
32	Dinners				100						
33	Total				200						

	A	B	C	D	E	F	G	H	I	K	L
34								<i>Senior Citizens</i>		490	
35	<i>Community Meetings</i>				200			<i>Volunteers</i>		114	
36	Total				200			Grand Total		7,689	
37											
38	<i>Social Media -Facebook clicks</i>				1500						
39	Total				1500						
40											
41	<i>Senior Citizens</i>				570						
42	Total				570						
43											
44											
45											
46											
47											
48											
49											
50											
51					# Vol	# Days	Total				
52	Junior Youth Empowerment				2	5	10				
53	Open Recreation				2	24	48				
54	Fall O rama Volunteers				20	1	20				
55	Create Bliss Dance Practice				1	1	1				
56	Food Bank (2)				7	1	7				
57	Bid Whiz				2	4	8				
58	Karate				4	4	16				
59	Total						110				

City
PRESS



Rite Aid in Franklin now has a medicine disposal drop box for people to dispose of any pill medication, prescription or over the counter, from Rite Aid or anywhere else. This is to help keep unused medication out of the hands of people to whom it was not prescribed as well as to keep people from flushing pills that end up in our rivers. It's a box that looks like a library book drop box near the pharmacy. It has a small door that opens and people can deposit unused or expired **pill-form only** medication any time the store is open; you just walk up and drop it in. Various law enforcement entities do this a few times a year, but this is now available year-round.



FRANKLIN COMMUNITY CHRISTMAS PARADE 2019

FRIDAY, DECEMBER 6TH ❄️ 7PM



VIRGINIA
MAIN
FRANKLIN Sweet



City of
Franklin
VA 22031
Grand • Community • Spirit

**FREE
ADMISSION**



PARADE THEME:

SNOW GLOBE CHRISTMAS

Civic groups, bands, businesses, churches, and participants from near and far march through Historic Downtown Franklin while thousands of spectators look on.



VISIT US ONLINE FOR EVENTS, NEWS, PHOTOS
& MORE AT DOWNTOWNFRANKLINVA.ORG



Like us on Facebook!
@DowntownFranklinVA

designed locally by
inercorp

STAR PERFORMER OR BRIGHT IDEA AWARD NOMINATIONS

The Holiday Party is a time for celebration! We would like to recognize the achievements of our City Employees. In order to do this, we need Star Performer and Bright Idea nominations. Please submit your nominations using the attached forms no later than Friday, November 6, 2019 by 12:00 p.m. You can email to jobs@franklinva.com or you can personally deliver your nomination to the Administrative office.

Thank you

FORM B

**STAR PERFORMER AWARD
NOMINATION FORM**

**To be completed by a citizen, a co-employee, a supervisor or department head to nominate an
employee for a STAR Performer Award**
(type or print)

Name of Nominee: _____

Job Title: _____

Department: _____

Immediate Supervisor: _____

I am nominating the above for the STAR Performer award because:

I consider this employee's performance above the expectations of his or her job because:

Name of person making nomination _____

Date of nomination _____

Endorsing Signature and any comments _____

Form B page 2

This page is to be completed by the employee's supervisor or department head and attached to page 1 in order to provide information to the PEP Committee for its consideration of nominees for Employee of the Year.

In addition to providing the information on page 1, please rate numerically on a scale of 1-10 (10 being the highest) the degree to which this employee demonstrates the following traits:

Demonstrated Traits	Degree
A positive attitude	
A cooperative spirit with fellow employees	
Personal initiative	
Excellent job performance	

Also specify whether the employee made specific and notable contributions in one or more of the following areas (taking into consideration the limits of his or her job):

- 1. Improvement in the quality of service delivered to the public.**
- 2. Improvement in productivity of city operations.**
- 3. Enhancement of workplace safety.**
- 4. Strengthening teamwork and cooperation among employees.**
- 5. Accomplishment of stated City Council or departmental goals.**
- 6. Development of innovative solutions to city problems or innovative approaches to job duties.**

Department Head

Form C page 2

This page is to be completed by the employee's department head and attached to page 1 in order to provide information to the PEP Committee for its consideration of nominees for Employee of the Year.

I have considered the innovation or idea and verify annual cost savings of \$ _____.

In addition to providing the information on page 1, please rate numerically on a scale of 1-10 (10 being the highest) the degree to which this employee demonstrates the following traits:

Demonstrated Traits	Degree
A positive attitude	
A cooperative spirit with fellow employees	
Personal initiative	
Excellent job performance	

Also specify whether the employee made specific and notable contributions in one or more of the following areas (taking into consideration the limits of his or her job):

- 1. Improvement in the quality of service delivered to the public.**
- 2. Improvement in productivity of city operations.**
- 3. Enhancement of workplace safety.**
- 4. Strengthening teamwork and cooperation among employees.**
- 5. Accomplishment of stated City Council or departmental goals.**
- 6. Development of innovative solutions to city problems or innovative approaches to job duties.**

Department Head



TURKEY BOWL

2019

ADULT TURKEY BOWL

- 7-man FLAG
- \$10 PER PERSON
- (15 max PER TEAM)
- **EACH TEAM MUST HAVE TEAM CAPTIAN**
- **ROSTER DUE 11/26**
 - 5 TEAM MAX
 - **ARMORY FIELD**
 - **NOVEMBER 30TH**
10:00am

For more information
or to sign up call
757-562-2475

Entry:
\$3 Adults
\$1 Kids






HOLIDAY TRASH PICK UP

The City of Franklin Offices will be closed on Thursday, November 28, 2019 and Friday, November 29, 2019 for Thanksgiving. Thursday's trash route will be picked up on Monday, December 2, 2019 with Monday's route. Friday's Route will be picked up on Tuesday, December 3, 2019 with Tuesday's route. The City of Franklin Public Works Offices will close at 11:30am on Wednesday, November 27, 2019 and reopen Monday, December 2, 2019 @ 7:30am

CHRISTMAS OPEN HOUSE

IN DOWNTOWN FRANKLIN * SATURDAY, NOVEMBER 23, 2019 * 10:00AM-5:00PM



Join us Downtown to enjoy shopping, carriage rides (with validated ticket) from 12:30PM-3:30PM, and festivities while helping to stimulate our local economy!

FREE ADMISSION &
OPEN TO THE PUBLIC

This annual event is held by DFA and is particularly important this year as we make a concerted effort to promote and support our local businesses. Now more than ever, we must come together as a community to help ensure our future.

SPONSORED BY



BURGESS & CO
P.C.
CERTIFIED PUBLIC ACCOUNTANTS



insercorp



AUTO PARTS
FRANKLIN



Allstate
Todd Rose

BLAKE



BRONCO
FEDERAL CREDIT UNION



cricket
wireless



FARMERS BANK
Since 1919



FOLLOW US ON FACEBOOK @DOWNTOWNFRANKLINVA

FOR MORE INFORMATION CALL 757-562-6900 OR VISIT DOWNTOWNFRANKLINVA.ORG



HOLIDAY HARVEST FARMERS MARKET



November 23, 2019 @9AM-1PM

We will have OLD CART CRITTERS (Petting zoo)

Vendors:

- Howell Produce: Fresh Seasonal Produce (collards, Kale, sweet potatoes, broccoli)
- Roy Dickerson: Fresh Seasonal Produce
- Larry Gary: Fresh Seasonal Produce
- Bakery Bus: Homemade pies, breads, rolls (pre-orders available: 252-396-1242)
- Kim Croak: Hand Made Crafts, scrubbies
- Layden's Seafood: Fresh caught Seafood, oysters, crab meat, scallops, tuna, crab cakes (pre-orders available: 252-339-5208)
- Joanne's Goat Milk Soap: Goat Milk Soaps and Lotions
- River Road Farms: Local grass fed beef (pre-orders available online)
- Vann's Premium Pork (pre-orders available 252-232-8554)
- Ms. Liz's Kitchen: Homemade pickles, jams, jelly, brownies, breads
- Bee Sweet Honey: Locally produced honey
- Velma Boone: Sweet Stuff

And More Vendors....





Downtown Franklin Association's

ELF PARADE



Join us at **6:00PM** in Historic Downtown Franklin for the **Parade of Elves** and the **Community Tree Lighting** at Barrett's Landing Park!

THURSDAY, DECEMBER 5, 2019

Assemble in the parking lot in front of the Train Depot/Visitors' Center from 5:30-5:45PM to receive your genuine elf hat before walking with Santa and his Elves down Main Street to Barrett's Landing Park to enjoy refreshments, tell Santa Christmas wishes, and view the lighting of the Community Christmas Tree!



SPONSORED BY



FARMERS BANK
Since 1919



SOUTHAMPTON
MEMORIAL HOME HEALTH

© 2019 DOWNTOWN FRANKLIN ASSOCIATION, INC. ALL RIGHTS RESERVED.



VISIT US ONLINE FOR EVENTS, NEWS, PHOTOS & MORE AT DOWNTOWNFRANKLINVA.ORG



Like us on Facebook!
[@DowntownFranklinVA](https://www.facebook.com/DowntownFranklinVA)

designed locally by
 insercorp

FRANKLIN COMMUNITY CHRISTMAS PARADE 2019

FRIDAY, DECEMBER 6TH ❄️ 7PM



VIRGINIA
MAIN
FRANKLIN Sweet



City of
Franklin
VA 22031
Good • Community • Spirit

**FREE
ADMISSION**



PARADE THEME:

SNOW GLOBE CHRISTMAS

Civic groups, bands, businesses, churches, and participants from near and far march through Historic Downtown Franklin while thousands of spectators look on.



VISIT US ONLINE FOR EVENTS, NEWS, PHOTOS
& MORE AT DOWNTOWNFRANKLINVA.ORG



Like us on Facebook!
@DowntownFranklinVA

designed locally by
inercorp

JINGLE BALL Christmas Party

FREE
PICTURES
WITH
SANTA



BRING
THE
FAMILY!

DECEMBER 11 TH
5:30 - 7:30PM

- *Crafts Station (Christmas Ornament)
- *Hot Cocoa Station
- *Face Painting Station
- *Popcorn Station
- *Movie Showing: Polar Express

MLK Community Center
683 Oak Street Franklin, VA 23851





Christmas Party

*The City of Franklin Employee
Christmas Luncheon will be on
Friday, December 13, 2019 from
11:30 a.m. to 1:30 p.m.*

*The Main Event
110 N Main Street
Franklin, VA 23851.*

*Thank you for all you do!
Have a wonderful holiday
season!*

*City Council
and
City Administration*

Franklin Department of Parks and Recreation Presents...



**CANDY CANE
HUNT**

**SATURDAY, DEC 14TH
12PM-2PM**

ARMORY PARK
920 ARMORY DRIVE
FRANKLIN, VA 23851

MORE INFO: 757-562-2475



	A	B	C	D	E	F	G
1	Franklin Power & Light						
2	Trouble Calls						
3	October 1, 2019 to October 31, 2019						
4							
5	Date:	Saturday - 10/5/19					
6	Location:	100 Fairview Drive					
7	Time first call came in:	9:44am					
8	Actual Time of Outage:						
9	Power restored:	10:45am					
10	Response time:	25 minutes					
11	Problem:	Partial power - squirrel blew fuse on 3 phase transformer bank					
12		was running on generator					
13	# of customers effected:	1					
14							
15	Date:	Saturday - 10/5/19					
16	Location:	121 S. Main Street and Southwest corner of 2nd Ave & N. Main Street					
17	Time first call came in:	10:10am					
18	Actual Time of Outage:						
19	Power restored:						
20	Response time:	continuation of previous call					
21	Problem:	2 Lamp post recepticals - not working for Fall Festival					
22		no voltage to recepticals from light post					
23	# of customers effected:						
24							
25	Date:	Thursday - 10/10/19					
26	Location:	1521 Clay Street					
27	Time first call came in:						
28	Actual Time of Outage:	8:30am					
29	Power restored:	1:30pm					
30	Response time:	Planned outage					
31	Problem:	Disconnect service - contractor doing work					
32	# of customers effected:	1					
33							
34	Date:	Thursday - 10/10/19					
35	Location:	1443 Clay Street					
36	Time first call came in:	6:02pm					
37	Actual Time of Outage:						
38	Power restored:	7:00pm					
39	Response time:	30 minutes					
40	Problem:	No power - squirrel blew transformer fuse					
41	# of customers effected:	3					
42							
43	Date:	Saturday - 10/12/19					
44	Location:	Camptown area					
45	Time first call came in:	9:55pm					

	A	B	C	D	E	F	G
46	Actual Time of Outage:						
47	Power restored:	12:30am					
48	Response time:	35 minutes					
49	Problem:	No power - found bad lightning arrester on Washington Street that					
50		opened up 2012 recloser					
51	# of customers effected:	123					
52							
53	Date:	Sunday - 10/13/19					
54	Location:	107 Park circle					
55	Time first call came in:	12:30pm					
56	Actual Time of Outage:						
57	Power restored:	2:50pm					
58	Response time:	30 minutes					
59	Problem:	No power - squirrel blew underground primary fuse					
60	# of customers effected:	2					
61							
62	Date:	Wednesday - 10/16/19					
63	Location:	413 Meadow Lane					
64	Time first call came in:	1:00pm					
65	Actual Time of Outage:						
66	Power restored:	1:34pm					
67	Response time:	15 minutes					
68	Problem:	No power - small pine limb on transformer blew fuse					
69	# of customers effected:	4					
70							
71	Date:	Thursday - 10/17/19					
72	Location:	108 Sunset Drive					
73	Time first call came in:						
74	Actual Time of Outage:	8:20am					
75	Power restored:	2:00pm					
76	Response time:	Planned outage					
77	Problem:	Disconnect service - drop service line for tree removal					
78	# of customers effected:	1					
79							
80	Date:	Monday - 10/21/19					
81	Location:	Areas of Clay St., Regency Estates, Southampton Rd. & Rawlsdale Road					
82	Time first call came in:	10:00pm					
83	Actual Time of Outage:	11:30pm to 53 customers to perform work safely					
84	Power restored:	2:00am					
85	Response time:	35 minutes					
86	Problem:	No power - cutout burnt crossarm in to and primary wire dropped					
87	# of customers effected:	88					
88							
89	Date:	Sunday - 10/27/19					
90	Location:	Areas of Washington St., Stonewall St. and Maplewood Avenue					

	A	B	C	D	E	F	G	
91	Time first call came in:	10:27am						
92	Actual Time of Outage:							
93	Power restored:	11:14am						
94	Response time:	15 minutes						
95	Problem:	No power - mainline cutout fuse blown - no cause found						
96	# of customers effected:	57						
97								
98	Date:	Wednesday - 10/30/19						
99	Location:	Areas of Carrsville Highway and Beaver Brooke Trailer Park						
100	Time first call came in:	3:34pm						
101	Actual Time of Outage:							
102	Power restored:	4:16pm to 101 customers						
103	Power restored:	6:50pm to 26 customers						
104	Response time:	10 minutes						
105	Problem:	No power - cutout burnt up on underground dip pole that feeds						
106		Beaver Brooke Trailer Park - replaced and still found had a problem -						
107		found pad mount transformer was hit and knocked off it's pad						
108	# of customers effected:	127						
109								
110	Date:	Wednesday - 10/30/19						
111	Location:	Areas of Carrsville Hwy., Lees Mill Rd., Holy Neck Rd. & S. Quay Rd.						
112	Time first call came in:	11:40pm						
113	Actual Time of Outage:							
114	Power restored:	2:40am						
115	Response time:	40 minutes						
116	Problem:	Storm trouble - found limb on line off Carrsville Highway that opened						
117		circuit breaker						
118	# of customers effected:	470						

Date:	Monday - 7/6/15					
Location:	Part of Dogwood Bend Road and Sycamore Church Road					
Time first call came in:	7:34pm					
Actual Time of Outage:						
Power restored:	8:15pm to 94 customers					
Power restored:	9:00pm to 2 customers					
Response time:	20 minutes					
Problem:	Storm trouble - primary wire down - opened up "C" phase reclosure					
# of customers effected:	96					
This opened up "C" phase reclosure 1442 on Dogwood Bend Rd.						
Date:	Wednesday - 7/8/15					
Location:	31132 Smiths Ferry Road					
Time first call came in:	2:30am					
Actual Time of Outage:						
Power restored:	4:30am					
Response time:	35 minutes					
Problem:	Tree - fell across house service and tore it down					
# of customers effected:	2					
Wendell said it probably rocked the primary pretty good across road						
Date:	Wednesday - 7/15/15					
Location:	Smiths Ferry Road (Miller Farm)					
Time first call came in:	10:20am					
Actual Time of Outage:						
Power restored:	11:37am					
Response time:	15 minutes					
Problem:	Partial power - blown lightning arrester in the pad mount transformer					
# of customers effected:	1					
Outage at Miller farm just south of Mr. Darden - trouble shooting probably blinked him						

CITY OF FRANKLIN
WATER SYSTEM CHLORINATION REPORT
 Oct-19

	Pretlow	Hunterdale.	Armory Dr	Public Works	Cypress Ave	Trail Road	2nd Ave
	Well # 6	Well # 7	Dist. Sys	Dist. Sys.	Dist. Sys.	Dist. Sys.	Dist. Sys.
	Cl2 Res.	Cl2 Res.	Cl2 Res.	Cl2 Res.	Cl2 Res	Cl2 Res	Cl2 Res.
Date	Mg/l	Mg/l	Mg/l	Mg/l	Mg/l	Mg/l	Mg/l
1	1.11	0.80	0.66	0.70	0.40	0.50	0.26
2	0.85	0.76	0.63	0.73	0.50	0.50	0.34
3	1.07	N/A	0.67	0.73	0.21	0.49	0.30
4	1.07	N/A	0.71	0.74	0.35	0.21	0.25
5	1.17	N/A	0.80	0.90	0.29	0.44	0.26
6	1.00	N/A	0.79	0.91	0.29	0.49	0.27
7	1.07	N/A	0.76	0.77	0.33	0.53	0.40
8	1.05	N/A	0.62	0.68	0.19	0.29	0.16
9	1.06	N/A	0.59	0.64	0.20	0.32	0.18
10	0.95	N/A	0.68	0.74	0.25	0.33	0.16
11	1.06	N/A	0.65	0.70	0.24	0.37	0.21
12	1.11	N/A	0.72	0.90	0.28	0.25	0.19
13	1.24	N/A	0.71	0.75	0.33	0.37	0.29
14	0.93	N/A	0.71	0.77	0.33	0.35	0.23
15	1.00	N/A	0.69	0.85	0.33	0.38	0.25
16	1.14	N/A	0.71	0.80	0.33	0.40	0.27
17	1.11	N/A	0.68	0.78	0.24	0.33	0.26
18	0.98	N/A	0.68	0.73	0.32	0.37	0.28
19	1.12	N/A	0.69	0.82	0.26	0.28	0.29
20	1.07	N/A	0.76	0.77	0.37	0.28	0.31
21	1.10	N/A	0.76	0.80	0.45	0.38	0.29
22	0.90	N/A	0.78	0.89	0.34	0.38	0.29
23	1.03	N/A	0.72	0.77	0.39	0.40	0.33
24	1.00	N/A	0.68	0.80	0.37	0.42	0.33
25	1.05	N/A	0.72	0.80	0.49	0.41	0.36
26	1.05	N/A	0.69	0.82	0.41	0.35	0.31
27	0.99	N/A	0.66	0.70	0.32	0.38	0.32
28	1.08	N/A	0.67	0.68	0.35	0.35	0.33
29	0.97	N/A	0.64	0.76	0.30	0.37	0.28
30	1.14	N/A	0.59	0.61	0.33	0.32	0.25
31	1.03	N/A	0.65	0.65	0.31	0.33	0.34

COMMONWEALTH OF VIRGINIA
GROUND WATER PUMPAGE AND USE REPORT

Year 2019
 MONTH OCTOBER
 Quarter 1 2 3 4
 (Circle One)
 County/ City
City of Franklin

State Department of Health and State Water Control Board

Water Source: X Well(s) Spring(s) Wells and Spring(s)
 Public. Send copy of report to Regional State Water Control Board Office and Regional State Health Department Office
 Industrial. Send copy of report to Regional State Water Control Office
 Other. Send copy of report to Regional State Water Control Board Office

Name of Waterworks
City of Franklin

Name of Operator Stephen W. Watson
 Position/ Title Utility Superintendent
 Signature *Stephen W. Watson* Date 11-11-19

Owner Same
 Address: P. O. Box 179
Franklin, Va. 23851 Phone (757)562-8564

Population Served (Public) 9,000
 No. of Connections (Public) 3,500
 Operation Permit Number (public) 3620350

Type of use: Public X Industrial Other (Specify)
 If measurements are for a single-meter field reading, list wells included in field

SWCB No. Owner No. SWCB No. Owner No.
 SWCB No. Owner No. SWCB No. Owner No.
 SWCB No. Owner No. SWCB No. Owner No.

Meter readings are in Gallons (gallons, 1000's of gallons, cubic feet, etc.)

SWCB No.	Owner No.	# 4 Well
Last	Months Reading	49,640,000
Date	Meter Reading*	Gal. used
1		0
2		0
3		0
4		0
5		0
6		0
7		0
8		0
9		0
10		0
11		0
12		0
13		0
14		0
15		0

Date	Meter Reading*	Gal. Used	Water Level****
16		0	
17		0	
18		0	
19		0	
20		0	
21		0	
22		0	
23		0	
24		0	
25		0	
26		0	
27		0	
28		0	
29		0	
30		0	
31	49,640,000	0	

* Read meter same time each day
 ** If taken, read at end of non pumping period
 ***If taken, read at end of heavy- pumping period
 ****If taken in one well in a field, specify which
 Well - COLLEGE DR

Total Gallons During Month	0	Total Gallons During Quarter	0
Total Oper. Days this Month	0	Total Oper. Days this Quarter	0
Daily Average During Month	0.00	Daily Average During Quarter	0.00

FILE C 7

GROUND WATER PUMPAGE AND USE REPORT

State Department of Health and State Water Control Board
 Water Source: Public. Send copy of report to Regional State Water Control Board Office and
 Regional State Health Department Office
 Well(s)
 Spring(s)
 Wells and Spring(s)
 Industrial. Send copy of report to Regional State Water Control Office
 Other. Send copy of report to Regional State Water Control Board Office

Quarter 1 2 3 4
 (Circle One)
 County/ City
 City of Franklin

Name of Waterworks
 City of Franklin

Name of Operator Stephen W. Watson
 Position/ Title Utility Superintendent
 Signature [Signature] Date 11-4-19

Owner Same
 Address: P. O. Box 179
Franklin, Va. 23851 Phone (757)562-8564

Population Served (Public) 9,000
 No. of Connections (Public) 3,500
 Operation Permit Number (public) 3620350

Type of use: Public Industrial Other (Specify)

If measurements are for a single-meter field reading, list wells included in field

SWCB No. _____ Owner No. _____ SWCB No. _____ Owner No. _____
 SWCB No. _____ Owner No. _____ SWCB No. _____ Owner No. _____
 SWCB No. _____ Owner No. _____ SWCB No. _____ Owner No. _____

Meter readings are in Gallons (gallons, 1000's of gallons, cubic feet, etc.)

SWCB No.	Owner No.	# 5 Well
Last	Months Reading	875,000
Date	Meter Reading*	Gal. used
1		0
2		0
3		0
4		0
5		0
6		0
7		0
8		25,000
9		0
10		0
11		0
12		0
13		0
14		0
15		0

Date	Meter Reading*	Gal. Used	Water Level****
16		25,000	
17		0	
18		0	
19		0	
20		0	
21		0	
22		0	
23		25,000	
24		0	
25		0	
26		0	
27		0	
28		0	
29		0	
30		25,000	
31	975,000	0	

* Read meter same time each day
 ** If taken, read at end of non pumping period
 ***If taken, read at end of heavy- pumping period
 ****If taken in one well in a field, specify which
 Well - HUNTERDALE # 5

Total Gallons During Month	100,000	Total Gallons During Quarter	100,000
Total Oper. Days this Month	4	Total Oper. Days this Quarter	4
Daily Average During Month	25,000.00	Daily Average During Quarter	25,000.00

FILE COPY

GROUND WATER PUMPAGE AND USE REPORT

State Department of Health and State Water Control Board

Water Source:

Public. Send copy of report to Regional State Water Control Board Office and

(Circle One)

Well(s)

Regional State Health Department Office

County/ City

Spring(s)

Industrial. Send copy of report to Regional State Water Control Office

City of Franklin

Wells and Spring(s)

Other. Send copy of report to Regional State Water Control Board Office

Name of Waterworks

Name of Operator Stephen W. Watson

City of Franklin

Position/ Title Utility Superintendent

Owner Same

Signature [Signature] Date 11-4-19

Address: P. O. Box 179

Population Served (Public) 9,000

Franklin, Va. 23851 Phone (757)562-8564

No. of Connections (Public) 3,500

Operation Permit Number (public) 3620350

Type of use: Public Industrial Other (Specify)

If measurements are for a single-meter field reading, list wells included in field

SWCB No. _____ Owner No. _____ SWCB No. _____ Owner No. _____
 SWCB No. _____ Owner No. _____ SWCB No. _____ Owner No. _____
 SWCB No. _____ Owner No. _____ SWCB No. _____ Owner No. _____

Meter readings are in Gallons (gallons, 1000's of gallons, cubic feet, etc.)

SWCB No.	Owner No.	# 6 Well
Last	Months Reading	723,793,000
Date	Meter Reading*	Gal. used
1		539,000
2		519,000
3		541,000
4		922,000
5		966,000
6		820,000
7		998,000
8		892,000
9		913,000
10		869,000
11		898,000
12		914,000
13		1,091,000
14		695,000
15		764,000

Date	Meter Reading*	Gal. Used	Water Level****
16		870,000	
17		869,000	
18		883,000	
19		901,000	
20		845,000	
21		765,000	
22		873,000	
23		844,000	
24		829,000	
25		847,000	
26		900,000	
27		1,066,000	
28		644,000	
29		904,000	
30		806,000	
31	749,860,000	880,000	

* Read meter same time each day

** If taken, read at end of non pumping period

***If taken, read at end of heavy- pumping period

****If taken in one well in a field, specify which

Well - PRETLOW

Total Gallons

During Month

26,067,000

Total Oper.

Days this Month

31

Daily Average
During Month

840,870.97

Total Gallons

During Quarter

26,067,000

Total Oper.

Days this Quarter

31

Daily Average
During Quarter

840,870.97

FILE COPY

GROUND WATER PUMPAGE AND USE REPORT

State Department of Health and State Water Control Board

Water Source:

Public. Send copy of report to Regional State Water Control Board Office and

(Circle One)

Well(s)

Regional State Health Department Office

County/ City

Spring(s)

Industrial. Send copy of report to Regional State Water Control Office

City of Franklin

Wells and Spring(s)

Other. Send copy of report to Regional State Water Control Board Office

Name of Waterworks

Name of Operator Stephen W. Watson

City of Franklin

Position/ Title Utility Superintendent

Owner Same

Signature Stephen W. Watson Date 11-4-19

Address: P. O. Box 179

Population Served (Public) 9,000

Franklin, Va. 23851 Phone (757)562-8564

No. of Connections (Public) 3,500

Operation Permit Number (public) 3620350

Type of use: Public Industrial Other (Specify)

If measurements are for a single-meter field reading, list wells included in field

SWCB No. _____ Owner No. _____ SWCB No. _____ Owner No. _____
 SWCB No. _____ Owner No. _____ SWCB No. _____ Owner No. _____
 SWCB No. _____ Owner No. _____ SWCB No. _____ Owner No. _____

Meter readings are in Gallons (gallons, 1000's of gallons, cubic feet, etc.)

SWCB No.	Owner No.	# 7 Well
Last	Months Reading	36,890,000
Date	Meter Reading*	Gal. used
1		492,000
2		379,000
3		202,000
4		0
5		0
6		0
7		0
8		0
9		0
10		0
11		0
12		0
13		0
14		0
15		0

Date	Meter Reading*	Gal. Used	Water Level****
16		65,000	
17		0	
18		0	
19		0	
20		0	
21		0	
22		0	
23		0	
24		56,000	
25		0	
26		0	
27		0	
28		0	
29		0	
30		0	
31	38,139,000	55,000	

* Read meter same time each day

** If taken, read at end of non pumping period

***If taken, read at end of heavy- pumping period

****If taken in one well in a field, specify which

Well - HUNTERDALE # 7

Total Gallons
During Month

1,249,000

Total Oper.
Days this Month

6

Daily Average
During Month

208,166.67

Total Gallons
During Quarter

1,249,000

Total Oper.
Days this Quarter

6

Daily Average
During Quarter

208,166.67

FILE COPY

FILE COPY

Year: 2019
 Month: OCTOBER

Virginia Department of Health
 Office of Drinking Water
 Monthly Disinfection Monitoring Report

PWSID: 3620350

Waterworks: City of Franklin

Monitoring Location: Pretlow Entry Point (EP006)

Required Residual: 0.3 mg/L

Date	Time	Gallons Hypochlorite	Entry Point Residual(mg/L)	Distribution Residual (mg/L)	Chlorine Tank Gals
1	8:22	10.81 gpd	1.11	0.66	380 gals
2	11:09	10.81 gpd	0.85	0.63	
3	9:53	10.81 gpd	1.07	0.67	
4	8:10	10.81 gpd	1.07	0.71	
5	10:00	10.81 gpd	1.17	0.80	
6	8:43	10.81 gpd	1.00	0.79	
7	10:16	10.81 gpd	1.07	0.76	
8	8:08	10.81 gpd	1.05	0.62	
9	8:26	10.81 gpd	1.06	0.59	
10	8:16	10.81 gpd	0.95	0.68	
11	8:05	10.81 gpd	1.06	0.65	
12	10:09	10.81 gpd	1.11	0.72	
13	14:35	10.81 gpd	1.24	0.71	
14	9:24	10.81 gpd	0.93	0.71	
15	8:15	10.81 gpd	1.00	0.69	
16	8:09	10.81 gpd	1.14	0.71	
17	8:03	10.81 gpd	1.12	0.68	
18	9:19	10.81 gpd	0.98	0.68	
19	10:15	10.81 gpd	1.12	0.69	
20	10:36	10.81 gpd	1.07	0.76	
21	8:20	10.81 gpd	1.10	0.76	
22	8:13	10.81 gpd	0.90	0.78	
23	8:38	10.81 gpd	1.03	0.72	
24	8:02	10.81 gpd	1.00	0.68	110/535
25	8:10	10.81 gpd	1.05	0.72	
26	9:08	10.81 gpd	1.05	0.69	
27	14:45	10.81 gpd	0.99	0.66	
28	8:07	10.81 gpd	1.08	0.67	
29	9:36	10.81 gpd	0.97	0.64	
30	8:33	10.81 gpd	1.14	0.59	
31	8:09	10.81 gpd	1.03	0.65	470 gals

Chlorine Compound Used: Sodium Hypochlorite Liquid 12.5 %

** Indicate the dates the chlorine compound was replenished and any operational changes/issues.

Year: 2019
 Month: OCTOBER

**Virginia Department of Health
 Office of Drinking Water
 Monthly Disinfection Monitoring Report**

PWSID: 3620350

Waterworks: City of Franklin

Monitoring Location: Hunterdale Entry Point (EP007)

Required Residual: 0.3 mg/L

Date	Time	Gallons Hypochlorite	Entry Point Residual(mg/L)	Distribution Residual (mg/L)	Chlorine Tank Gals
1	11:23	6.67 gpd	0.80	0.50	400 gals
2	11:45	6.67 gpd	0.76	0.50	
3	11:30	6.67 gpd	N/A	0.49	
4	N/A	N/A	N/A	0.21	
5	N/A	N/A	N/A	0.44	
6	N/A	N/A	N/A	0.49	
7	N/A	N/A	N/A	0.53	
8	N/A	N/A	N/A	0.29	
9	N/A	N/A	N/A	0.32	
10	N/A	N/A	N/A	0.33	
11	N/A	N/A	N/A	0.37	
12	N/A	N/A	N/A	0.25	
13	N/A	N/A	N/A	0.37	
14	N/A	N/A	N/A	0.35	
15	N/A	N/A	N/A	0.38	
16	N/A	N/A	N/A	0.40	
17	N/A	N/A	N/A	0.33	
18	N/A	N/A	N/A	0.37	
19	N/A	N/A	N/A	0.28	
20	N/A	N/A	N/A	0.28	
21	N/A	N/A	N/A	0.38	
22	N/A	N/A	N/A	0.38	
23	N/A	N/A	N/A	0.40	
24	N/A	N/A	N/A	0.42	
25	N/A	N/A	N/A	0.41	
26	N/A	N/A	N/A	0.35	
27	N/A	N/A	N/A	0.38	
28	N/A	N/A	N/A	0.35	
29	N/A	N/A	N/A	0.37	
30	N/A	N/A	N/A	0.32	
31	N/A	N/A	N/A	0.33	380 gals

Chlorine Compound Used: Sodium Hypochlorite Liquid 12.5 %

** Indicate the dates the chlorine compound was replenished and any operational changes/issues.



COMMONWEALTH OF VIRGINIA
DEPARTMENT OF ENVIRONMENTAL QUALITY

Quarter 1 2019 3 4

Quarterly Ground Water Withdrawal Report

Owner: City of Franklin Name of Operator Stephen W. Watson
 Facility: City of Franklin Public Works Position/Title Utility Superintendent
 Address 1050 Pretlow Street Signature *Stephen W. Watson* Date 10/1/2019
Franklin, Virginia 23851 Phone 757-562-8564
 Permit # GW0042901 (Expires December 07, 2027)
 Note: New Application Due – March 12, 2027

Meter Readings are reported in Gallons (gallons, 100's or 1000's of gallons, cubic feet, etc.)

Month of July Year of 2019

Total Year to Date from Previous Quarter

145539000

Owner Well Number	DEQ Well Number and VWUDS MPID Number	Present Reading	Previous Reading	Total Gallons
College Drive #4	233-00014 364015076561804	49,600,000	49,600,000	0
Hunterdale #5	233-00005 364047076552405	700,000	625,000	75,000
Pretlow Industrial Park #6	233-00015 363932076553701	696,275,000	682,844,000	13,431,000
Hunterdale #7	233-00016 364151076571701	984,860,000	984,508,000	352,000
Hunterdale #7	233-00016 New meter	11,856,000	12,000	11,844,000
Total Gallons This Month				25,702,000
Total Gallons Year to Date				171241000

Month of August Year of 2019

Owner Well Number	DEQ Well Number and VWUDS MPID Number	Present Reading	Previous Reading	Total Gallons
College Drive #4	233-00014 364015076561804	49,640,000	49,600,000	40,000
Hunterdale #5	233-00005 364047076552405	800,000	700,000	100,000
Pretlow Industrial Park #6	233-00015 363932076553701	709,904,000	696,275,000	13,629,000
Hunterdale #7	233-00016 364151076571701	24,503,000	11,856,000	12,647,000
Total Gallons This Month				26,416,000
Total Gallons Year to Date				197657000

Quarterly Groundwater Withdrawal Report

Quarter 1 2 3 4

System Name City of Franklin

Month of September Year of 2019

Owner Well Number	DEQ Well Number and VWUDS MPID Number	Present Reading	Previous Reading	Total Gallons
College Drive #4	233-00014 364015076561804	49,640,000	49,640,000	0
Hunterdale #5	233-00005 364047076552405	875,000	800,000	75,000
Pretlow Industrial Park #6	233-00015 363932076553701	723,793,000	709,904,000	13,889,000
Hunterdale #7	233-00016 364151076571701	36,890,000	24,503,000	12,387,000
Total Gallons This Month				26,351,000
Total Gallons Year to Date				224008000

The #7 well meter was replaced on April 1,2019 due to usage on meter

I certify under penalty of the law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system or those persons directly responsible for gathering the information, the information submitted is to the best of my knowledge and belief true, accurate, and complete. I am aware that there are significant penalties for submitting false information including the possibility of fine and imprisonment for knowing violations.

NAME: Stephen W. Watson DATE: 10/1/2019

SIGNATURE: *Stephen W. Watson*

Return Completed Form To:
Virginia Department of Environmental Quality
Central Office
Attn: Groundwater Withdrawal Permitting Program
P.O. Box 1105
Richmond, Virginia 23218