

DEPARTMENTAL REPORTS

JANUARY 2020 MONTHLY REPORTS


The following monthly reports are attached:

Building Permit Activity Report
Property Maintenance Inspection Report
Zoning Clearances Issued
Environmental Services Report
Delinquent Meals and Lodging Tax
Business License
Parks and Recreation
City Clips
Utility Outage Report
Water System Chlorination Report
Department of Environmental Quality Report
Franklin Municipal Airport

New Single Family Dwellings Under Construction

January 2020

- 📍 27006 Flaggy Run Rd
- 📍 28243 Round Hill Rd
- 📍 22461 Indian Town Rd
- 📍 36123 Broadwater Rd
- 📍 20304 Harris Rd
- 📍 200 Landview Ln
- 📍 201 Landview Ln
- 📍 20278 Harris Rd
- 📍 6996 Hicks Ford Rd
- 📍 409 S High St
- 📍 21750 Bethel Rd
- 📍 9418 Sadler Rd
- 📍 32529 Pebble Brook Dr
- 📍 28375 Sunbeam Rd
- 📍 22587 Harvest Dr
- 📍 31423 Rolling Hill Road
- 📍 21473 Southampton Pkwy
- 📍 33131 Quaker Rd
- 📍 11519 Tucker Swamp Rd
- 📍 21485 Harvest Dr
- 📍 22573 Harvest Dr
- 📍 21435 Black Creek Rd
- 📍 551 Ashton Ave
- 📍 35319 Ashleigh Dr
- 📍 35393 Ashleigh Dr



- 📍 15218 Wakefield Rd
- 📍 112 Wiggins Ct
- 📍 33064 Pebble Brook Dr

Map Legend

Blue = Site Built Homes

Yellow = Modular Homes

Red = Manufactured Homes

RESIDENTIAL CONSTRUCTION

NEW SINGLE FAMILY

Owner/Address	Description/Parcel ID	Estimated Value
TOWNE DEVELOPMENT 33064 PEBBLE BROOK DR 23837	NEW SINGLE FAMILY TP 63B 1 42	140,000
TOTAL NEW SINGLE FAM CONSTRUCTION:	1	140,000

RESIDENTIAL ADDITIONS

Owner/Address	Description/Parcel ID	Estimated Value
TOTAL RESIDENTIAL ADDITIONS:	0	0

RESIDENTIAL RENOVATIONS

Owner/Address	Description/Parcel ID	Estimated Value
FOX, TRENT AND JOANNE 24658 ORCHARD LN 23829	RESIDENTIAL TP 72--11A	1
ROSE, JUDITH C. 22487 EAST RAILROAD STREET 23874	RESIDENTIAL	4,000
SABATO, JOHN AND TERESA 32225 SEACOCK CHAPEL ROAD 23866	RESIDENTIAL TP 23-15	30,000
PEARSON, DIANE 16244 IVOR ROAD 23837	RESIDENTIAL TP 33-7-1	1
NEWBERN, DIANE 37269 GENERAL MAHONE BLVD 23866	RESIDENTIAL RENOVATIONS TP 16-19	13,900
TOTAL RESIDENTIAL RENOVATIONS	5	47,902
TOTAL ALL RESIDENTAL CONSTRUCTION:	6	187,902

COMMERCIAL CONSTRUCTION

COMMERCIAL RENOVATIONS

Owner/Address	Description/Parcel ID	Estimated Value
NEW DIXIE OIL CORP 1549 ARMORY DR 23851	COMMERCIAL RENOVATIONS	40,000
TOTAL COMMERCIAL RENOVATIONS:	1	40,000
TOTAL ALL COMMERCIAL CONSTRUCTION:	1	40,000

OTHER BUILDING PERMITS

Owner/Address	Description/Parcel ID	Estimated Value
AINSLEY, HEATHER 10071 IVOR ROAD 23866	GARAGE/CARPORT	12,000

BENJACK, DAVID J. 101 RIVER ROAD 23851	FENCE	20,000
LEE, DAVID S. 19455 DRAKE ROAD 23851	GARAGE/CARPORT	40,000
HARRIS, RONNIE 37201 BRITT ROAD 23898	GARAGE/CARPORT	10,000
TOTALS:	4	82,000

DEMOLITION PERMIT

Owner/Address	Description/Parcel ID	Estimated Value
KITCHEN, JOHNNY L SR AND JOANNE L. 31659 MONROE ROAD 23851	DEMOLITION	7,550
MARTIN, F. GERALD (AGENT) 19747 CROSS KEYS ROAD 23827	DEMOLITION	1
TOTALS:	2	7,551

SIGN PERMITS

Owner/Address	Description/Parcel ID	Estimated Value
WAL-MART 156 COUNCILL DR	SIGN	1,500
MARKS, ROBERT AND PATSY 22420 SOUTHAMPTON PARKWAY 23837	SIGN	14,632
TOTALS:	2	16,132

TOTAL # OF BUILDING PERMITS / VALUE:	15	333,585
---	-----------	----------------

CERTIFICATES OF OCCUPANCY

DATE ISSUED	ADDRESS	TYPE
NO C/O's ISSUED		

TOTAL PERMIT & INSPECTION FEES GENERATED:	14,932.20
TOTAL OTHER REVENUE GENERATED:	1,320.00
STATE SURCHARGE COLLECTED: GENERATED:	90.30
TOTAL REVENUE GENERATED:	16,342.50

OTHER PERMITS ISSUED:

TYPE	RES	COMM	FEES	VALUE
ELECTRICAL PERMIT	15	7	1,535.00	51,840
GAS PERMIT	1	0	50.00	1,800
MECHANICAL PERMIT	12	9	2,280.00	157,497
PLUMBING PERMIT	9	3	735.00	31,353
ZONING PERMIT	12	1	300.00	109
TOTALS:	49	20	4,900.00	242,599

PROJECT CODE RECAP

PERMITS BY TYPE	# OF PERMITS	EST VALUE	FEES
COMMERCIAL RENOVATIONS	1	40,000	215.00
COMMERCIAL RENOVATIONS	1	40,000	215.00
DEMOLITION	2	7,551	50.00
ELECTRICAL PERMITS	22	51,840	1535.00
FENCE	1	20,000	50.00
GARAGE/CARPORT	3	62,000	375.00
GAS PIPING	1	1,800	50.00
MECHANICAL PERMIT	21	157,497	2280.00
NEW SINGLE FAMILY DWELLING	1	140,000	235.00
PLUMBING PERMITS	12	31,353	735.00
RESIDENTIAL REPAIR-BUILDING	4	34,002	395.00
RESIDENTIAL RENOVATIONS	1	13,900	135.00
SIGN	2	16,132	70.00
ZONING CLEARANCE	13	109	300.00
TOTALS	85	616,184	6640.00

PERMITS BY AREA

DESCRIPTION	# OF PERMITS	ESTIMATED VALUE
SOUTHAMPTON COUNTY	55	420,001
FRANKLIN (ALL)	21	111,883
TOTALS	76	531,884

INSPECTIONS BY TYPE

PERMIT TYPE	# OF INSPECTIONS	RES	COMM
BUILDING PERMIT	87	74	13
ELECTRICAL PERMIT	50	39	11
GAS PERMIT	1	1	0
EROSION CONTROL PERMIT	19	0	19
MECHANICAL PERMIT	34	26	8
PLUMBING PERMIT	40	33	7
ZONING PERMIT	1	1	0
TOTALS	232	174	58
CODE ENFORCEMENT	55		
TOTALS	287		

CODE ENFORCEMENT INSPECTIONS COMPLETED FROM: 1/01/2020 to 1/31/2020

DATE INSP	RECORD/INSP	INSP TYPE	RESULTS	INSPECTOR	OWNER PROPERTY ADDRESS
1/02/2020	X-006212-001	PM11	A	PS	WILBESON PROPERTIES LLC 2016 SOUTH STREET 2385
Other/Misc. FIRE DAMAGE TO METER BASE					
Made site visit with FP/L and found damage to meter base. FP/L pulled meter and disconnected service wire.					
Contacted owner and advised to have electrician make repairs ,secure permit and call for inspection.					
1/02/2020	X-006213-001	Z009	A	LG	City of franklin VA.
OTHER Mutible Pro-Actice Inspections Including Code Research for costumers , phone calls , and field inspections					
1/02/2020	X-006214-001	B025	A	P/G	Joyner Hicks Ford Road
EROSION & SEDIMENT Inspection of proposed location of kennel that may be moved due to noise complaints from neighbors. Have not yet received a site plan from owner, BZA meeting later this month. Kennel can be moved to open field area without any issues, but placement of kennel in wooded area may be an issue due to nearby wetlands.					
1/02/2020	X-006216-001	PM01	V	WS	TIMOTHY L & KIMBERLY D BROWN 100 PARKS PL
In-Operative Vehicle SENDING LETTER					
1/03/2020	X-006215-001	Z009	A	LG	City of Franklin VA
OTHER Multiple Pro-Active inspections Including Costumer Q&A , Follow ups and feild inspections					
1/06/2020	X-006217-001	PM11	A	LG	Franklin Va
Other/Misc. Mutible Pro-active and permit related Inspections Including Code research , costumer Help ,Phone calls and IOV follow ups .					
1/06/2020	X-006219-001	PM01	V	WS	FREDERICKA N BRANCH 405 college dr.
In-Operative Vehicle SENDING LETTER					
1/06/2020	X-006220-001	PM01	V	WS	PREMIERE PROPERTIES LLC 611 WALNUT ST
In-Operative Vehicle SENDING LETTER					
1/06/2020	X-006221-001	PM01	V	WS	HENRY L OLDS 222 HARRISON ST
In-Operative Vehicle SENDING LETTER					
1/07/2020	X-006218-001	Z009	A	LG	City of Franklin
OTHER Multiple inspections including Costumer Q&A , code research generated by customer questions , follow up on complaints and pro-active inspections .					
1/08/2020	X-006223-001	Z006	V	WS	parknshop
SIGNS remove sign from utility pole					
1/08/2020	X-006224-001	PM01	V	WS	STONEWALL PROPERTIES LLC 428 THOMAS
In-Operative Vehicle SENDING LETTER					
1/08/2020	X-006226-001	PM01	V	WS	ALVIN K LEE & YOLANDAH 326 thomas st.
In-Operative Vehicle SENDING LETTER					
1/10/2020	X-006222-001	ZC	A	DB	J & J PROPERTIES ONE LLC 200 WEST JACKSON ST

Zoning Clearance Zoning inspection before final approval and opening to the public.
Will meet Dr. Karen Hazen aound 2:00 p.m.

Call 540-621-3185 two hours before coming out.

CODE ENFORCEMENT INSPECTIONS COMPLETED FROM: 1/01/2020 to 1/31/2020

DATE INSP	RECORD/INSP	INSP TYPE	RESULTS	INSPECTOR	OWNER PROPERTY ADDRESS
-----------	-------------	-----------	---------	-----------	---------------------------

Remarks for X-006222-001 continued...

1/10/2020	X-006225-001	B022	V	DB	MAKALANI, DINGANE 201 COBB ST
-----------	--------------	------	---	----	----------------------------------

INVESTIGATION
OVERCROWDING
PROPERTY MAINTENANCE

RECEIVED COMPLAINT FROM POLICE WITH CONCERNS OF PROPERTY MAINTENANCE ISSUE. ARRANGE TIME TO MEET POLICE OFFICERS AND PERFORM A PROPERTY MAINTENANCE INSPECTION TO FIND THE FOLLOWING TO BE IN VIOLATION:

- LIGHT IN CLOSET NEEDS TO BE SECURED.
- EXTENSION CORD NEEDS TO BE REMOVED.
- LOOSE PICKETS ON PORCH NEEDS TO BE SECURED.

WILL FORWARD LETTER CONCERNING VIOLATIONS ABOVE.

1/10/2020	X-006227-001	PM01	V	WS	ROSS A PREAU 404 thomas st
-----------	--------------	------	---	----	-------------------------------

In-Operative Vehicle SENDING LETTER

1/10/2020	X-006228-001	Z006	V	WS	BOBWHITE / HUNTERDALE RD
-----------	--------------	------	---	----	--------------------------

SIGNS REMOVED SIGNS FROM ROW 3 DIFFERENT LOCATIONS

1/10/2020	X-006229-001	PM01	V	WS	JD L C 607 NORTH HIGH ST
-----------	--------------	------	---	----	-----------------------------

In-Operative Vehicle

1/10/2020	X-006230-001	PM01	V	WS	JOSEPH W FRANCIS ET ALS 724 NORFLEET ST
-----------	--------------	------	---	----	--

In-Operative Vehicle SENDING LETTER

1/10/2020	X-006231-001	PM01	V	WS	FARGO PROPERTIES LC/701
-----------	--------------	------	---	----	-------------------------

In-Operative Vehicle SENDING LETTER

1/10/2020	X-006171-003	PM07	A	DB	KROUSE, CHARLOTTE 601 CLAY ST
-----------	--------------	------	---	----	----------------------------------

Trash and Debris Trash and Debris Trash and Debris trash - CALLED Elizabeth Toibero at 301-807-0749 which is the daughter of Charlotte G. Krouse(deceased). She will be coming down soon to get house boarded up. Requested names of contractors. Was giving three. w/f/u on 12/10/2019.

Received email on 12/9/2019 - will be here on the 10th to start boarding procedures and Mrs. Toibero will finish up on the 11th. Please see email in file.

12/10/2019 - Mr. & Mrs. Toibero was on site securing doors first floor windows. Trash and debris will be removed also. Mrs. Toibero stated that she is looking to talk with a realtor to put house up for sale or subdividing property. Will follow up on 1/10/2020.

1/10/2020	X-006170-003	PM03	A	DB	KROUSE, CHARLOTTE 601 CLAY ST
-----------	--------------	------	---	----	----------------------------------

Main Building Unsafe Main Building Unsafe Main Building Unsafe -SEVERAL WINDOWS BROKEN.

- ALL DOORS ARE OPEN.
- trash and debris.

CALLED Elizabeth Toibero at 301-807-0749 which is the daughter of Charlotte G. Krouse(deceased). She will be coming down soon to get house boarded up. Requested names of contractors. Was giving three. w/f/u on 12/10/2019.

Received email on 12/9/2019 - will be here on the 10th to start boarding procedures and Mrs. Toibero will finish up on the 11th.

DATE INSP	RECORD/INSP	INSP TYPE	RESULTS	INSPECTOR	OWNER PROPERTY ADDRESS
Remarks for X-006170-003 continued...					
Please see email in file.					
12/10/2019 - Mr. & Mrs. Toibero was on site securing doors first floor windows. Trash and debris will be removed also. Mrs. Toibero stated that she is looking to talk with a realtor to put house up for sale or subdividing property. Will follow up on 1/10/2020.					
1/13/2020	X-006141-004	PM01	V	WS	JOHNSON, DANIEL K AND CARRIE M 205 CYPRESS AVE
In-Operative Vehicle In-Operative Vehicle SENDING NOV LETTER					
1/13/2020	X-006141-002	PM01	V	WS	JOHNSON, DANIEL K AND CARRIE M 205 CYPRESS AVE
In-Operative Vehicle In-Operative Vehicle sending nov 7019 0160 0001 1602 8668 then tow					
1/13/2020	X-006232-001	PM01	V	WS	ESSIE MAE PICOT/C/O ANTHONY 201 thomas st
In-Operative Vehicle SENDING LETTER					
1/13/2020	X-006233-001	PM01	V	WS	BRANDON W COOK 606 clay
In-Operative Vehicle SENDING LETTER					
1/13/2020	X-006235-001	PM01	V	WS	TANYA J BRUBECK 604 CLAY ST
In-Operative Vehicle SENDING LETTER					
1/14/2020	X-006234-001	P009	A	LG	City of Franklin
OTHER Multiple pro active inspections including iov,s , code research , customer service and follow ups					
1/14/2020	X-006236-001	PM01	V	WS	WILBESON PROPERTIES LLC 421 THOMAS
In-Operative Vehicle SENDING LETTER					
1/14/2020	X-006237-001	Z009	A	S/S	IVOR ENTERPRISES, LLC 8242 MAIN ST 2386
At the request of Lee Copeland, Public Safety Administrator for the Town of Ivor, Willis Scott and I made a site visit at the referenced inspection location to determine if the storage warehouse was structurally unsafe.					
The following notes are our findings at that location:					
1) The building was originally built to house bulk peanuts.					
2) Interior cable restraints were installed to offset any pressure on the outside walls.					
3) Cables currently are slack and are not under tension.					
4) Missing exterior doors.					
The warehouse seems to be structurally sound due to limited leakage from the roof and no signs of deterioration of structural members.					
The warehouse building should be secured from public access to prevent it from becoming an attractive nuisance.					
Any grade level access ladders should be removed to a safe height.					
The elevator building needs some repairs to structural members and also remove access ladders.					
1/16/2020	X-006238-001	PM11	A	LG	City of franklin VA
Other/Misc. Multiple pro active Inspections including Code reaserch for costumers , field inspections ,and follow ups					
1/17/2020	X-006239-001	PM01	V	WS	CARRIE B JONES 340 thomas st
In-Operative Vehicle SENDING LETTER					
1/17/2020	X-006240-001	PM01	V	WS	DUSTIN R & BRITTNEY EARNEST

DATE INSP	RECORD/INSP	INSP TYPE	RESULTS	INSPECTOR	OWNER PROPERTY ADDRESS
Remarks for X-006240-001 continued...					
1/17/2020	X-006241-001	PM01	V	WS	LATASHA R BRYANT 840 REBECCA
In-Operative Vehicle SENDING LETTER					
1/17/2020	X-006242-002	PM01	V	WS	GEORGE L III & KATHRYN C WRIGHT 332 ROBIN HOOD RD
In-Operative Vehicle In-Operative Vehicle SENDING LETTER					
1/21/2020	X-006243-001	PM01	V	WS	WEINBERG PROPERTIES LLC 104 north high st
In-Operative Vehicle SENDING LETTER					
1/21/2020	X-006244-001	PM01	V	WS	ANNIE BEAMON 413 WASHINGTON ST
In-Operative Vehicle SENDING LETTER					
1/21/2020	X-006245-001	PM01	V	WS	CAO INVESTMENTS LLC 503 WASHINGTON ST
In-Operative Vehicle SENDING LETTER.					
1/24/2020	X-006246-001	B022	V	PS	25482 MARY HUNT ROAD 2387
INVESTIGATION BUILDING BEING CONSTRUCT WITH NO PERMIT					
spoke with Colten James. Stated that permit that were issued for house was for detached buildijg as well. Told me James I will go back to office to verify.					
1/28/2020 - Freddie Gray and Phil went out on 1/28/2020 and posted stop workorder.					
1/24/2020	X-006248-001	PM01	V	WS	STEVEN RAYE SPIVEY 100 robin hood rd.
In-Operative Vehicle					
1/27/2020	X-006163-002	PM01	A	LG	247 Woodland Drive
In-Operative Vehicle In-Operative Vehicle 1) several vehicles in drive way with expired tags 2) spoke with home owner and he said they would be removed 3) the vehcles will be in violation after they have been there 60 days (1/26/2020)					
..... CARS HVAE BEEN REMOVED					
1/27/2020	X-006247-001	B022	V	PS	CLARK, WILLIE JR 17299 BLACK CREEK ROAD 2389
INVESTIGATION ROOM ADDITION-NO PERMIT. posted stop work order, job started in 2001, owner was laid off from mill , will call for a site inspection to remove stop work order. he will pick up permit when he has money to complete					
1/27/2020	X-006249-001	PM11	A	LG	City of Franklin VA.
Other/Misc. Multible Pro-Active inspections including but not limited to : costumer Q & A , Incoming Calls , IOV s , follow ups and field inspections					
1/28/2020	X-006127-003	PM10	A	WS	DQ FRANKLIN LLC 1418 ARMORY DR./DQ
City Ordinance Enforcement City Ordinance Enforcement City Ordinance Enforcement LANDSCAPING/SENDING LETTER 7019 0160 0001 1602 8279 2ND NOTICE NOV 7019 0160 0001 1602 8529 CLOSE TICKET LANDSCAPE COMPLETEE					
1/28/2020	X-006246-002	B022	V	DB	25482 MARY HUNT ROAD

INVESTIGATION INVESTIGATION BUILDING BEING CONSTRUCT WITH NO PERMIT

spoke with Colten James. Stated that permit that were issued for house was for detached buildijg as well. Told me James I will go back to office to verify. Colten James number is (757) 718-7663

DATE INSP	RECORD/INSP	INSP TYPE	RESULTS	INSPECTOR	OWNER PROPERTY ADDRESS
Remarks for X-006246-002 continued...					
1/28/2020 - Freddie Gray and Phil went out on 1/28/2020 and posted stop workorder.					
1/28/2020	X-006250-001	PM11	A	LG	Franklin / Southampton
Other/Misc. Multble Pro - active and permit related inspections including : Investigations , working without Permits , Inoperative vehicles, Customer Q&A and code reaserch for costomers .					
1/29/2020	X-006112-002	PM01	A	WS	LINWOOD SAUNDERS 304 THOMAS ST.
In-Operative Vehicle In-Operative Vehicle SENDING LETTER #7019 0160 0001 1602 8248 SENDING NOV THEN TOW IF NOT REMOVED 7019 0160 0001 1602 8620 CLOSE TICKET TOWED BY CONTRACTOR					
1/29/2020	X-006148-001	PM01	A	WS	WALTON, TENECIA 101 PAGE ST 2385
In-Operative Vehicle sending letter/ close ticket towed by contractor					
1/29/2020	X-006255-001	B022	V	S/S	AM FELTS JR & JOHN P TRUSTEES 31592 MILLFIELD RD/RENT
INVESTIGATION FIRE AT PROPERTY/ STRUCTURE DESTROYED POSTED UNSAFE					
1/30/2020	X-006168-001	PM01	V	WS	DONNIE M & ALBERTA P WYCHE 502 NORFLEET
In-Operative Vehicle IOV LETTER # 7019 0160 0001 1602 8439 ////SENDING NOV , THEN TOW IN 7 DAYS					
1/30/2020	X-006252-001	ZC	A	DB	NORA ROLINA EVERETTE 128 COUNTRY CLUB ROAD
Zoning Clearance Inspection to issue CO for "Group Home" Will meet owner around NOON.					
w/notes - need up to date fire etinguisher and smoke alarm in evry bedrooms.					
1/30/2020	X-006254-001	B022	V	S/S	REGINALD L HUNT SR. 403 COBB ST
INVESTIGATION MET WITH POLICE, FIRE AND SOCIAL SERVICES. OCCUPANTS IN HOME WERE WITHOUT WATER AND ELECTRICAL SERVICES.WE CONDUCTED AN INSPECTION OF HOME AND DETERMINED IT TO BE UNSAFE, DUE NO WATER OR ELECTRICAL SERVICES TO THE HOME,SINGLE SOURCE OF HEAT WAS A SMALL Kerosine HEATER IN CLOSE PROXIMITY TO FLAMMABLE ITEMS,SIGNS OF RODENTS, AND ACTIVE INFESTATION OF ROACHS AND CELLAR SPIDERS					
1/31/2020	X-006242-001	PM01	A	WS	CYNTHIA GURST SEIGLER
In-Operative Vehicle SENDING LETTER WRONG ADDRESS CLOSE TICKET					
1/31/2020	X-006253-001	*FC*	A	DB	GAINNEY, RALPH 425 BRUCE STREET
*** FINAL CLOSING INSP *** follow up at noon.					
1/31/2020	X-006257-001	PM01	V	WS	GEORGE L III & KATHRINE C 332 robin hood
In-Operative Vehicle SENDING COURTESY LETTER					
TOTAL # of INSPECTIONS: 55					

Franklin-Southampton
PERMITS FINALED FROM: 1/01/2020 TO 1/31/2020
BUILDING PERMITS ONLY FOR SOUTHAMPTON COUNTY

Printed: 2/18/2020 9:11 am

Page 1 of 1

Dt Finaled	Permit #	Address Map #	Description	Job Value
1/15/2020	B-19-000043	23727 RIDLEY ROAD 23837 74-25A	ADDITION BATHROOM AND	10,000
1/23/2020	B-19-000538	22420 SOUTHAMPTON PKWY 23837 TP 73-25-A	CONSTRUCT 2288 SQUARE FOOT	302,000
1/15/2020	B-19-000646	23727 RIDLEY ROAD 23837 TP 74-25A	CONSTRUCT 8' X 6' DECK IAW	300
1/31/2020	B-19-000725	18414 SOUTHAMPTON PARKWAY 23837 72-43A	INSTALLATION AND REMOVE	207,343
1/27/2020	B-19-000849	8265 MAIN ST., IVOR, VA 23866 TP 15A2-1-194	REPLACE THREE (3) ANTENNAS,	8,000
1/29/2020	B-19-000863	24209 STORY STATION RD 23837 TP 76-28	ALTERATION TO SWAP THREE	10,000
1/06/2020	B-19-000987	34036 CAMP FARM ROAD 23898 TP 35 30E	ENCAPSULATION OF	11,000
1/10/2020	B-19-001012	33536 JOYNER'S BRIDGE ROAD 23851 TP 63-31K	INSTALL 2048 SQ. FT. ON-FRAME	133,000
1/14/2020	B-19-001042	18406 DARDEN SCOUT RD. 23837 46-23	INSTALLATION OF 40 X 60	80,000
Square Footage: Unf Bsmt: 2400 Total: 2400				
1/09/2020	B-19-001115	29448 CREEK SIDE LANE 23837 TP 61A-2-23	SET UP 25' X 58' ON FRAME	111,500
1/21/2020	B-19-001128	15209 IVOR ROAD 23878 TP 33 92	INSTALL 33 ROOF MOUNTED	49,005
1/10/2020	B-19-001184	34135 UNITY RD 23898 35-10-3A	INSTALL PV SOLAR SYSTEM IAW	39,525

TOTAL # OF PERMITS: 12 TOTAL VALUE: 961,673

Franklin-Southampton

Printed: 2/18/2020 9:13 am

PERMITS FINALED FROM: 1/01/2020 TO 1/31/2020

Page 1 of 1

BUILDING PERMITS ONLY FOR FRANKLIN (ALL)

Dt Finaled	Permit #	Address Map #	Description	Job Value
1/23/2020	B-19-000210	425 BRUCE STREET 23851	CONSTRUCT A 1200 SQUARE	70,000
		Not in record		
1/10/2020	B-19-000407	115 REGENCY LANE - ADU 23851	CONSTRUCT A 647 SQUARE FOOT	55,000
		Not in record		
1/02/2020	B-19-000846	107 DALE CIRCLE 23851	CONSTRUCT 18.5' X 20' SQ. FT.	1,000
		037-(193)-BLK 25		
1/07/2020	B-19-000896	1201 ARMORY DR	INSTALL TEMPORARY MOBILE	7,095
		Not in record		

TOTAL # OF PERMITS: 4 TOTAL VALUE: 133,095

SOUTHAMPTON COUNTY
PERMITS ISSUED FROM: 1/01/2020 TO 1/31/2020
BUILDING PERMITS ONLY

Printed: 2/18/2020 9:08 am
Page 1 of 1

Permit#/ Contractor	Dt Issued	Property Address Owner Name	Description Parcel ID#	Fee	Job Value
B-20-200001 JES CONSTRUCTION INC PERMIT STATUS : 5	1/02/2020	24658 ORCHARD LN 23829 FOX, TRENT AND JOANNE	REPLACE EXISTING TP 72--11A	101.50	1
B-20-200007 TOWNE DEVELOPMENT CORP PERMIT STATUS : 4	1/06/2020	33064 PEBBLE BROOK DR 23837 TOWNE DEVELOPMENT	CONSTRUCT NEW TP 638 1 42	236.00	140,000
B-20-200009 PERMIT STATUS : 2	1/06/2020	10071 IVOR ROAD 23866 AINSLEY, HEATHER	INSTALL 30' X 30' TP 14-1-1	127.00	12,000
B-20-200023 PERMIT STATUS : 2	1/10/2020	22487 EAST RAILROAD STREET 23874 ROSE, JUDITH C.	GENERAL REPAIR	70.90	4,000
B-20-200026 PERMIT STATUS : 2	1/10/2020	32225 SEACOCK CHAPEL ROAD 23866 SABATO, JOHN AND TERESA	REMOVAL OF TP 23-15	178.00	30,000
B-20-200031 JES CONSTRUCTION INC PERMIT STATUS : 2	1/13/2020	16244 IVOR ROAD 23837 PEARSON, DIANE	SISTER 60 LINEAR TP 33-7-1	50.50	1
B-20-200064 BAXTER BROTHERS PERMIT STATUS : 2	1/23/2020	31659 MONROE ROAD 23851 KITCHEN, JOHNNY L SR AND JOANNE L.	DEMOLISH AND TP 104-16	25.50	7,550
B-20-200067 PERMIT STATUS : 4	1/24/2020	19455 DRAKE ROAD 23851 LEE, DAVID S.	CONSTRUCT 30' X TP 47-70	127.00	40,000
B-20-200074 PERMIT STATUS : 2	1/24/2020	19747 CROSS KEYS ROAD 23827 MARTIN, F. GERALD (AGENT)	DEMOLITION OF 100-48	25.50	1
B-20-200079 PERMIT STATUS : 4	1/27/2020	37201 BRITT ROAD 23898 HARRIS, RONNIE	CONSTRUCT 24' X TP 25-18	127.00	10,000
B-20-200086 JES CONSTRUCTION INC PERMIT STATUS : 5	1/31/2020	37269 GENERAL MAHONE BLVD 23866 NEWBERN, DIANE	ENCAPSULATION TP 16-19	137.20	13,900

TOTAL # OF PERMITS: 11 TOTAL FEES: 1190.00 TOTAL VALUE: 257,453

FRANKLIN (ALL)

Printed: 2/18/2020 9:08 am

PERMITS ISSUED FROM: 1/01/2020 TO 1/31/2020

Page 1 of 1

BUILDING PERMITS ONLY

Permit#/ Contractor	Dt Issued	Property Address Owner Name	Description Parcel ID#	Fee	Job Value
B-20-200020	1/09/2020	101 RIVER ROAD 23851 BENJACK, DAVID J.	CONSTRUCTION OF 073-012-11	50.50	20,000

PERMIT STATUS : 2

TOTAL # OF PERMITS: 1 TOTAL FEES: 50.00 TOTAL VALUE: 20,000

	A	B	C	D	E	F	G	H	I	J
1	ZONING CLEARANCES REVIEWED AND APPROVED (COUNTY)									
2										
		Retail / Business	New SFD	New Comm	Additions /Alts Commercial	Additions /Alts Residential	Home Occp.	Accessory Structures (signs, fences, pools, decks, etc.)	Tents, Promotional Displays, Other	Totals
3										
4	January		1			4	2			7
5	February									
6	March									
7	April									
8	May									
9	June									
10	July									
11	August									
12	September									
13	October									
14	November									
15	December									
16	Totals		1			4	2			7

	A	B	C	D	E	F	G	H	I	J
1	ZONING CLEARANCES REVIEWED AND ISSUED 2020 (CITY)									
2										
3		Retail / Business	New SFD	New Comm	Additions /Alts Commercial	Additions /Alts Residential	Home Occp.	Accessory Structures (signs, fences, pools, decks, etc.)	Tents, Promotional Displays, Other	Totals
4	January		1				1			2
5	February									
6	March									
7	April									
8	May									
9	June									
10	July									
11	August									
12	September									
13	October									
14	November									
15	December									
16	Totals		1				1			2

Project Status Report



Environmental Services Division January 2020

■ : City of Franklin

■ : Southampton County

PROJECT STATUS REPORT: Franklin - Southampton County (Environmental Services Division)

REPORTING MONTH: JANUARY 2020

CUP/Site Plan Reviewed Date	Project Title	Project Address	Owner/Applicant Name	Site Plan under Review	Bldg Permit Issued	LD Permit Issued	Total Disturbed Acreage	Design/Inspection Comments
CITY OF FRANKLIN:								
8/25/2017	Rock Church - Gymnasium Bldg	130 Lakeview Road	Rock Church/Kimley Horn	Complete	Yes	Yes	1.03	ESD approved site plan 8/25/2017 and issued Land Disturbing Permit on 9/20/2017. Crowder and White Contractor continuing with site work. Prepared pad foundation. Bldg plans approved-contractor foundation and framing work completed. Interior construction underway. Performing E. & S. Control Inspections as required. Site work is 80% complete
11/29/2017	Hayden School (Site design)	Franklin, Virginia	Hoggard-Eure Associates	Complete	Yes	Yes	1.97	plan design with Community Development Staff on 11/29/2017. Received site plans and drainage computations and site plan review application on December 8, 2017. Performed first site plan review on 12/29/2017. Project review meeting with CD and Public Works Depts on 2/27/2018. Received revised site plans on June 1, 2018. Received fourth site plan review on 7/19/2018. Developer continued with site redesign on 10/11/2018 for budget purposes. Revisions underway on complete construction phasing plan to secure the Temporary CO. Contacted Luna Development Services early February 2019 and stated they will commence with site work in 30 days. Developer is in process of obtaining surety bond and land disturbance permit. Installation of Stormwater BMP, concrete dumpster pad and drainage system is complete. Commenced with asphalt paving of parking lot in December 2019. Released Surety bonds in December 2019. Continuing with interior construction work.

PROJECT STATUS REPORT: Franklin - Southampton County (Environmental Services Division)

REPORTING MONTH: JANUARY 2020

3/11/2019	Verizon Cell Tower	Franklin, Virginia	Clark Nexen Engineers	Complete	Yes	Yes	0.65	Received site plans, plan review application w/fees and stormwater management report. Completed the first site plan review on 3/28/2019. Developer progressing with plan preparation - Temp construction easement on plans. Contractor installed the construction access road in September and Foundation contractor completed the footing in late September/early October. Cell tower construction complete in October and perimeter security fencing in November 2019. Site work is 90% complete. Contractor is preparing to finalize sitework as per field meetings with Community Development -ESD Staff.
SOUTHAMPTON COUNTY:								
4/25/2018	Mini Self Storage Building (Billy Edwards)	Newsoms, Virginia	S.V. Camp, L.S.	Complete	Yes	Yes	0.8	Proposed Mini Self Storage Building. Received site plans on April 25, 2018 and returned First submittal review comments on May 9, 2018. Received second submittal plan set on 6/8/2018 for review. Complete site plan review. Awaiting surety bond and LD Permit application. Issued the LD permit on 9/27/2018. Minor construction work performed to remove topsoil. Construction underway with Storage units at 90 percent complete and preparing for perimeter gravel access area.
11/18/2019	YAK MAT/Jordan Investment	Southampton County, Virginia	S.V. Camp, L.S.	Complete	No	Yes	65.34	Site plan showing the relocation of crane mats to another portion of Matt Crowder property near Rose Valley Road and Route 671. The relocation operation will occur on mats to reduce the land disturbance and shall include reseeding disturbed areas as required. The crane mats were relocated last month as shown on the approved site plan. The disturbed areas were reseeded as required to clear development area for Birdsong Peanuts Storage Facility.

PROJECT STATUS REPORT: Franklin - Southampton County (Environmental Services Division)

REPORTING MONTH: JANUARY 2020

11/30/2018	Enviva Pellet Processing Expansion Project	Southampton County, Virginia	Kiewit	Complete	No	Yes	19.58	<p>Proposed plant expansion project in the Southampton Industrial Authority on Rose Valley Road. Completed Site plan and Stormwater Management Plan reviews. Conducted conference call with design engineer on February 2019 to resolve stormwater design. <u>Awaiting the site plan and stormwater management report resubmittal in late February 2019. Conditional plan approval on 2/26/2019 waiting on plan submittal. Surety bond approved 4/11/2019 on and recieved VSMP coverage letter on 4/15/2019. Pre-Construction Meeting on 4/23/2019. Project was limited to work on the Southside of the Plant due to conflicts with operations. Site contractor completed the SWM BMP and initial clearing. E & S Controls and seeding as required. Site work is on hold at 80% complete. Enviva recieved the Air Permit from Va DEQ and additional sitework is progressing to support plant expansion. The SWM inspections will increase to once per week.</u></p>
9/12/2019	Storage Solutions (Peter Copeland)	Southampton County, Virginia	S.V. Camp, L.S.	Complete	Yes	Yes	1.45	<p>Performed site plan review on 7/1/2019 and received second submittal on 9/9/2019. F-S Comm Development-ESD addressing redesign requests from consultant engineer. Approved site plan 9/12/2019 and issued LD Permit and Notice to Proceed. DEQ Coverage Letter on 9/26/2019. Contractor Performed E&S Control Inspections as required. Developer poured concrete for building pads. Building construction on hold. Erosion and Sediment Control measures are being maintained as required per the SWPPP requirements.</p>

PROJECT STATUS REPORT: Franklin - Southampton County (Environmental Services Division)

REPORTING MONTH: JANUARY 2020

2/11/2019	Belmont Peanuts	Capron, Virginia	Kimley Horn	Complete	Yes	Yes	4.7	<p>Environmental Services Division (ESD) met with the design consultant in City Hall on 1/9/2019 and onsite on 1/15/2019 to discuss site design, construction schedule and plan review requirements. ESD will meet with design team again on 2/20/2019 to discuss site plan review comments and possible site redesign options (Value engineering) in City Hall at 2:30pm. Received second submittal on 3/7/2019 waiting on SWPPP, surety bond and LD App with fees. <u>Site Plan Conditionally approved on 3/13/2019 Pre-Construction Meeting on 4/2/2019 Surety Bond Approved 3/28/2019 DEO Coverage Letter 4/15/2019. Performing E&S/SWM Inspections as required. VDOT turn lane and adjacent ditch completed in late summer. Site work requires additional stabilization and BMP installation 90% complete. Construction of the retain building and landdisturbance activities are continuing as required. Site work is 80% complete. Awaiting acceptable weather to plant additional landscaping to satisfy the DEO Nutrient Credit requirements.</u></p>
10/22/2018	Southampton Academy	Courtland, Virginia	Kimley Horn	Complete	Yes	Yes	0.8	<p>ESD received the first plan submittal 10/22/2018 and second plan submittal 1/1/2019. The site plan is conditionally approved and the design consultant/developer is preparing to secure the surety bond and land disturbance permit. Developer secured the LD permit on 3/11/2019 and ESD sent Surety Bond request on SHC Attorney on 3/11/19. Received surety bond approval 3/15/2019. Pre-Construction meeting on 3/26/2019. Disturbed areas adjacent to the building while gym is under construction. Building construction underway while sitework remains at 80% complete. Performing E&S Control Inspections as required.</p>

PROJECT STATUS REPORT: Franklin - Southampton County (Environmental Services Division)


REPORTING MONTH: JANUARY 2020

11/1/2019	Birdsong Peanuts	Southampton County	Kimley Horn	2nd Submittal	No	No	8.51	Received first site plan submittal on November 1, 2019 and Second Submittal on December 30, 2019
5/9/2018	Rising Star Baptist Church	30277 Little Texas Road	Vernon Kee/S.V. Camp, L.S.	Complete	Yes	Yes	0.96	Completed site plan review 6/2018. Issued Land disturbance permit on June 21, 2018. Contractor proceeding with sitework/E&S control plan as per the approved site plan. Contractor completed building foundation, walls and roof. Proceeding with interior work. Performing E & S Control Inspections as required. Contractor resuming completion of site work. Contractor is applying soil blanket matting, seed and fertilizer. Site work is 90% complete. Site requires final landscaping which will be planted in the spring season. ESD is holding surety bond-Land disturbance until spring. Slope behind building has sod applied to it and roof top connection pipes were installed to reduce runoff effects.

Active Construction Projects

January 2020


- Rock Church
- Rising Star Baptist Church
- SA Gym Addition
- Belmont Peanuts
- Enviva Expansion
- Newsoms Storage
- Hayden Village
- Verizon Cell Tower
- Storage Solutions



Current Plan Review/On Hold/Upcoming Projects

January 2020

-  PRTI Tire Recycling
-  Birdsong Peanuts
-  Hancock Peanut Demolition
-  Repair Tech
-  Camp Pkwy Commerce Ctr



DELINQUENT MEALS & LODGING TAX REPORT AS OF JANUARY 2 2020

(DUE DECEMBER 20 2019)

MEALS TAX

BUSINESS NAME:	MONTH DELINQUENT:	TOTAL MONTHS
FRANKLIN BOWLING CENTER	SEPT, OCT & NOV	3
MAN MARKET	OCT & NOV 2019	2
PARK N SHOP 8	NOV 2019	1
PARK N SHOP 18	NOV 2019	1
MAGNUM	OCT & NOV 2019	2
CORNER OF SOUTH	NOV 2019	1
DOCBOY'S AT STATION ONE	NOV 2019	1
TIERS TO YOU	SEPT, OCT, NOV	3
OUR TREE COMPANY	NOV 2019	1

LODGING TAX


BUSINESS NAME:	MONTH DELINQUENT:	TOTAL MONTHS

ALL LODGING TAX RETURNS ARE CURRENT

**New Business Up-date
January 2020**

Business Name	Location	Contact Info	Type of Service
A R Chesson Construction Co/Al Chesson/Owner	1549 Armory Drive Franklin, Virginia 23851	252-792-4486	Construction
Hoff, Claudia	208 Stewart Drive Franklin, Virginia 23851	804-691-8836	Hair Stylist
Care In Home LLC/Marva Wilson/Owner	601 North Mechanic Street Suite 304 Franklin, Virginia 23851	757-292-6013	Health Care

	A	B	C	D	E	F	G	H	I	K	L
1				Franklin Department of Parks & Recreation							
2				Jan-20							
3											
4											
5											
6											
7											
8	Athletics				0						
9	Total				0						
10											
11											
12											
13											
14											
15	Programs										
16	Aikido				10						
17	Pool Club				100						
18	Domino Club				16						
19	Open Recreation				500						
20	Pinocle				0						
21	Franklin Ministers Association				0						
22	Junior Youth Empowerment				0						
23	Tutoring and Reading Program				10			Farmers Market			
24	Bid Whist Club				50			Farmers Market 1/8/2020		50	
25	Dance Team Practice				60			Farmers Market 1/15/2020		50	
26	Activity of the week				10			Farmers Market 1/22/2020		50	
27	Franklin wellness coalition				45			Farmers Market 1/29/2020		50	
28	Cornhole Tournament				40			Total		200	
29	Total				841						
30								Special Activity			
31								Craft Night		5	
32								Bingo Night		20	
33								Stem Youth Night		21	



	A	B	C	D	E	F	G	H	I	K	L
34	Cover 3 Feeding							<i>Kids Cooking Class</i>		35	
35	<i>Snacks</i>							Total		81	
36	<i>Dinners</i>				77						
37	Total				77			<i>Athletics</i>		0	
38								<i>Program</i>		841	
39								<i>Community Meetings</i>		180	
40	<i>Community Meetings</i>				180			<i>Special Activity</i>		81	
41	Total				180			<i>Farmers Market</i>		200	
42								<i>Social Media -Facebook</i>		3000	
43	<i>Social Media -Facebook clicks</i>				3000			<i>Cover 3 Feeding</i>		77	
44	Total				3000			<i>Senior Citizens</i>		490	
45								<i>Volunteers</i>		24	
46	<i>Senior Citizens</i>				490			Grand Total		4,893	
47	Total				490						
48											
49	<i>Volunterers</i>				24						
50	Total				24						

January 2020

Franklin Department of Parks and Recreation

MON	TUE	WED	THU	FRI	SAT
<p>Darnell Lee Jr. Program Specialist Phone: 757-562-2475 Email: dlee@franklinva.com</p>		1 	2 Game Room Daily Activities 3:00p-7:00p	3 Game Room Daily Activities 3:00p-7:00p	4 Game Room Daily Activities 9:30p-3:00p
6 Game Room Daily Activities 3:00p-7:00p	7 Game Room Daily Activities 3:00p-7:00p	8 	9 Game Room Daily Activities 3:00p-7:00p	10 Game Room Daily Activities 3:00p-7:00p	11 Game Room Daily Activities 9:30p-3:00p
13 Game Room Daily Activities 3:00p-7:00p	14 Game Room Daily Activities 3:00p-7:00p	15 Game Room Daily Activities 3:00p-7:00p	16 	17 Closed! Closed!	18 Game Room Daily Activities 9:30p-3:00p
20 Closed! Closed!	21 	22 Game Room Daily Activities 3:00p-7:00p	23 Game Room Daily Activities 3:00p-7:00p	24 Game Room Daily Activities 3:00p-7:00p	25 Game Room Daily Activities 9:30p-3:00p
27 Game Room Daily Activities 3:00p-7:00p	28 Game Room Daily Activities 3:00p-7:00p	29 Game Room Daily Activities 3:00p-7:00p	30 	31 Game Room Daily Activities 3:00p-7:00p	


CITY NEWS



MARCH OF DIMES KICK-OFF



The City of Franklin in conjunction with the March of Dimes has kicked-off its March of Dimes 2020 campaign. We are planning a fundraiser each month from March 1-April 30, beginning with the Fill-A-Bottle for Babies fundraiser.



The Community Development bar-b-q sale will be held in April along with another fundraiser. Our goal for 2020 is to meet and exceed last year's contribution of \$2100.00.



Department of Human Resources

Memo

TO: City of Franklin Employees
FROM: Employee Insurance Committee Members
DATE: January 27, 2020
RE: 2019 Employee Benefits Survey

Thank you for sharing your feedback in the 2019 Employee Benefits Survey!

The health and wellness of the employees at the City of Franklin is important to City Manager Jarratt and the Council Members. The survey results will assist them with recognizing successes and understanding the concerns that impact the benefits offered to City employees.

The survey results were sent to all active employees at the City of Franklin. The 2019 survey was open October 11, 2019 and closed on October 29, 2019. Survey participation was voluntary.

The results of the survey indicated that **strengths** of the benefits plan are:

- Prescription drug co-pay level
- Prescriptions costs
- Range of services
- Dental plan
- Vision plan

The results of the survey indicated that **weaknesses** of the benefits plan are:

- Annual deductible
- Add/increase wellness program
- Post-retirement health care savings plan
- City portion toward the cost of the family plan

The results of the survey indicated that there are some **opportunities**:

- Benefits choices (different plans)
- Communication/education of employees

The survey feedback has been shared with City Manager Jarratt, City Council, and the members of the Employee Insurance Committee.

In the year 2020, the committee will use the feedback to develop a plan to make a positive impact on the benefits plan and health & wellness of City employees.

If you would like a copy of the full survey results, please send a request to jobs@franklinva.com.

Thank you, Committee Members!

Det. Randall Bailey Police	Sammara "Sam" Bailey Parks & Recreation	Melissa "Missy" Blythe Finance
Michelle Dandridge Human Resources	Annette Hale Department of Social Services	Joyce Johnson Utility Billing
Elizabeth "Beth" Lewis Economic Development	Lt. Wendall Lowe Fire & Rescue	Thelma Picot City Treasurer
Bonnie Shearin Public Works	Thelma Vann Commissioner of Revenue	Darlene Wilkerson Public Works



GET MOVING!!!

As the New Year unfolds, let's get a healthy start. There is a Workout Calendar attached, starting February 1st, just shade in the day of the month that you did some type of exercise.

You need to do at least twenty minutes of any type of exercise to qualify. The employee that works out the most every month will get a prize.

Do it for your mental as well as physical health.

JANUARY

U

O

F

A

P

R

T

G

T

B

M

A

R

M

T

R

A

M

A

R

O

U

B

A

A

F

R

V

E

A

A

R

F

B

E

S

B

S

R

A

S

E

B

T

R

S

E

B

B

R

R

N

O

V

E

R

R



for women

love your heart

American Heart
Association®



COMMISSIONER OF THE REVENUE OFFICE



COMMUNITY DEVELOPMENT DEPARTMENT



FINANCE DEPARTMENT





FIRE DEPARTMENT



PUBLIC WORKS AND POWER & LIGHT DEPARTMENT



FRANKLIN PARKS & RECREATION &
FRANKLIN-SOUTHAMPTON WELLNESS COALITION
PRESENTS....



20TH LEADERSHIP BREAKFAST

HAYDEN VILLAGE - 680 OAK STREET FRANKLIN, VA

MARCH 28TH AT 9AM

**"A SNAPSHOT OF THE PAST,
LEADING A PATH TO
PROGRESS..."**

SPEAKER - ANTHONY RAWLINGS

- Lead Pastor Celebration Church
- Chair of Franklin-Southampton Coalition
- Chair of Smart Beginnings
- Board Member for United Way
- Trustee for Chowan University

TICKETS CAN BE PURCHASED- \$10

Physical tickets can be purchased at-

MLK CENTER- 683 Oak Street Franklin, VA

CHAMBERS OF COMMERCE - 108 West Third Avenue Franklin, VA

Online -

UNITED WAY- <http://www.franklinunitedway.org>.



Sponsored by Franklin Parks & Recreation

iLead

**INFLUENCING
LEADERS to
EMPOWER
ACHIEVE and
DREAM**

**BOYS & GIRLS
GRADES 8-12**

**EXPOSURE TRIPS
COMMUNITY SERVICE
LEADERSHIP TRAINING**

\$30 /YEAR



REGISTRATION: FEB 1 - 29, 2020

FAMILY MOVIE NIGHT



Sunday, March 22nd
Starts at 5:00pm

@Hayden Villiage

680 Oak Street, Franklin, VA 23851

free admission



**POPCORN & DRINKS
FOR PURCHASE**

Contact us at

(757) 562-2475



Franklin Department of Parks and Recreation

Adult Bid Whist



Every Thursday Night

7 o'clock in the evening

MLK Community Center

683 Oak Street

Franklin Va 23851

**Franklin Department Of Parks and
Recreation Presents...**



CORNHOLE TOURNAMENT

**Every Friday
Starting- January 24, 2020
683 Oak Street
Franklin, VA 23851**



**STARTS @7PM
\$10 PER PERSON**

**\$5 PROCEEDS DONATED TO THE CENTER
\$5 TOWARDS CASH PRIZE
THE LOREM IPSUM PROGRAM
1ST, 2ND, 3RD PRIZES AWARDED
TO THE TOP TEAMS**

**FOR MORE INFORMATION CONTACT
CORNHOLE COORDINATOR - JOSH WYCHE JR.
PHONE- 757-653-7371**

Franklin Department of Parks and Recreation

DOMINO CLUB

Every Friday @2PM



GAME OF BONES



FOR MORE INFORMATION:
757-562-2475

Franklin Department of Parks and Recreation

PRESENTS

Line Dancing

With Alisha Hawks

Weekly Program
Every Thursday
from 6PM-7PM
\$3 for the first class

**BEGINS
FEBRUARY
20**

Call to RSVP (757) 562-2475

RSVP on our facebook

www.facebook.com/franklinvarecreation

Questions please contact the instructor?

(252) 340-5221

d.purpose@yahoo.com

**MLK Recreation Community Center
683 Oak Street Franklin, VA 23851**





**BOYS & GIRLS CLUBS
OF SOUTHEAST VIRGINIA**



City of Franklin's



SUMMER SUPER JAM

June 15th–August 14th

2020

at S.P. Morton Elementary School

PROGRAM HOURS: Monday–Friday, 7:30AM–5:30PM

All enrolled youth in this program will be able to enjoy:

- Arts & Crafts
- Computer Skills
- Sports Activities
- Daily Recreational Swim Times
- Weekly Trips to Attend the Summer Reading Program at the Ruth Camp Campbell Library

Hot lunch prepared daily at the S.P. Morton Elementary School & Snack provided by Food Bank

WEEKLY FIELD TRIPS OF THE SUMMER SUPER JAM PROGRAM

All youth enrolled in the Summer Jam Program can sign up for field trips as listed on trip program flyer.

Trips can be educational or recreational such as, roller & ice skating, Kings Dominion, Va. Beach, Busch Gardens, Ocean Breeze, movies & Washington, D.C. Smithsonian Museums.

POOL SCHEDULE

Pool Opening Date: June 13th

WEEKEND HOURS

Sat & Sun: 1:00PM – 5:00PM

WEEK DAY HOURS (MON- FRI)

Recreational Swim
1:00 P.M. – 5:00 P.M.

POOL FEES

Ages 0 – 5: \$1.25
Ages 6 – 17: \$1.50
Ages 18 & older: \$2.00

Registration Fees

All registration starts April 1, 2020 and will be held daily Monday–Friday, at the **Boys & Girls Club Main Office located at the S.P. Morton Elementary School (300 Morton St, Franklin, VA 23851)**. If you have questions please call the Club Main Office at (757) 516-1014 or City of Franklin Parks & Recreation Department at (757) 562-2475.

- Annual Membership: \$20.00
- Summer Registration Fee: \$25.00
- Summer Session Fee: \$70.00 per session (2 weeks)

LEARN MORE AT 
FRANKLINVA.COM
PARKS & REC DEPT.


For new members age 6–7, proof of age must be presented at time of registration.



Give blood.

Every 2 seconds someone
in the U.S. needs blood.

American Red Cross



Blood Drive
Downtown Franklin Association
at Franklin Fire & Rescue

Common Area
100 S. Main St.
Franklin, VA 23851

Monday, March 9, 2020
11:00 a.m. to 4:00 p.m.

Please visit RedCrossBlood.org and enter code: DFA
to schedule an appointment

	A	B	C	D	E	F
1	Franklin Power & Light					
2	Trouble Calls					
3	January 1, 2020 to January 31, 2020					
4						
5	Date:	Wednesday - 1/2/20				
6	Location:	28168 Hemlock Street				
7	Time first call came in:	11:15am				
8	Actual Time of Outage:					
9	Power restored:					
10	Response time:	10 minutes				
11	Problem:	Lights blinking - customer side of meter				
12	# of customers effected:	1				
13						
14	Date:	Wednesday - 1/2/20				
15	Location:	2016 South Street				
16	Time first call came in:	3:52pm				
17	Actual Time of Outage:	4:10pm				
18	Power restored:	11:30am - 1/3/19				
19	Response time:	10 minutes				
20	Problem:	Meter base - loose connections causing over heating				
21	# of customers effected:	1				
22						
23	Date:	Saturday - 1/4/20				
24	Location:	212 W. Jackson Street				
25	Time first call came in:	2:48pm				
26	Actual Time of Outage:					
27	Power restored:	3:48pm				
28	Response time:	30 minutes				
29	Problem:	No power - transformer cutout fuse broke in to				
30	# of customers effected:	2				
31						
32	Date:	Saturday - 1/4/20				
33	Location:	713 Chaucer Court				
34	Time first call came in:	8:15pm				
35	Actual Time of Outage:	2:30pm - 1/6/20 - installed service saver				
36	Power restored:	4:15pm				
37	Actual Time of Outage:	10:00am - 1/16/20 - repair faulted cable				
38	Power restored:	11:50am				
39	Response time:	30 minutes				
40	Problem:	Lights blinking - voltage found normal at time - determined on				
41		bad underground neutral - extreme difficulty locating undergro				
42		secondary fault				
43	# of customers effected:	7				
44						
45	Date:	Saturday - 1/11/20				

	A	B	C	D	E	F
46	Location:	Our 2 Generation Plants				
47	Time first call came in:	12:15pm				
48	Actual Time of Outage:					
49	Power restored:					
50	Response time:	25 minutes				
51	Problem:	Access to plants - Dominion needed to check their metering				
52	# of customers effected:	0				
53						
54	Date:	Tuesday - 1/14/20				
55	Location:	1026 Clay Street				
56	Time first call came in:	8:26am				
57	Actual Time of Outage:					
58	Power restored:					
59	Response time:	30 minutes				
60	Problem:	Line down in yard - Verizon drop tp house				
61	# of customers effected:	1				
62						
63	Date:	Wednesday - 1/15/20				
64	Location:	112 Woodland Drive				
65	Time first call came in:	9:42am				
66	Actual Time of Outage:					
67	Power restored:	10:48am				
68	Response time:	12 minutes				
69	Problem:	No power - squirrel blew up transformer cutout and main line f				
70	# of customers effected:	60				
71						
72	Date:	Thursday - 1/16/20				
73	Location:	Areas of Hall Street and Railroad Avenue				
74	Time first call came in:	8:49am				
75	Actual Time of Outage:					
76	Power restored:	9:21am				
77	Response time:	10 minutes				
78	Problem:	No power - Squirrel blew main line cutout fuse				
79	# of customers effected:	23				
80						
81	Date:	Thursday - 1/16/20				
82	Location:	148 Council Drive				
83	Time first call came in:	9:57am				
84	Actual Time of Outage:					
85	Power restored:					
86	Response time:	15 minutes				
87	Problem:	Breaker tripped and saw smoke at panel - customer side of me				
88	# of customers effected:	1				
89						
90	Date:	Thursday - 1/30/20				

	A	B	C	D	E	F
91	Location:	321 Woodland Drive				
92	Time first call came in:	8:32am				
93	Actual Time of Outage:	10:41am - installed service saver				
94	Power restored:	11:15am				
95	Actual Time of Outage:	10:50am - 1/31/20 - repaired faulted cable				
96	Power restored:	11:15am				
97	Response time:	15 minutes				
98	Problem:	Partial power - bad underground 120v wire				
99	# of customers effected:	1				

Date:	Monday - 7/6/15					
Location:	Part of Dogwood Bend Road and Sycamore Church Road					
Time first call came in:	7:34pm					
Actual Time of Outage:						
Power restored:	8:15pm to 94 customers					
Power restored:	9:00pm to 2 customers					
Response time:	20 minutes					
Problem:	Storm trouble - primary wire down - opened up "C" phase reclosure					
# of customers effected:	96					
This opened up "C" phase reclosure 1442 on Dogwood Bend Rd.						
Date:	Wednesday - 7/8/15					
Location:	31132 Smiths Ferry Road					
Time first call came in:	2:30am					
Actual Time of Outage:						
Power restored:	4:30am					
Response time:	35 minutes					
Problem:	Tree - fell across house service and tore it down					
# of customers effected:	2					
Wendell said it probably rocked the primary pretty good across road						
Date:	Wednesday - 7/15/15					
Location:	Smiths Ferry Road (Miller Farm)					
Time first call came in:	10:20am					
Actual Time of Outage:						
Power restored:	11:37am					
Response time:	15 minutes					
Problem:	Partial power - blown lightning arrester in the pad mount transformer					
# of customers effected:	1					
Outage at Miller farm just south of Mr. Darden - trouble shooting probably blinked him						

FILE

**CITY OF FRANKLIN
WATER SYSTEM CHLORINATION REPORT**

Jan-20

	Pretlow	Hunterdale.	Armory Dr	Public Works	Cypress Ave	Trail Road	2nd Ave
	Well # 6	Well # 7	Dist. Sys	Dist. Sys.	Dist. Sys.	Dist. Sys.	Dist. Sys.
	Cl2 Res.	Cl2 Res.	Cl2 Res.	Cl2 Res.	Cl2 Res	Cl2 Res	Cl2 Res.
Date	Mg/l	Mg/l	Mg/l	Mg/l	Mg/l	Mg/l	Mg/l
1	0.96	0.77	0.65	0.62	0.35	0.47	0.35
2	1.03	0.83	0.64	0.65	0.43	0.44	0.35
3	1.05	0.81	0.64	0.65	0.42	0.45	0.36
4	0.97	0.93	0.63	0.69	0.48	0.46	0.39
5	0.97	0.79	0.61	0.59	0.49	0.50	0.29
6	0.80	0.80	0.60	0.57	0.44	0.48	0.32
7	1.09	0.81	0.54	0.61	0.53	0.50	0.30
8	0.83	0.80	0.60	0.60	0.45	0.46	0.34
9	0.93	0.83	0.61	0.59	0.46	0.47	0.31
10	0.91	0.80	0.60	0.58	0.53	0.47	0.33
11	1.08	0.84	0.54	0.68	0.44	0.49	0.37
12	1.01	0.84	0.56	0.63	0.42	0.47	0.36
13	0.88	0.81	0.55	0.68	0.43	0.50	0.38
14	0.86	0.78	0.58	0.58	0.51	0.45	0.33
15	0.87	0.79	0.42	0.59	0.48	0.47	0.36
16	0.93	0.79	0.54	0.59	0.53	0.44	0.35
17	0.93	0.81	0.53	0.56	0.44	0.47	0.35
18	1.00	0.83	0.58	0.52	0.49	0.47	0.35
19	0.86	0.84	0.47	0.55	0.47	0.49	0.37
20	0.95	0.83	0.46	0.54	0.47	0.53	0.38
21	0.91	0.74	0.57	0.53	0.43	0.46	0.36
22	0.80	0.77	0.42	0.53	0.51	0.45	0.33
23	1.01	0.78	0.49	0.51	0.53	0.45	0.34
24	1.05	0.79	0.62	0.57	0.53	0.46	0.41
25	1.02	0.74	0.53	0.58	0.38	0.45	0.32
26	0.92	0.78	0.53	0.55	0.46	0.48	0.32
27	0.91	0.76	0.51	0.65	0.50	0.46	0.35
28	0.90	0.78	0.45	0.53	0.43	0.47	0.35
29	1.02	0.78	0.57	0.56	0.43	0.44	0.34
30	0.90	0.75	0.58	0.57	0.38	0.43	0.35
31	0.87	0.82	0.51	0.60	0.53	0.47	0.36

**COMMONWEALTH OF VIRGINIA
GROUND WATER PUMPAGE AND USE REPORT**

Year 2020
MONTH JANUARY
Quarter 1 2 3 4
(Circle One)
County/ City
City of Franklin

State Department of Health and State Water Control Board
Public. Send copy of report to Regional State Water Control Board Office and
Regional State Health Department Office
Industrial. Send copy of report to Regional State Water Control Office
Other. Send copy of report to Regional State Water Control Board Office

Name of Waterworks
City of Franklin
Owner Same
Address: P. O. Box 179
Franklin, Va. 23851 Phone (757)562-8564

Name of Operator Stephen W. Watson
Position/ Title Utility Superintendent
Signature Stephen W. Watson Date 1-4-2020
Population Served (Public) 9,000
No. of Connections (Public) 3,500
Operation Permit Number (public) 3620350

Type of use: Public Industrial Other (Specify)
If measurements are for a single-meter field reading, list wells included in field

SWCB No. _____	Owner No. _____	SWCB No. _____	Owner No. _____
SWCB No. _____	Owner No. _____	SWCB No. _____	Owner No. _____
SWCB No. _____	Owner No. _____	SWCB No. _____	Owner No. _____

Meter readings are in Gallons (gallons, 1000's of gallons, cubic feet, etc.)

SWCB No.	Owner No.	# 4 Well
		49,640,000
Last Months Reading	Meter Reading*	Gal. used
		Water Level****
1		0
2		0
3		0
4		0
5		0
6		0
7		0
8		0
9		0
10		0
11		0
12		0
13		0
14		0
15		0

Date	Meter Reading*	Gal. Used	Water Level****
16		0	
17		0	
18		0	
19		0	
20		0	
21		0	
22		0	
23		0	
24		0	
25		0	
26		0	
27		0	
28		0	
29		0	
30		0	
31	49,640,000	0	

* Read meter same time each day
** If taken, read at end of non pumping period
***If taken, read at end of heavy- pumping period
****If taken in one well in a field, specify which
Well - COLLEGE DR

Total Gallons During Month	0	Total Gallons During Quarter	0
Total Oper. Days this Month	0	Total Oper. Days this Quarter	0
Daily Average During Month	0.00	Daily Average During Quarter	0.00

FILE

**COMMONWEALTH OF VIRGINIA
GROUND WATER PUMPAGE AND USE REPORT**

Year 2020
MONTH JANUARY
Quarter 1 2 3 4
(Circle One)
County/ City
City of Franklin

State Department of Health and State Water Control Board
Public. Send copy of report to Regional State Water Control Board Office and
Regional State Health Department Office
Industrial. Send copy of report to Regional State Water Control Office
Other. Send copy of report to Regional State Water Control Board Office

Name of Waterworks
City of Franklin
Owner Same
Address: P. O. Box 179
Franklin, Va. 23851 Phone (757)562-8564

Name of Operator Stephen W. Watson
Position/ Title Utility Superintendent
Signature Stephen W. Watson Date 2-4-2020
Population Served (Public) 9,000
No. of Connections (Public) 3,500
Operation Permit Number (public) 3620350

Type of use: Public Industrial Other (Specify)
If measurements are for a single-meter field reading, list wells included in field

SWCB No. _____ Owner No. _____ SWCB No. _____ Owner No. _____
SWCB No. _____ Owner No. _____ SWCB No. _____ Owner No. _____
SWCB No. _____ Owner No. _____ SWCB No. _____ Owner No. _____

Meter readings are in Gallons (gallons, 1000's of gallons, cubic feet, etc.)

SWCB No.	Owner No.	# 5 Well
Last	Months Reading	1,175,000
Date	Meter Reading*	Gal. used
1		0
2		0
3		0
4		0
5		0
6		0
7		0
8		25,000
9		0
10		0
11		0
12		0
13		0
14		0
15		25,000

Date	Meter Reading*	Gal. Used	Water Level****
16		0	
17		0	
18		0	
19		0	
20		0	
21		0	
22		25,000	
23		0	
24		0	
25		0	
26		0	
27		0	
28		0	
29		25,000	
30		0	
31	1,275,000	0	

* Read meter same time each day
** If taken, read at end of non pumping period
***If taken, read at end of heavy- pumping period
****If taken in one well in a field, specify which
Well - HUNTERDALE # 5

Total Gallons
During Month
Total Oper.
Days this Month
Daily Average
During Month

100,000
4
25,000.00

Total Gallons
During Quarter
Total Oper.
Days this Quarter
Daily Average
During Quarter

100,000
4
25,000.00

FILE

**COMMONWEALTH OF VIRGINIA
GROUND WATER PUMPAGE AND USE REPORT**

Year 2020
MONTH JANUARY
Quarter 2 3 4
(Circle One)
County/ City
City of Franklin

State Department of Health and State Water Control Board

Water Source: X Well(s) Spring(s) Wells and Spring(s)
Public. Send copy of report to Regional State Water Control Board Office and
Regional State Health Department Office
Industrial. Send copy of report to Regional State Water Control Office
Other. Send copy of report to Regional State Water Control Board Office

Name of Waterworks
City of Franklin
Owner Same
Address: P. O. Box 179
Franklin, Va. 23851 Phone (757)562-8564

Name of Operator Stephen W. Watson
Position/ Title Utility Superintendent
Signature Stephen W. Watson Date 2-4-2020
Population Served (Public) 9,000
No. of Connections (Public) 3,500
Operation Permit Number (public) 3620350

Type of use: Public X Industrial Other (Specify)
If measurements are for a single-meter field reading, list wells included in field

SWCB No. <u> </u>	Owner No. <u> </u>	SWCB No. <u> </u>	Owner No. <u> </u>
SWCB No. <u> </u>	Owner No. <u> </u>	SWCB No. <u> </u>	Owner No. <u> </u>
SWCB No. <u> </u>	Owner No. <u> </u>	SWCB No. <u> </u>	Owner No. <u> </u>

Meter readings are in Gallons (gallons, 1000's of gallons, cubic feet, etc.)

SWCB No.	Owner No.	# 6 Well
Last	Months Reading	795,298,000
Date	Meter Reading*	Gal. used
1		609,000
2		344,000
3		605,000
4		557,000
5		637,000
6		384,000
7		416,000
8		520,000
9		548,000
10		550,000
11		522,000
12		405,000
13		469,000
14		440,000
15		653,000

Date	Meter Reading*	Gal. Used	Water Level****
16		328,000	
17		447,000	
18		509,000	
19		641,000	
20		345,000	
21		410,000	
22		423,000	
23		483,000	
24		513,000	
25		469,000	
26		650,000	
27		506,000	
28		484,000	
29		467,000	
30		488,000	
31	810,634,000	514,000	

* Read meter same time each day
** If taken, read at end of non pumping period
***If taken, read at end of heavy- pumping period
****If taken in one well in a field, specify which
Well - PRETLOW

Total Gallons During Month	15,336,000	Total Gallons During Quarter	15,336,000
Total Oper. Days this Month	31	Total Oper. Days this Quarter	31
Daily Average During Month	494,709.68	Daily Average During Quarter	494,709.68

FILE

**COMMONWEALTH OF VIRGINIA
GROUND WATER PUMPAGE AND USE REPORT**

Year 2020
MONTH JANUARY
Quarter 1 2 3 4
(Circle One)
County/ City
City of Franklin

State Department of Health and State Water Control Board
Public. Send copy of report to Regional State Water Control Board Office and
Regional State Health Department Office
Industrial. Send copy of report to Regional State Water Control Office
Other. Send copy of report to Regional State Water Control Board Office

Name of Waterworks
City of Franklin
Owner Same
Address: P. O. Box 179
Franklin, Va. 23851 Phone (757)562-8564

Name of Operator Stephen W. Watson
Position/ Title Utility Superintendent
Signature Stephen W. Watson Date 2-4-2020
Population Served (Public) 9,000
No. of Connections (Public) 3,500
Operation Permit Number (public) 3620350

Type of use: Public Industrial Other (Specify) _____

If measurements are for a single-meter field reading, list wells included in field

SWCB No. _____	Owner No. _____	SWCB No. _____	Owner No. _____
SWCB No. _____	Owner No. _____	SWCB No. _____	Owner No. _____
SWCB No. _____	Owner No. _____	SWCB No. _____	Owner No. _____

Meter readings are in Gallons (gallons, 1000's of gallons, cubic feet, etc.)

SWCB No.	Owner No.	# 7 Well
Last	Months Reading	48,399,000
Date	Meter Reading*	Gal. used
1		350,000
2		440,000
3		520,000
4		386,000
5		540,000
6		383,000
7		428,000
8		367,000
9		530,000
10		455,000
11		447,000
12		415,000
13		459,000
14		476,000
15		424,000

Date	Meter Reading*	Gal. Used	Water Level****
16		463,000	
17		362,000	
18		364,000	
19		522,000	
20		351,000	
21		557,000	
22		395,000	
23		447,000	
24		416,000	
25		293,000	
26		583,000	
27		428,000	
28		395,000	
29		400,000	
30		516,000	
31	61,897,000	386,000	

* Read meter same time each day
** If taken, read at end of non pumping period
***If taken, read at end of heavy- pumping period
****If taken in one well in a field, specify which
Well - HUNTERDALE # 7

Total Gallons
During Month
Total Oper.
Days this Month
Daily Average
During Month

13,498,000
31
435,419.35

Total Gallons
During Quarter
Total Oper.
Days this Quarter
Daily Average
During Quarter

13,498,000
31
435,419.35

FILE

Year: 2020
 Month: JANUARY

**Virginia Department of Health
 Office of Drinking Water
 Monthly Disinfection Monitoring Report**

PWSID: 3620350

Waterworks: City of Franklin

Monitoring Location: Pretlow Entry Point (EP006)

Required Residual: 0.3 mg/L

Date	Time	Gallons Hypochlorite	Entry Point Residual(mg/L)	Distribution Residual (mg/L)	Chlorine Tank Gals
1	9:22	5.00 gpd	0.96	0.65	380 gals
2	8:15	5.00 gpd	1.03	0.64	
3	8:17	5.00 gpd	1.05	0.64	
4	9:27	5.00 gpd	0.97	0.63	
5	14:52	5.00 gpd	0.97	0.61	
6	10:13	5.00 gpd	0.80	0.60	
7	8:09	5.00 gpd	1.09	0.54	
8	8:30	5.00 gpd	0.83	0.50	
9	8:06	5.00 gpd	0.93	0.61	
10	7:56	5.00 gpd	0.91	0.60	
11	10:22	5.00 gpd	1.08	0.54	
12	10:15	5.00 gpd	1.01	0.56	
13	8:10	5.00 gpd	0.88	0.55	
14	8:05	5.00 gpd	0.86	0.58	
15	10:17	5.00 gpd	0.87	0.42	
16	8:07	5.00 gpd	0.93	0.54	
17	8:32	5.00 gpd	0.93	0.53	
18	11:00	5.00 gpd	1.00	0.58	
19	13:44	5.00 gpd	0.86	0.47	
20	10:18	5.00 gpd	0.95	0.46	
21	8:09	5.00 gpd	0.91	0.57	
22	8:21	5.00 gpd	0.80	0.42	
23	8:13	5.00 gpd	1.01	0.49	
24	8:15	5.00 gpd	1.05	0.62	
25	6:24	5.00 gpd	1.02	0.53	
26	11:53	5.00 gpd	0.92	0.53	
27	8:23	5.00 gpd	0.91	0.51	
28	8:14	5.00 gpd	0.90	0.45	
29	8:34	5.00 gpd	1.02	0.57	
30	8:06	5.00 gpd	0.90	0.58	
31	8:18	5.00 gpd	0.87	0.51	225 gals

Chlorine Compound Used: Sodium Hypochlorite Liquid 12.5 %

** Indicate the dates the chlorine compound was replenished and any operational changes/issues.

FILE

Year: 2020
 Month: JANUARY

Virginia Department of Health
 Office of Drinking Water
 Monthly Disinfection Monitoring Report

PWSID: 3620350

Waterworks: City of Franklin

Monitoring Location: Hunterdale Entry Point (EP007)

Required Residual: 0.3 mg/L

Date	Time	Gallons Hypochlorite	Entry Point Residual(mg/L)	Distribution Residual (mg/L)	Chlorine Tank Gals
1	8:11	6.13 gpd	0.77	0.47	265 gals
2	10:49	6.13 gpd	0.83	0.44	
3	10:32	6.13 gpd	0.81	0.45	
4	10:48	6.13 gpd	0.93	0.46	
5	13:38	6.13 gpd	0.79	0.50	
6	11:05	6.13 gpd	0.80	0.48	
7	10:21	6.13 gpd	0.81	0.50	
8	11:10	6.13 gpd	0.80	0.46	
9	10:17	6.13 gpd	0.83	0.47	
10	10:32	6.13 gpd	0.80	0.47	
11	9:34	6.13 gpd	0.84	0.49	
12	9:35	6.13 gpd	0.84	0.47	
13	10:24	6.13 gpd	0.81	0.50	
14	10:32	6.13 gpd	0.78	0.45	
15	11:51	6.13 gpd	0.79	0.47	
16	10:34	6.13 gpd	0.79	0.44	
17	7:19	6.13 gpd	0.81	0.47	
18	9:48	6.13 gpd	0.83	0.47	
19	12:30	6.13 gpd	0.84	0.49	
20	9:07	6.13 gpd	0.83	0.53	
21	10:56	6.13 gpd	0.74	0.46	
22	11:24	6.13 gpd	0.77	0.45	
23	10:48	6.13 gpd	0.78	0.45	
24	10:30	6.13 gpd	0.79	0.46	
25	7:01	6.13 gpd	0.74	0.45	
26	11:08	6.13 gpd	0.78	0.48	
27	11:48	6.13 gpd	0.76	0.46	
28	8:33	6.13 gpd	0.78	0.47	
29	11:41	6.13 gpd	0.78	0.44	
30	10:03	6.13 gpd	0.75	0.43	75 gals
31	10:49	6.13 gpd	0.82	0.47	500 gals

Chlorine Compound Used: Sodium Hypochlorite Liquid 12.5 %

** Indicate the dates the chlorine compound was replenished and any operational changes/issues.

FILE

COMMONWEALTH OF VIRGINIA
DEPARTMENT OF ENVIRONMENTAL QUALITY
NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

DEPT. OF ENVIRONMENTAL QUALITY
(REGIONAL OFFICE)

PERMITTEE NAME/ADDRESS (INCLUDE
FACILITY NAME/LOCATION IF DIFFERENT)

Tidewater Regional Office
5636 Southern Boulevard
Virginia Beach, VA 23462

NAME: Franklin City - Wastewater Treatment Plant
ADDRESS: 501 S Main St
Franklin, VA 23851

Table with 2 columns: PERMIT NUMBER (VA0023922), DISCHARGE NUMBER (001)

MONITORING PERIOD

FACILITY LOCATION: 501 S Main St
Franklin, VA 23851

Table with 2 columns: FROM (YEAR 2019, MO 12, DAY 01) TO (YEAR 2019, MO 12, DAY 31)

NOTE: READ PERMIT AND GENERAL
INSTRUCTIONS BEFORE COMPLETING THIS
FORM.

Main data table with columns: Parameter, QUANTITY OR LOADING (AVERAGE, MAXIMUM, UNITS), QUALITY OR CONCENTRATION (MINIMUM, AVERAGE, MAXIMUM, UNITS), NO. EX., FREQUENCY OF ANALYSIS, SAMPLE TYPE, LAB CODE

GENERAL PERMIT REQUIREMENTS OR COMMENTS:
OUTFALL-SPECIFIC COMMENTS:
PARAMETER-SPECIFIC COMMENTS:

Operator information section including: BYPASSES AND OVERFLOWS, TOTAL OCCURENCES, TOTAL FLOW(M.G.), TOTAL BOD5(K.G.), OPERATOR IN RESPONSIBLE CHARGE (Robert P. Finch), CERTIFICATE NUMBER (1965005082), TELEPHONE (757-562-8551), Date (2020-01-10 11:30:37)

COMMONWEALTH OF VIRGINIA
DEPARTMENT OF ENVIRONMENTAL QUALITY
NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

DEPT. OF ENVIRONMENTAL QUALITY
(REGIONAL OFFICE)

PERMITTEE NAME/ADDRESS (INCLUDE
FACILITY NAME/LOCATION IF DIFFERENT)

Tidewater Regional Office
5636 Southern Boulevard
Virginia Beach, VA 23462

NAME: Franklin City - Wastewater Treatment Plant
ADDRESS: 501 S Main St
Franklin, VA 23851

Table with 2 columns: PERMIT NUMBER (VA0023922), DISCHARGE NUMBER (001)

MONITORING PERIOD

FACILITY LOCATION: 501 S Main St
Franklin, VA 23851

Table with 2 columns: FROM (YEAR 2019, MO 12, DAY 01) TO (YEAR 2019, MO 12, DAY 31)

NOTE: READ PERMIT AND GENERAL INSTRUCTIONS
BEFORE COMPLETING THIS FORM.

Main data table with columns: Parameter, QUANTITY OR LOADING (AVERAGE, MAXIMUM, UNITS), QUALITY OR CONCENTRATION (MINIMUM, AVERAGE, MAXIMUM, UNITS), NO. EX., FREQUENCY OF ANALYSIS, SAMPLE TYPE, LAB CODE

GENERAL PERMIT REQUIREMENTS OR COMMENTS:
OUTFALL-SPECIFIC COMMENTS:
PARAMETER-SPECIFIC COMMENTS:

Operator information section including: BYPASSES AND OVERFLOWS, TOTAL OCCURENCES, TOTAL FLOW(M.G.), TOTAL BOD5(K.G.), OPERATOR IN RESPONSIBLE CHARGE (Robert P. Finch), CERTIFICATE NUMBER (1965005082), TELEPHONE (757-562-8551), Date (2020-01-10 11:30:37)

COMMONWEALTH OF VIRGINIA
DEPARTMENT OF ENVIRONMENTAL QUALITY
NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

DEPT. OF ENVIRONMENTAL QUALITY
(REGIONAL OFFICE)

PERMITTEE NAME/ADDRESS (INCLUDE
FACILITY NAME/LOCATION IF DIFFERENT)

Tidewater Regional Office
5636 Southern Boulevard
Virginia Beach, VA 23462

NAME: Franklin City - Wastewater Treatment Plant
ADDRESS: 501 S Main St
Franklin, VA 23851

VA0023922	001
PERMIT NUMBER	DISCHARGE NUMBER

FACILITY LOCATION: 501 S Main St
Franklin, VA 23851

MONITORING PERIOD						
YEAR	MO	DAY	TO	YEAR	MO	DAY
2019	10	01	TO	2019	12	31

NOTE: READ PERMIT AND GENERAL INSTRUCTIONS BEFORE COMPLETING THIS FORM.

Parameter		QUANTITY OR LOADING			QUALITY OR CONCENTRATION			NO. EX.	FREQUENCY OF ANALYSIS	SAMPLE TYPE	LAB CODE
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM				
SILVER, TOTAL RECOVERABLE	REPORTD	*****	*****		*****	0.20	*****	0	1/3M	24HC	
PARAM CODE: 186	REQRMNT	*****	*****		*****	0.32	*****		1/3M	24HC	
ZINC, TOTAL RECOVERABLE	REPORTD	*****	*****		*****	34	*****	0	1/3M	24HC	
PARAM CODE: 196	REQRMNT	*****	*****		*****	36	*****		1/3M	24HC	
CADMIUM, TOTAL RECOVERABLE	REPORTD	*****	*****		*****	<0.50	*****	0	1/3M	24HC	
PARAM CODE: 202	REQRMNT	*****	*****		*****	0.56	*****		1/3M	24HC	
COPPER, TOTAL RECOVERABLE	REPORTD	*****	*****		*****	8	8	0	1/3M	24HC	
PARAM CODE: 203	REQRMNT	*****	*****		*****	46.4	46.4		1/3M	24HC	
OIL & GREASE	REPORTD	*****	*****		*****	*****	<5		1/3M	GRAB	
PARAM CODE: 500	REQRMNT	*****	*****		*****	*****	NL		1/3M	GRAB	

GENERAL PERMIT REQUIREMENTS OR COMMENTS:
OUTFALL-SPECIFIC COMMENTS:
PARAMETER-SPECIFIC COMMENTS:

BYPASSES AND OVERFLOWS	TOTAL OCCURENCES	TOTAL FLOW(M.G.)	TOTAL BOD5(K.G.)	OPERATOR IN RESPONSIBLE CHARGE	
				Robert P. Finch	1965005082
I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.				TYPED OR PRINTED NAME	CERTIFICATE NUMBER
				PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT	TELEPHONE
				TYPED OR PRINTED NAME	SIGNATURE
					Date
					2020-01-10 11:34:22

**City of Franklin, Va.
Wastewater Treatment Plant**

DMR QA/QC Report	Lead Operator		Chief Operator					
All field analysis results are documented on a benchsheet	Yes	x	No		Yes	x	No	
Is the Monthly Operations Report complete	Yes	x	No		Yes	x	No	
Review for accuracy Monthly Operations Report	Yes	x	No		Yes	x	No	
All effluent analysis certificates of analysis are present	Yes	x	No		Yes	x	No	
Was each certificate of analysis reviewed for comments that impact the analysis	Yes	x	No		Yes	x	No	
Are lab comments reported in the comment section of the e-DMR	Yes	x	No		Yes	x	No	
Is data or NR present on the e-DMR for each parameter Average, Maximum and Minimum for Concentration and loading as applicable	Yes	x	No		Yes	x	No	
Are there comment on the e-DMR for any exceptions or violations	Yes		x	No	Yes		x	No
Is the No. of Exceptions properly reported on the e-DMR	Yes	x	No		Yes	x	No	
Is the sample frequency reported consistent with the months sampling events	Yes	x	No		Yes	x	No	
Are the reporting dates correct	Yes	x	No		Yes	x	No	
Was the e-DMR prepared by a properly licensed Operator	Yes	x	No		Yes	x	No	
Was the e-DMR Certified by the Chief Executive Officer or his designee	Yes	x	No		Yes	x	No	
Was the e-DMR submitted to DEQ by the 10th day of the following month	Yes	x	No		Yes	x	No	
Lead Operator's Signature:	Teresa P Lewis		1/7/2020	<i>TPLewis</i>				
Chief Operator's Signature:	Robert P Finch		1/7/2020	<i>RPF</i>				