

DEPARTMENTAL REPORTS

NOVEMBER 2020 MONTHLY REPORTS

The following monthly reports are attached:

Building Permit Activity Report
Property Maintenance Inspection Report
Zoning Clearances Issued
Environmental Services Report
Delinquent Meals and Lodging Tax
Business License
Parks and Recreation
City Clips
Utility Outage Report
Water System Chlorination Report
Department of Environmental Quality Report
Franklin Municipal Airport

RESIDENTIAL CONSTRUCTION

RESIDENTIAL RENOVATIONS

Owner/Address	Description/Parcel ID	Estimated Value
SMITH, MICHAEL 407 WALNUT ST 23851	RESIDENTIAL 123-(077)-BLK D-118F	13,000
TOTAL RESIDENTIAL RENOVATIONS	1	13,000

COMMERCIAL CONSTRUCTION

NEW COMMERCIAL STRUCTURES

Owner/Address	Description/Parcel ID	Estimated Value
SPIVEY, JR., EDWARD S. 351 NORTH COLLEGE DRIVE 23851	NEW STORAGE BUILDING	98,000
TOTAL NEW COMM CONSTRUCTION:	1	98,000
TOTAL ALL COMMERCIAL CONSTRUCTION:	1	98,000

TOTAL # OF BUILDING PERMITS / VALUE: 2 111,000

CERTIFICATES OF OCCUPANCY

DATE ISSUED	ADDRESS	TYPE
11/17/2020	600 SOUTH STREET	PERMANENT

TOTAL PERMIT & INSPECTION FEES GENERATED:	2,171.00
TOTAL OTHER REVENUE GENERATED:	0.00
STATE SURCHARGE COLLECTED: GENERATED:	25.94
TOTAL REVENUE GENERATED:	2,196.94

OTHER PERMITS ISSUED:

TYPE	RES	COMM	FEES	VALUE
ELECTRICAL PERMIT	8	0	647.00	45,600
MECHANICAL PERMIT	2	1	295.00	129,805
ZONING PERMIT	2	5	175.00	98,000
TOTALS:	12	6	1,117.00	273,405

PROJECT CODE RECAP

PERMITS BY TYPE	# OF PERMITS	EST VALUE	FEES
ELECTRICAL PERMITS	8	45,600	647.00
MECHANICAL PERMIT	3	129,805	295.00
NEW STORAGE BUILDING	1	98,000	530.00
RESIDENTIAL REPAIR-BUILDING	1	13,000	100.00
ZONING CLEARANCE	7	98,000	175.00
TOTALS	20	384,405	1747.00

PERMITS BY AREA		
DESCRIPTION	# OF PERMITS	ESTIMATED VALUE
FRANKLIN (ALL)	19	381,205
MEADOWS	1	3,200
TOTALS	20	384,405

INSPECTIONS BY TYPE			
PERMIT TYPE	# OF INSPECTIONS	RES	COMM
BUILDING PERMIT	22	21	1
ELECTRICAL PERMIT	8	6	2
MECHANICAL PERMIT	3	3	0
PLUMBING PERMIT	3	3	0
ZONING PERMIT	2	1	1
TOTALS	38	34	4

Franklin

Printed: 2/08/2021 9:02 am

PERMITS FINALED FROM: 11/01/2020 TO 11/30/2020

Page 1 of 1

ALL PERMITS FOR FRANKLIN (ALL)

Dt Finaled	Permit #	Address Map #	Description	Job Value
11/12/2020	P-20-200923	1518 SOUTH STREET 23851 Not in record	PROPANE GAS WATER HEATER	5,100
11/18/2020	E-20-200924	1518 SOUTH STREET 23851 Not in record	RUN CIRCUIT INSTALLATION TO	500
TOTAL # OF PERMITS:		2	TOTAL VALUE:	5,600

	A	B	C	D	E	F	G	H	I	J
1	ZONING CLEARANCES REVIEWED AND ISSUED 2020 (CITY)									
2										
		Retail / Business	New SFD	New Comm	Additions /Alts Commercial	Additions /Alts Residential	Home Occp.	Accessory Structures (signs, fences, pools, decks, etc.)	Tents, Promotional Displays, Other	Totals
3										
4	January			2			2	2		6
5	February				2	3				5
6	March					1				1
7	April		2			1	1	6		10
8	May	1	1				2	6	1	11
9	June		1		1	3		7		12
10	July	2	1					2		5
11	August	5						7	8	20
12	September							1		1
13	October		1				2	2		5
14	November			1		1				2
15	December									
16	Totals	8	6	3	3	9	7	33	9	78

Project Status Report



Environmental Services Division
November 2020

■ : City of Franklin

PROJECT STATUS REPORT: City of Franklin (Environmental Services Division)

REPORTING MONTH: November 2020

CUP/Site Plan Reviewed Date	Project Title	Project Address	Owner/Applicant Name	Site Plan under Review	Bldg Permit Issued	LD Permit Issued	Total Disturbed Acreage	Design/Inspection Comments
CITY OF FRANKLIN:								
9/16/2020	Franklin CDR+J	1211 Armory Drive	Franklin Auto, LLC	Under Review				Site plans received 9/16/2020. Site plans currently under initial review. We have received copies of site plans, site plan review fee (\$244.50), E&S Control Bond Estimate, application for Site Development Plan Review (9/16). 1st submittal completed and comments compiled and returned to B&B consultants for review (10/7). Awaiting 2nd submittal. Held design meeting on 10/14 with architect from B&B to discuss interior design specs. Held on-site meeting 10/19 to discuss drainage components with Civil Engineer from B&B resulting in some of the drainage components being redrawn and recalculated. 2nd submittal to arrive week of November 16th. In accordance with the Zoning Ordinance section 24.5, item A, the site plans needed approval from the Planning Commission. Planning Commission was held 11/19; site plans were approved. Second Submittal of site plans received by the Environmental Services on 12/1/2020.
8/27/2020	Wawa - Armory Drive	1461 Armory Drive	Capital Growth Buchalter/Kimley-Horn	Under Review				Site plans received 8/27/2020. Site plan review fee paid and received. Zoning/City, Public Works, VDOT have been notified of plans. 1st submittal currently under review. 1st submittal completed and comments returned to Kimley-Horn (9/23) Awaiting 2nd submittal. Second Submittal arrived 11/5/2020. City of Franklin staff reviewed and submitted comments back to Kimley-Horn by 11/20/2020. Kimley-Horn and the City of Franklin staff are all satisfied with comments on the site plans. The wawa project is scheduled to go before the Planning Commission on 12/17 at 5:30 pm per zoning ordinance section 24.5 item B.

PROJECT STATUS REPORT: City of Franklin (Environmental Services Division)

REPORTING MONTH: November 2020

8/25/2017	Rock Church - Gymnasium Bldg	130 Lakeview Road	Rock Church/Kimley Horn	Complete	Yes	Yes	1.03	<p>ESD approved site plan 8/25/2017 and issued Land Disturbing Permit on 9/20/2017. Crowder and White Contractor continuing with site work. Prepared pad foundation. Bldg plans approved-contractor foundation and framing work completed. Interior construction underway. Performing E & S Control Inspections as required. Slope behind building has sod applied to it and roof top connection pipes were installed to reduce runoff effects. Church is preparing to complete parking lot and final landscaping. Site work is 100% complete. Waiting for as-build plans from engineer. As-build plans received 11/20/2020. Awaiting an updated BMP Maintenance agreement to record in courthouse.</p>
11/29/2017	Hayden Village Center (Site design)	Franklin, Virginia	Hoggard-Eure Associates	Complete	Yes	Yes	1.97	<p>Progress meeting with Engineer on site plan design with Community Development Staff on 11/29/2017. Received site plans and drainage computations and site plan review application on December 8, 2017. Performed first site plan review on 12/29/2017. Project review meeting with CD and Public Works Depts on 2/27/2018. Received revised site plans on June 1, 2018. Received fourth site plan review on 7/19/2018. Developer continued with site redesign on 10/11/2018 for budget purposes. Revisions underway on complete construction phasing plan to secure the Temporary CO. Contacted Luna Development Services early February 2019 and stated they will commence with site work in 30 days. Developer is in process of obtaining surety bond and land disturbance permit. Installation of Stormwater BMP, concrete dumpster pad and drainage system is complete. Commenced with asphalt paving of parking lot in December 2019. Released Surety bonds in December 2019. Continuing with interior construction work. Parking Lot paving complete - January 2020. Secured additional surety bond and awaiting completion of landscaping and site lighting. Luna Development commenced with modified landscaping plan 50% complete. Landscaping and lighting are 100% as of August 2020. Pending release of surety bonds after receiving as-built site plans from engineer.</p>

DELINQUENT MEALS & LODGING TAX REPORT AS OF NOVEMBER 13 2020

(DUE OCTOBER 20 2020)

MEALS TAX

BUSINESS NAME:	MONTH DELINQUENT:	TOTAL MONTHS
JAI SHREE KRISHNA FRANKLIN BOWLING CENTER	JULY & SEPT 2020	2
MAN MARKET	AUG & SEPT 2020	2
CORNER OF SOUTH	SEPT 2020	1
TIERS TO YOU	SEPT 2020	1

LODGING TAX


BUSINESS NAME:	MONTH DELINQUENT:	TOTAL MONTHS

ALL LODGING TAX RETURNS ARE CURRENT

**New Business Up-date
October 2020**

Business Name	Location	Contact Info	Type of Service
Kenbridge Construction Co./Terri Newcomb/Corp Secretary	P O Box 480 Kenbridge, Virginia 23944	434-676-8221	Contractor
Reliable Pros/Johhnie Cowan/Owner	P O Box 11613 Norfolk, Virginia 23517	757-955-5833	Contractor

	A	B	C	D	E	F	G	H	I	K	L	M	N
1				Franklin Department of Parks & Recreation									
2				Nov-20									
3													
4													
5													
6	Athletics				0								
7	Total				0								
8													
9	Programs												
10	Girls on the Run				34								
11	Aikido				0								
12	Pool Club				25								
13	Domino Club				0								
14	Open Recreation				0								
15	Pinocle				0								
16	Franklin Ministers Association				0								
17	Junior Youth Empowerment				0								
18	Tutoring and Reading Program				0								
19	Bid Whist Club				0								
20	Dance Team Practice				0								
21	Activity of the week				0			Farmers Market					
22	Franklin wellness coalition				0			11/7/2020		148			
23	Cornhole				110			11/14/2020		261			
24	Total				169			11/21/2020		350			
25								11/28/2020		75			
26	Cover 3 Feeding							Total		834			
27	Breakfast				0								
28	Lunch				0			Foodbank					
29	Snacks				0			11/6/2020		11			
30	Dinners				0			11/13/2020		10			
31	Total				0			11/20/2020		11			
32								Total		32			
33	Community Meetings				0								
34	Total				0			Special Activities					
35								Cornhole Tournament 11/8/2020		200			
36	Social Media -Facebook clicks				2500			Holiday Harvest 11/21/2020		350			
37	Total				2500			Election Day 11/3/2020		179			
38								Activity- To-Go 11/5/2020		15			
39	Volunteers							Activity- To-Go 11/10/2020		13			
40	Cornhole Tournament				12			Activity-To-Go 11/12/2020		10			
41	Activity-To-Go				8			Activity-To-Go 11/19/2020		5			
42	Thanksgiving Dinner				40			Activity- To-Go 11/24/2020		7			
43	Holiday Harvest				1			Thanksgiving Dinner 11/8/2020		309			
44	Election Day				7			Total		1088			
45	Food Bank				15								
46	Total				83			Athletics		0			



	A	B	C	D	E	F	G	H	I	K	L	M	N
47								Program		169			
48								Community Meetings		0			
49								Special Activities		1029			
50								Farmers Market		834			
51								Social Media -Facebook		2500			
52								Cover 3 Feeding		0			
53								Volunteers		81			
54								Grand Total		4,613			

	A	B	C	D	E	F	
1	Franklin Power & Light						
2	Trouble Calls						
3	November 1, 2020 to November 30, 2020						
4							
5	Date:	11/1/2020					
6	Location:	Charles st					
7	Time first call came in:	7:00AM					
8	Actual Time of Outage:						
9	Power restored:	8:20AM					
10	Response time:						
11	Problem:	b phase fuse blown casue not known					
12							
13	# of customers effected:	36					
14							
15	Date:	11/4/2020					
16	Location:	Hubbs Peanuts					
17	Time first call came in:	4:15PM					
18	Actual Time of Outage:						
19	Power restored:	8:15PM					
20	Response time:						
21	Problem:	Internal fuse blown in pad mount transformer					
22	# of customers effected:	2					
23							
24	Date:	11/9/2020					
25	Location:	904 Chestnut st					
26	Time first call came in:	6:50AM					
27	Actual Time of Outage:						
28	Power restored:						
29	Response time:						
30	Problem:	House fire					
31	# of customers effected:	1					
32							
33	Date:	11/11/2020					
34	Location:	Laurel & Bolling					
35	Time first call came in:	11:00PM					
36	Actual Time of Outage:						
37	Power restored:	1:50AM					
38	Response time:						
39	Problem:	Tree top fell out took down single phase line					
40	# of customers effected:	42					
41							
42	Date:	11/12/2020					
43	Location:	33006 Green oaks ln					
44	Time first call came in:	6:00AM					
45	Actual Time of Outage:						

	A	B	C	D	E	F
46	Power restored:	7:30AM				
47	Response time:					
48	Problem:	100 amp switch burnt up				
49	# of customers effected:	3				
50						
51	Date:	11/13/2020				
52	Location:	317 Pearl st				
53	Time first call came in:	4:10PM				
54	Actual Time of Outage:					
55	Power restored:	5:52PM				
56	Response time:					
57	Problem:	dead oak tree fell breaking a pole				
58						
59	# of customers effected:	7				
60						
61	Date:	11/18/2020				
62	Location:	700 W 2nd ave				
63	Time first call came in:	10:30AM				
64	Actual Time of Outage:					
65	Power restored:	2:00PM				
66	Response time:					
67	Problem:	cut power for Wilbur Drewry to replace meter mase				
68	# of customers effected:	1				
69						
70	Date:	11/20/2020				
71	Location:	31066 Sycamore rd				
72	Time first call came in:	9:50AM				
73	Actual Time of Outage:					
74	Power restored:	11:05AM				
75	Response time:					
76	Problem:	dropped service for tree removal for Sussex tree service				
77	# of customers effected:	1				
78						
79	Date:	11/21/2020				
80	Location:	307 W 1st				
81	Time first call came in:	4:445AM				
82	Actual Time of Outage:					
83	Power restored:					
84	Response time:					
85	Problem:	house fire				
86	# of customers effected:	1				
87						
88	Date:	11/30/2020				
89	Location:	715 Clay st				
90	Time first call came in:	7:34PM				

Date:	Monday - 7/6/15					
Location:	Part of Dogwood Bend Road and Sycamore Church Road					
Time first call came in:	7:34pm					
Actual Time of Outage:						
Power restored:	8:15pm to 94 customers					
Power restored:	9:00pm to 2 customers					
Response time:	20 minutes					
Problem:	Storm trouble - primary wire down - opened up "C" phase reclosure					
# of customers effected:	96					
This opened up "C" phase reclosure 1442 on Dogwood Bend Rd.						
Date:	Wednesday - 7/8/15					
Location:	31132 Smiths Ferry Road					
Time first call came in:	2:30am					
Actual Time of Outage:						
Power restored:	4:30am					
Response time:	35 minutes					
Problem:	Tree - fell across house service and tore it down					
# of customers effected:	2					
Wendell said it probably rocked the primary pretty good across road						
Date:	Wednesday - 7/15/15					
Location:	Smiths Ferry Road (Miller Farm)					
Time first call came in:	10:20am					
Actual Time of Outage:						
Power restored:	11:37am					
Response time:	15 minutes					
Problem:	Partial power - blown lightning arrester in the pad mount transformer					
# of customers effected:	1					
Outage at Miller farm just south of Mr. Darden - trouble shooting probably blinked him						

Month of: Nov-20

Rain:

1	454537	67087	0.00
2	564928	110391	0.50
3	652990	88062	0.00
4	734919	81929	0.00
5	816787	81868	0.00
6	901499	84712	0.00
7	984145	82646	0.00
8	1063460	79315	0.00
9	1138273	74813	0.00
10	1212784	74511	0.00
11	1279544	66760	0.00
12	1505554	226010	2.60
13	1981136	475582	2.60
14	2173152	192016	0.00
15	2291284	118132	0.00
16	2397345	106061	0.00
17	2484337	86992	0.00
18	2569886	85549	0.00
19	2652872	82986	0.00
20	2735910	83038	0.00
21	2808309	72399	0.00
22	2883799	75490	0.00
23	2967824	84025	0.00
24	3048197	80373	0.00
25	3127042	78845	0.00
26	3207514	80472	0.10
27	3281407	73893	0.10
28	3356423	75016	0.00
29	3438217	81794	0.00

30	3529753	91536	0.00
-----------	---------	-------	------

Total		3,142,303	5.90
--------------	--	-----------	------

Isle of Wight County

Flow Report and Rain Fall

Last Reading Prior Month 387450

**CITY OF FRANKLIN
WATER SYSTEM CHLORINATION REPORT
NOVEMBER 2020**

FILE

	Pretlow	Hunterdale.	Armory Dr	Public Works	Cypress Ave	Trail Road	2nd Ave
	Well # 6	Well # 7	Dist. Sys	Dist. Sys.	Dist. Sys.	Dist. Sys.	Dist. Sys.
	Cl2 Res.	Cl2 Res.	Cl2 Res.	Cl2 Res.	Cl2 Res	Cl2 Res	Cl2 Res.
Date	Mg/l	Mg/l	Mg/l	Mg/l	Mg/l	Mg/l	Mg/l
1	1.01	0.86	0.53	0.69	0.54	0.60	0.31
2	0.93	0.90	0.52	0.70	0.53	0.57	0.29
3	0.91	0.86	0.54	0.62	0.73	0.56	0.29
4	1.07	0.98	0.55	0.61	0.59	0.60	0.33
5	1.11	0.98	0.54	0.66	0.63	0.62	0.39
6	1.08	0.96	0.68	0.59	0.60	0.65	0.40
7	1.04	0.99	0.64	0.63	0.71	0.69	0.38
8	1.02	0.94	0.60	0.57	0.63	0.68	0.43
9	1.04	0.93	0.61	0.71	0.70	0.69	0.47
10	1.10	0.91	0.65	0.67	0.62	0.65	0.41
11	1.03	0.96	0.64	0.65	0.60	0.69	0.29
12	0.92	0.93	0.64	0.75	0.66	0.69	0.44
13	0.99	0.67	0.56	0.82	0.58	0.64	0.42
14	1.05	0.93	0.55	0.69	0.65	0.61	0.33
15	1.01	1.00	0.66	0.75	0.70	0.71	0.38
16	1.06	1.01	0.65	0.72	0.68	0.71	0.44
17	0.98	0.93	0.72	0.75	0.69	0.72	0.45
18	1.10	0.97	0.70	0.70	0.72	0.72	0.45
19	1.04	1.03	0.70	0.75	0.68	0.69	0.47
20	1.05	1.02	0.70	0.79	0.69	0.71	0.45
21	0.97	0.88	0.61	0.63	0.61	0.64	0.38
22	0.95	0.90	0.61	0.58	0.58	0.64	0.47
23	1.10	0.91	0.64	0.75	0.62	0.66	0.40
24	0.90	0.95	0.64	0.66	0.59	0.63	0.40
25	1.09	0.91	0.62	0.73	0.62	0.62	0.41
26	0.99	1.00	0.65	0.73	0.60	0.68	0.45
27	1.02	0.94	0.66	0.68	0.65	0.66	0.37
28	1.01	0.94	0.64	0.73	0.60	0.63	0.40
29	1.04	0.99	0.58	0.67	0.61	0.67	0.37
30	1.04	0.96	0.61	0.66	0.60	0.67	0.37

COMMONWEALTH OF VIRGINIA
GROUND WATER PUMPAGE AND USE REPORT

Year 2020
MONTH NOVEMBER
Quarter 1 2 3 4
(Circle One)
County/ City
City of Franklin

State Department of Health and State Water Control Board
Public. Send copy of report to Regional State Water Control Board Office and
Regional State Health Department Office
Industrial. Send copy of report to Regional State Water Control Office
Other. Send copy of report to Regional State Water Control Board Office

Name of Waterworks
City of Franklin
Owner Same
Address: P. O. Box 179
Franklin, Va. 23851 Phone (757)562-8564

Name of Operator Stephen W. Watson
Position/ Title Utility Superintendent
Signature Stephen W. Watson Date 12-2-2020
Population Served (Public) 9,000
No. of Connections (Public) 3,500
Operation Permit Number (public) 3620350

Type of use: Public X Industrial _____ Other (Specify) _____
If measurements are for a single-meter field reading, list wells included in field

SWCB No. _____ Owner No. _____ SWCB No. _____ Owner No. _____
SWCB No. _____ Owner No. _____ SWCB No. _____ Owner No. _____
SWCB No. _____ Owner No. _____ SWCB No. _____ Owner No. _____

Meter readings are in Gallons (gallons, 1000's of gallons, cubic feet, etc.)

SWCB No.	Owner No.	# 4 Well
Last	Months Reading	49,700,000
	Meter Reading*	Gal. used
1		0
2		0
3		0
4		0
5		0
6		0
7		0
8		0
9		0
10		0
11		0
12		0
13		0
14		0
15		0

Date	Meter Reading*	Gal. Used	Water Level****
16		0	
17		0	
18		0	
19		0	
20		0	
21		0	
22		0	
23		0	
24		0	
25		0	
26		0	
27		0	
28		0	
29		0	
30	49,700,000	0	

* Read meter same time each day
** If taken, read at end of non pumping period
*** If taken, read at end of heavy- pumping period
**** If taken in one well in a field, specify which
Well - COLLEGE DR

Total Gallons During Month	0	Total Gallons During Quarter	0
Total Oper. Days this Month	0	Total Oper. Days this Quarter	0
Daily Average During Month	0.00	Daily Average During Quarter	0.00

FILE

**COMMONWEALTH OF VIRGINIA
GROUND WATER PUMPAGE AND USE REPORT**

Year 2020
MONTH NOVEMBER
Quarter 1 2 3 4
(Circle One)
County/ City
City of Franklin

State Department of Health and State Water Control Board
Public. Send copy of report to Regional State Water Control Board Office and
Regional State Health Department Office
Industrial. Send copy of report to Regional State Water Control Office
Other. Send copy of report to Regional State Water Control Board Office

Name of Waterworks
City of Franklin
Owner Same
Address: P. O. Box 179
Franklin, Va. 23851 Phone (757)562-8564

Name of Operator Stephen W. Watson
Position/ Title Utility Superintendent
Signature Stephen W. Watson Date 12-2-2020
Population Served (Public) 9,000
No. of Connections (Public) 3,500
Operation Permit Number (public) 3620350

Type of use: Public X Industrial _____ Other (Specify) _____

If measurements are for a single-meter field reading, list wells included in field

SWCB No. _____	Owner No. _____	SWCB No. _____	Owner No. _____
SWCB No. _____	Owner No. _____	SWCB No. _____	Owner No. _____
SWCB No. _____	Owner No. _____	SWCB No. _____	Owner No. _____

Meter readings are in Gallons (gallons, 1000's of gallons, cubic feet, etc.)

SWCB No.	Owner No.	# 5 Well
Last	Months Reading	2,175,000
	Meter Reading*	Water Level****
1	0	
2	0	
3	0	
4	0	
5	25,000	
6	0	
7	0	
8	0	
9	0	
10	0	
11	0	
12	25,000	
13	0	
14	0	
15	0	

Date	Meter Reading*	Gal. Used	Water Level****
16		0	
17		0	
18		25,000	
19		0	
20		0	
21		0	
22		0	
23		0	
24		0	
25		25,000	
26		0	
27		0	
28		0	
29		0	
30	2,275,000	0	

* Read meter same time each day
** If taken, read at end of non pumping period
***If taken, read at end of heavy- pumping period
****If taken in one well in a field, specify which
Well - HUNTERDALE # 5

Total Gallons During Month	100,000	Total Gallons During Quarter	200,000
Total Oper. Days this Month	4	Total Oper. Days this Quarter	8
Daily Average During Month	25,000.00	Daily Average During Quarter	25,000.00

FILE

**COMMONWEALTH OF VIRGINIA
GROUND WATER PUMPAGE AND USE REPORT**

Year 2020
MONTH NOVEMBER
Quarter 1 2 3 4
(Circle One)
County/ City
City of Franklin

State Department of Health and State Water Control Board
Public. Send copy of report to Regional State Water Control Board Office and
Regional State Health Department Office
Industrial. Send copy of report to Regional State Water Control Office
Other. Send copy of report to Regional State Water Control Board Office

Name of Waterworks
City of Franklin
Owner Same
Address: P. O. Box 179
Franklin, Va. 23851 Phone (757)562-8564

Name of Operator Stephen W. Watson
Position/ Title Utility Superintendent
Signature Stephen W. Watson Date 12-2-2020
Population Served (Public) 9,000
No. of Connections (Public) 3,500
Operation Permit Number (public) 3620350

Type of use: Public X Industrial _____ Other (Specify) _____

If measurements are for a single-meter field reading, list wells included in field

SWCB No. _____	Owner No. _____	SWCB No. _____	Owner No. _____
SWCB No. _____	Owner No. _____	SWCB No. _____	Owner No. _____
SWCB No. _____	Owner No. _____	SWCB No. _____	Owner No. _____

Meter readings are in Gallons (gallons, 1000's of gallons, cubic feet, etc.)

SWCB No.	Owner No.	# 6 Well
		949,520,000
Last	Months Reading	Water Level****
	Meter Reading*	Gal. used
1		460,000
2		366,000
3		401,000
4		450,000
5		399,000
6		324,000
7		450,000
8		481,000
9		319,000
10		437,000
11		460,000
12		340,000
13		324,000
14		420,000
15		471,000

Date	Meter Reading*	Gal. Used	Water Level****
16		371,000	
17		345,000	
18		432,000	
19		399,000	
20		382,000	
21		619,000	
22		321,000	
23		394,000	
24		397,000	
25		420,000	
26		426,000	
27		417,000	
28		403,000	
29		423,000	
30	961,696,000	325,000	

* Read meter same time each day
** If taken, read at end of non pumping period
***If taken, read at end of heavy- pumping period
****If taken in one well in a field, specify which
Well - PRETLOW

Total Gallons During Month	12,176,000	Total Gallons During Quarter	25,853,000
Total Oper. Days this Month	30	Total Oper. Days this Quarter	61
Daily Average During Month	405,866.67	Daily Average During Quarter	423,819.67

FILE

**COMMONWEALTH OF VIRGINIA
GROUND WATER PUMPAGE AND USE REPORT**

Year 2020
MONTH NOVEMBER
Quarter 1 2 3/4
(Circle One)
County/ City
City of Franklin

State Department of Health and State Water Control Board
Public. Send copy of report to Regional State Water Control Board Office and
Regional State Health Department Office
Industrial. Send copy of report to Regional State Water Control Office
Other. Send copy of report to Regional State Water Control Board Office

Water Source:
 Well(s)
 Spring(s)
 Wells and Spring(s)

Name of Waterworks
City of Franklin
Owner Same
Address: P. O. Box 179
Franklin, Va. 23851 Phone (757)562-8564

Name of Operator Stephen W. Watson
Position/ Title Utility Superintendent
Signature *Stephen W. Watson* Date 12.2.2020
Population Served (Public) 9,000
No. of Connections (Public) 3,500
Operation Permit Number (public) 3620350

Type of use: Public Industrial Other (Specify)
If measurements are for a single-meter field reading, list wells included in field

SWCB No. _____	Owner No. _____	SWCB No. _____	Owner No. _____
SWCB No. _____	Owner No. _____	SWCB No. _____	Owner No. _____
SWCB No. _____	Owner No. _____	SWCB No. _____	Owner No. _____

Meter readings are in Gallons (gallons, 1000's of gallons, cubic feet, etc.)

SWCB No.	Owner No.	# 7 Well
Last	Months Reading	175,292,000
	Meter Reading*	Water Level****
1		
2		
3		
4		
5		
6		
7		
8		
9		
10		
11		
12		
13		
14		
15		

Date	Meter Reading*	Gal. Used	Water Level****
16		358,000	
17		357,000	
18		357,000	
19		265,000	
20		423,000	
21		358,000	
22		179,000	
23		494,000	
24		358,000	
25		200,000	
26		341,000	
27		515,000	
28		355,000	
29		194,000	
30	186,015,000	507,000	

* Read meter same time each day
** If taken, read at end of non pumping period
***If taken, read at end of heavy- pumping period
****If taken in one well in a field, specify which
Well - HUNTERDALE # 7

Total Gallons During Month	10,723,000	Total Gallons During Quarter	22,067,000
Total Oper. Days this Month	30	Total Oper. Days this Quarter	61
Daily Average During Month	357,433.33	Daily Average During Quarter	361,754.10

FILE

FILE

Year: 2020
Month: NOVEMBER

**Virginia Department of Health
Office of Drinking Water
Monthly Disinfection Monitoring Report**

PWSID: 3620350

Waterworks: City of Franklin

Monitoring Location: Pretlow Entry Point (EP006)

Required Residual: 0.3 mg/L

Date	Time	Gallons Hypochlorite	Entry Point Residual(mg/L)	Distribution Residual (mg/L)	Chlorine Tank Gals
1	8:47	5.17 gpd	1.01	0.53	280 gals
2	7:59	5.17 gpd	0.93	0.52	
3	10:17	5.17 gpd	0.91	0.54	
4	10:53	5.17 gpd	1.07	0.55	
5	7:57	5.17 gpd	1.11	0.54	
6	8:49	5.17 gpd	1.08	0.68	
7	12:05	5.17 gpd	1.04	0.64	
8	11:38	5.17 gpd	1.02	0.60	
9	10:26	5.17 gpd	1.04	0.69	
10	7:53	5.17 gpd	1.10	0.65	
11	11:08	5.17 gpd	1.03	0.64	
12	8:02	5.17 gpd	0.92	0.64	
13	8:02	5.17 gpd	0.99	0.56	
14	10:13	5.17 gpd	1.05	0.55	
15	10:19	5.17 gpd	1.01	0.66	
16	8:01	5.17 gpd	1.06	0.65	
17	8:10	5.17 gpd	0.98	0.72	
18	8:15	5.17 gpd	1.10	0.70	
19	7:58	5.17 gpd	1.04	0.70	
20	8:03	5.17 gpd	1.05	0.70	
21	11:20	5.17 gpd	0.97	0.61	
22	8:21	5.17 gpd	0.95	0.61	
23	8:01	5.17 gpd	1.10	0.64	
24	7:58	5.17 gpd	0.90	0.64	
25	7:52	5.17 gpd	1.09	0.62	
26	8:29	5.17 gpd	0.99	0.65	
27	9:26	5.17 gpd	1.02	0.66	
28	10:24	5.17 gpd	1.01	0.64	
29	9:03	5.17 gpd	1.04	0.58	
30	7:59	5.17 gpd	1.04	0.61	125 gals

Chlorine Compound Used: Sodium Hypochlorite Liquid 12.5 %

** Indicate the dates the chlorine compound was replenished and any operational changes/issues.

FILE

Year: 2020
Month: NOVEMBER

**Virginia Department of Health
Office of Drinking Water
Monthly Disinfection Monitoring Report**

PWSID: 3620350

Waterworks: City of Franklin

Monitoring Location: Hunterdale Entry Point (EP007)

Required Residual: 0.3 mg/L

Date	Time	Gallons Hypochlorite	Entry Point Residual(mg/L)	Distribution Residual (mg/L)	Chlorine Tank Gals
1	9:26	3.50 gpd	0.86	0.60	160 gals
2	11:02	3.50 gpd	0.90	0.57	
3	11:11	3.50 gpd	0.86	0.56	
4	11:43	3.50 gpd	0.98	0.60	
5	10:11	3.50 gpd	0.98	0.62	
6	10:44	3.50 gpd	0.96	0.65	
7	13:07	3.50 gpd	0.99	0.69	
8	12:50	3.50 gpd	0.94	0.68	
9	11:46	3.50 gpd	0.93	0.69	
10	10:57	3.50 gpd	0.91	0.65	
11	13:34	3.50 gpd	0.96	0.69	
12	10:15	3.50 gpd	0.93	0.69	
13	10:50	3.50 gpd	0.67	0.64	500/100
14	10:46	3.50 gpd	0.93	0.61	
15	10:55	3.50 gpd	1.00	0.71	
16	11:05	3.50 gpd	1.01	0.71	
17	10:53	3.50 gpd	0.93	0.72	
18	11:20	3.50 gpd	0.97	0.72	
19	10:28	3.50 gpd	1.03	0.69	
20	11:11	3.50 gpd	1.02	0.71	
21	12:25	3.50 gpd	0.88	0.64	
22	9:28	3.50 gpd	0.90	0.64	
23	10:41	3.50 gpd	0.91	0.66	
24	11:54	3.50 gpd	0.95	0.63	
25	10:05	3.50 gpd	0.91	0.62	
26	9:05	3.50 gpd	1.00	0.68	
27	10:20	3.50 gpd	0.94	0.66	
28	10:59	3.50 gpd	0.94	0.63	
29	9:41	3.50 gpd	0.99	0.67	
30	11:05	3.50 gpd	0.96	0.67	455 Gals

Chlorine Compound Used: Sodium Hypochlorite Liquid 12.5 %

** Indicate the dates the chlorine compound was replenished and any operational changes/issues.