

DEPARTMENTAL REPORTS

SEPTEMBER 2021 MONTHLY REPORTS

The following monthly reports are attached:

Building Permit Activity Report
Property Maintenance Inspection Report
Zoning Clearances Issued
Environmental Services Report
Delinquent Meals and Lodging Tax
Business License
Parks and Recreation
City Clips
Utility Outage Report
Water System Chlorination Report
Department of Environmental Quality Report

RESIDENTIAL CONSTRUCTION

RESIDENTIAL ADDITIONS

Owner/Address	Description/Parcel ID	Estimated Value
TOTAL RESIDENTIAL ADDITIONS:	0	0

RESIDENTIAL RENOVATIONS

Owner/Address	Description/Parcel ID	Estimated Value
HAINES, JAMIE 329 MEADOW LANE 23851	RESIDENTIAL RENOVATIONS	42,289
TOTAL RESIDENTIAL RENOVATIONS	1	42,289

COMMERCIAL CONSTRUCTION

COMMERCIAL ADDITIONS

Owner/Address	Description/Parcel ID	Estimated Value
CITY OF FRANKLIN/DONALD GOODWIN SC AGENT 1020 PRETLOW STREET 23851	COMMERCIAL ADDITIONS	24,000
TOTAL COMMERCIAL ADDITIONS:	1	24,000

TOTAL ALL COMMERCIAL CONSTRUCTION:	1	24,000
---	----------	---------------

OTHER BUILDING PERMITS

Owner/Address	Description/Parcel ID	Estimated Value
MARTIN RICHARD 2 RIDGE RD FRANKLIN	GARAGE/CARPORT	18,627
TOTALS:	1	18,627

SIGN PERMITS

Owner/Address	Description/Parcel ID	Estimated Value
BRANCH BANKING & TRUST COMPANY 201 N COLLEGE DR 23851	SIGN	300
BRANCH BANKING & TRUST COMPANY 201 N COLLEGE DR 23851	SIGN	750
BRANCH BANKING & TRUST COMPANY 201 N COLLEGE DR 23851	SIGN	1,200
BRANCH BANKING & TRUST COMPANY 201 N COLLEGE DR 23851	SIGN	1,000
BRANCH BANKING & TRUST COMPANY 201 N COLLEGE DR 23851	SIGN	2,500
BRANCH BANKING & TRUST COMPANY 201 N COLLEGE DR 23851	SIGN	1,200

BRANCH BANKING & TRUST COMPANY 201 N COLLEGE DR 23851	SIGN	150
BRANCH BANKING & TRUST COMPANY 201 N COLLEGE DR 23851	SIGN	2,000
TOTALS:	8	9,100

TOTAL # OF BUILDING PERMITS / VALUE:	11	94,016
---	-----------	---------------

CERTIFICATES OF OCCUPANCY

DATE ISSUED	ADDRESS		TYPE
9/30/2021	WIGGINS CT	120	PERMANENT

TOTAL PERMIT & INSPECTION FEES GENERATED:	3,247.50
TOTAL OTHER REVENUE GENERATED:	0.00
STATE SURCHARGE COLLECTED: GENERATED:	58.70
TOTAL REVENUE GENERATED:	3,306.20

OTHER PERMITS ISSUED:

TYPE	RES	COMM	FEES	VALUE
ELECTRICAL PERMIT	10	4	1,665.00	102,730
MECHANICAL PERMIT	1	2	405.00	40,500
PLUMBING PERMIT	8	0	500.00	30,000
ZONING PERMIT	3	1	100.00	0
TOTALS:	22	7	2,670.00	173,230

PROJECT CODE RECAP

PERMITS BY TYPE	# OF PERMITS	EST VALUE	FEES
COMMERCIAL ADDITIONS	1	24,000	0.00
ELECTRICAL PERMITS	14	102,730	1665.00
GARAGE/CARPORT	1	18,627	185.00
MECHANICAL PERMIT	3	40,500	405.00
PLUMBING PERMITS	8	30,000	500.00
RESIDENTIAL RENOVATIONS	1	42,289	235.00
SIGN	8	9,100	610.00
ZONING CLEARANCE	4	0	100.00
TOTALS	40	267,246	3700.00

PERMITS BY AREA

DESCRIPTION	# OF PERMITS	ESTIMATED VALUE
FRANKLIN (ALL)	40	267,246
TOTALS	40	267,246

INSPECTIONS BY TYPE

PERMIT TYPE	# OF INSPECTIONS	RES	COMM
BUILDING PERMIT	10	6	4
ELECTRICAL PERMIT	8	2	6
MECHANICAL PERMIT	5	1	4
PLUMBING PERMIT	8	7	1
SIGN PERMIT	1	0	1
TOTALS	32	16	16
CODE ENFORCEMENT	8		
TOTALS	40		

DATE INSP	RECORD/INSP	INSP TYPE	RESULTS	INSPECTOR	OWNER PROPERTY ADDRESS
9/01/2021	X-006669-001	PM01	V	CS	SHANNON M. HARRIS & MICHAL B. 135 BROAD STREET
In-Operative Vehicle Several vehicles without tags parked on the residence					
9/02/2021	X-006659-001	PM02	CI	LDC	BANKS MARY V 571 LAUREL STREET
Main Building Property Maint COMMUNITY DEVELOPMENT BLOCK GRANT RECIPIENT NAME: MARY BANKS ***CALL 30 MINS PRIOR TO INSPECTION***					
ISSUES: ON GOING ISSUES WITH REPAIRS MADE BY CONTRACTOR. MADE LIST OF REPAIRS PRIOR TO DEADLINE HOWEVER CONTRACTOR DID NOT COMPLETE REPAIRS OR RESPONDED TO CALLS. CUSTOMER HAS POTISION THE COURTS ABOUT CONTRACTOR HOWEVER DEADLINE FOR REPAIRS HAD EXPIRED TO THE YEAR DATE. THE COURTS DID GRANT AN EXTENTION TO SEPT 17, 2021. INSPECTION IS NEEDED ON HOME.					
9/03/2021	X-006664-001	PM06	V	CS	MCDONALD JENNIFER N 605 NORFLEET ST
High Grass Resident complaint of over growth of weeds, trash & debris, odd objects etc...					
High Grass over 12 inches tall					
9/03/2021	X-006668-001	ZC	A	CS	PARKER, MICHAEL 115 EAST SECOND AVENUE
Zoning Clearance CHANGE IN USE					
Electrical release approved					
9/15/2021	X-006670-001	PM10	A	CS	PIERCE, GERALDINE 131 BROAD ST
City Ordinance Enforcement Complaint came in on mold it may have been mold was not sure without being tested i advised her to contact her landlord and maybe buy a test kit to make sure it was mold.					
9/17/2021	X-006671-001	PM06	V	CS	HARRIS ALVIN E 802 FONTAINE ST
High Grass COMPLAINT OF EXCESSIVE HIGH GROWTH OF GRASS ON PROPERTY. Tall grass over 12 inches tall will send out letter					
9/17/2021	X-006672-001	PM06	A	CS	BANKS ST
High Grass recieved a complaint on HG the corner house on virginia and banks street looked around did not see any tall grass over 12 inches . Case close					
9/29/2021	X-006673-001	PM12	V	CS	BLACKWATER INVESTMENT GROUP 404 WEST FOURTH AVE
INPSPECTIONS(RENTAL) Received a complaint on 404 West fourth street regarding a generator being used as their primary source of electricity for the house. We arrived at the house the tenant who is the renter did state that they were using a generator for the house. We looked at the generator and explained to her that it was in violation to have this connected the house the way it was set it up. We explained to Gaylyn (tenant) the procedures to make it legal. However, she stated that she has been struggling financially and has tried to get help from social services multiple times with no results, as well as other facilities. She also stated that she had mold in the house we explained we have no way of knowing and that would fall under the landlord tenant act. We stated that she needed to resolve this matter in the next couple days and will be cited by mail.					
TOTAL # of INSPECTIONS: 8					

Franklin

Printed: 11/09/2021 5:20 pm

PERMITS FINALED FROM: 9/01/2021 TO 9/30/2021

Page 1 of 1

ALL PERMITS

Dt Finaled	Permit #	Address Map #	Description	Job Value
9/21/2021	M-20-200960	1459 ARMORY DRIVE 23851 135-169-5	INSTALL REFRIGERATION AND	108,205
9/27/2021	E-21-000054	120 WIGGINS CT FRANKLIN 0.552 ACRE LOT 37	INSATALLING 200 AMP SERVICE	3,000
9/23/2021	M-21-000239	120 WIGGINS CT FRANKLIN 0.552 ACRE LOT 37	NEW CONSTRUCTION HVAC;	6,000
9/09/2021	E-21-000248	1408 CLAY STREET FRANKLIN 87-22-1A	REPLACE EXISTING PANEL WITH	2,600
9/03/2021	E-21-000255	300 MORTON ST 23851 155-95-1	UPGRADING ELECTRICAL	52,960
9/29/2021	E-21-000289	1020 PRETLOW STREET 23851 155-(186)-1 & 155-(095)-2	INSTALL FOUR RECEPTACLES AND	1,650
9/29/2021	E-21-000291	1020 PRETLOW STREET 23851 155-(186)-1 & 155-(095)-2	INSTALL 100AMP THREE PHASE	24,000

TOTAL # OF PERMITS: 7 TOTAL VALUE: 198,415

Franklin

Printed: 10/20/2021 3:16 pm

PERMITS ISSUED FROM: 9/01/2021 TO 9/30/2021

Page 1 of 1

For Project Codes: ZC

FRANK ONLY

Permit# /	Dt Issued	Property Address	Project Description	Status
DETAILS FOR PROJECT CODE: ZCZ-				
✓ Z-21-000270	9/01/2021	401 ROOSEVELT ST 23851	ZONING CLEARANCE FOR HOME	HO
✓ Z-21-000273	9/10/2021	115 EAST SECOND AVENUE 23851	ZONING CLEARANCE: CHANGE	NO
Z-21-000293	9/22/2021	1359 CLAY STREET FRNAKLIN	ZONING CLEARANCE: 6" WHITE	NO
Z-21-000303	9/22/2021	206 WASHINGTON ST	ZONING CLEARANCE; HOME	✓ HO
TOTALS: # of PERMITS:	4			0

TOTAL # OF PERMITS: 4

	A	B	C	D	E	F	G	H	I	J
1										
2										
3		Retail / Business	New SFD	New Comm	Addition s /Alts Comm ercial	Additions /Alts Residential	Home Occp.	Accessory Structures (signs, fences, pools, decks, etc.)	Tents, Promotional Displays, Other	Totals
4	January		1			6				7
5	February				1	3	1	2		7
6	March		4	1		3		1		9
7	April	3			3	2	3	2		13
8	May						2	3		5
9	June			3	3	6	1	5		18
10	July	3	1		2	3	2	1		12
11	August	1			1		2	6		10
12	September			1	1	1	2	10		15
13	October									
14	November									
15	December									
16	Totals	7	6	5	11	24	13	30		96

Project Status Report



Environmental Services Division
September 2021

■ : City of Franklin

PROJECT STATUS REPORT: City of Franklin (Environmental Services Division)

REPORTING MONTH: July 2021

CUP/Site Plan Reviewed Date	Project Title	Project Address	Owner/Applicant Name	Site Plan under Review	Bldg Permit Issued	LD Permit Issued	Total Disturbed Acreage	Design/Inspection Comments
CITY OF FRANKLIN:								
8/6/2021	Celebration Church	188 Stewart Drive	Mitchell Wilcox, applicant	Under Review	N/A	N/A	0.82	Mr. Wilcox submitted the first site plan submittal package. The package is under review by City Staff.
8/3/2021	Foodbank	618 South Street	AES Consulting Engineers	Under Review	N/A	N/A	TBD	Larry Barry, P.E., submitted a pre-site plan submission to review the zoning and basic utility connections. Staff responded to their preliminary request. Staff are awaiting the first full submittal of the site plans.
7/26/2021	House of Prayer	0 Pace Street	Mitchell Wilcox, applicant	Under Review	N/A	N/A	1.5 Acres	On July 26, Ms. Smith received the first submittal site plan for the House of Prayer, a proposed church building and parking lot, with the expectations to build a second building. The site plans are currently under review.
5/17/2021	Starbucks	1663 Armory Drive	Kimley-Horn and Associates, Inc	Under Review	N/A	N/A	0.85 Acres	The Community Development Department has received the first site plan submittal for a proposed Starbucks to be located at 1663 Armory Drive, formally known as National Glass. Site plans are under review. On July 20th, Ms. Smith met onsite with Kimley-Horn, VDOT, and Public works to discuss the drainage and traffic requirements. Community Development staff awaits the second site plan submittal. Staff reviewed the second site plan review and sent comments back to Kimley-Horn. About a week later, Kimley-Horn submitted the third site plan submittal. The third submission review was completed by the end of September.

PROJECT STATUS REPORT: City of Franklin (Environmental Services Division)

REPORTING MONTH: July 2021

1/6/2021	Harbor Freight	1101 Armory Drive	Holton Brinson/Jordan Trotter Commerical Real Estate	N/A	N/A	N/A	TDB	<p>Mr. Holton Brinson submitted a conceptual site plan of a proposed Harbor Freight on a lot at 1101 Armory Drive. The Community Development Division, Ms. Walkup, Mr. Copeland, and I hosted a design conference over the phone with Mr. Brinson answering preliminary questions concerning the full submission process. Community Development is awaiting full site plans, applications, and associated fees to do a full site and building plan review. No further progression in February. No further Environmental progression in March. Ms. Smith has emailed to follow up with Mr. Brinson on any update to no answer. - Have not received any notification in months - making the conclusion this project has been retracted/discontinued.</p>
9/16/2020	Franklin CDR+J	1211 Armory Drive	Franklin Auto, LLC	Completed	Completed	Completed	3.78	<p>Site Plans received 9/16/2020. Site plans currently under initial review. We have received copies of site plans, site plan review fee (\$244.50), E&S bond estimate, application for Site Development Plan Review. First submittal was completed and comments were compiled and returned to B&B Consultants for review (10/7). Awaiting Second Submittal. On 10/14, held a design meeting with architect from B&B Consultants to discuss interior design specifications. On 10/19, held on-site meeting to discuss drainage components being redrawn and recalculated. Second submittal is due to arrive the week of November 16th. In accordance with the Zoning Ordinance section 24.5 Item B, the site plans needed approval from the Planning Commission. Planning Commission was held on 11/19, site plans were approved. Second Submittal of site plans received by the Environmental Services on 12/1/20. Site Plan second submittal comments were due to the Environmental Services division by 12/18/2020. Second Submittal Comments were sent back to B&B on 12/21; at this time, there are no other site plan comments. The comment letter consisted of requested revisions of the SWPPP and bond estimates. Awaiting third submittal. On January 8, B&B Consultants responded to the comment letter with an updated SWPPP document, registration statement and bond estimates. On January 15, the registration statement was used to file for the construction general permit through DEQ; site plans are conditionally approved. On January 22, DEQ issued the coverage letter. Community Development is still waiting to receive fees and copies of issuance of surety bonds for the project to begin.</p>

PROJECT STATUS REPORT: City of Franklin (Environmental Services Division)

REPORTING MONTH: July 2021

9/16/2020	Franklin CDR+J, Continued	1211 Armory Drive	Franklin Auto, LLC	Completed	Completed	Completed	3.78	<p>On January 22, DEQ issued the coverage letter. Community Development is still waiting to receive fees and copies of issuance of surety bonds for the project to begin. No further progression in February. No further Environmental progression in March. No further environmental progression - still awaiting to receive fees. No further environmental progression - still awaiting to receive fees. In May, the Community Development Department received the required load letter from the contractor, Kenbridge Construction. On June 10th. Ms. Smith received the Stormwater Management fee, the land disturbance fee, and the issued surety bonds. On July 1st, Ms. Smith hosted the preconstruction meeting for Kenbridge Construction. On July 2nd, Kenbridge was given the "ok" to begin land disturbance on the site. So far, they have intalled initial E&S measures, established temporary utilities, demolished the former building. On Tuesday, 7/20, Kenbridge didcovered a diesel spill on site - upon demolition, the crew unknowingly struck an unidentified underground fuel storage tank City of Franklin nor DEQ tank registration showed existance of the tank. The spill was self contained, and did not pose threat to spreading/contaminating surrounding areas. Bay Environmental Inc was immediately called for clean-up. Ms. Smith contacted VDEM, DEQ, and Franklin staff to report the spill. The site has now been cleaned and the storage tank has been properly removed - Kenbridge will continue with construction according to plan. Construction is well underway and moving nicely.</p>
-----------	---------------------------	-------------------	--------------------	-----------	-----------	-----------	------	---

PROJECT STATUS REPORT: City of Franklin (Environmental Services Division)

REPORTING MONTH: July 2021

8/27/2020	Wawa - Armory Drive	1461 Armory Drive	Capital Growth Buchalter/Kimley-Horn	Completed	Completed	Issued	2.02	<p>Site plans received 8/27/2020. Site plan review fee paid and received. Zoning/City, Public Works, VDOT have been notified of plans. 1st submittal currently under review. 1st submittal completed and comments returned to Kimley-Horn (9/23) Awaiting 2nd submittal. Second Submittal arrived 11/5/2020. City of Franklin staff reviewed and submitted comments back to Kimley-Horn by 11/20/2020. Kimley-Horn and the City of Franklin staff are all satisfied with comments on the site plans. The wawa project is scheduled to go before the Planning Commission on 12/17 at 5:30 pm per zoning ordinance section 24.5 item B. Wawa appeared in front of the Planning Commission on the scheduled date. The Commissioners expressed concern on the "porkchop entrance" that is proposed on the Armory Drive entrance, however, Ms. Walkup, Interim Director of Community Development, and Mr. Jeremy Yee, Professional Engineer of Kimley-Horn, ensured the Commissioners this proposal is the best design for the site. Site plans were approved by the Commissioners. Kimley-Horn submitted Third submittal of site plans on 12/18/2020. As of January 14, site plans are conditionally approved with the contingency of bonds being issued and the plat for combining two parcels has been initiated. The Community Development Division is currently awaiting for building plans and associated land disturbance permit fees. No further progression in February. No further Environmental progression in March. Kimley-Horn continues to work with bond companies to obtain performance surety's for construction activities.</p>
-----------	---------------------	-------------------	--------------------------------------	-----------	-----------	--------	------	---

PROJECT STATUS REPORT: City of Franklin (Environmental Services Division)

REPORTING MONTH: July 2021

8/27/2020	Wawa - Armory Drive, Continued	1461 Armory Drive	Capital Growth Buchalter/Kimley-Horn	Completed	Completed	Issued	2.02	<p>On May 3rd, Ms. Smith approved cost estimates submitted by Kimley-Horn for contractor bids. On May 17th, Ms. Smith received the required Construction General Permit Fee to process. On May 25th, Ms. Smith approved the Stormwater Pollution Prevention Plan. A preconstruction meeting is currently scheduled for June 7th. On June 11th, Wawa was given the notification to begin land disturbance; they began the following week. On June 28th, the site was given a stop work order. Northwest Contractors were told via verbally and through email that the land disturbance permit did NOT cover foundation work (foundation fill and soil compaction). Northwest filled the foundation with fill anyways. The stop work order will not be lifted until they have properly vacated the existing water line - located underneath the proposed building foundation. Northwest Contractors have been working to implementing the retention pond and the new utility water line. Site work has continued as scheduled.</p>

DELINQUENT MEALS & LODGING TAX REPORT AS OF NOVEMBER 3, 2021

FOR SEPTEMBER 2021

(DUE OCTOBER 20, 2021)

MEALS TAX

BUSINESS NAME:	MONTH DELINQUENT:	TOTAL MONTHS
CAPTAIN J	JUNE JULY AUG SEPT	4
OUR TREE COMPANY	JULY AUG SEPT	3
TIERS TO YOU	MAY JUNE JULY AUG SEPT	5
LOVE'S TRAVEL STOPS	SEPTEMBER	1

(THE MAIL SEEMS TO BE AN ISSUE)

LODGING TAX


BUSINESS NAME:	MONTH DELINQUENT:	TOTAL MONTHS

ALL LODGING TAX RETURNS ARE CURRENT

**New Business Up-date
September 2021**

Business Name	Location	Contact Info	Type of Service
L R Ford Unlimited LLC/Lonnie Ford/Owner	401 Roosevelt Street Franklin, Virginia 23851	757-354-6928	Service/Cleaning
A to B Transport LLC/Brittany Garlick/Owner	113 Kings Lane Franklin, Virginia 23851	804-239-6378	Service/Transporting
Star Security & Investigations LLC/Elizabeth & John Drewry/Owners	300 North Main Street Franklin, Virginia 23851	757-653-8288	Service/Security
Over Easy Number XX LLC/Greg Hansen/Owner	1547 Armory Drive Franklin, Virginia 23851	423-313-2842	Restaurant/New Owner
Uplifting Hands in Home Health Services LLC/Kadijah Riddick/Owner	701 A South Street Franklin, Virginia 23851	757-304-5390	Service/Health Care
Barnez Custom Woodwork LLC/Evanglish Barnes/Owner	1332 Clay Street Franklin, Virginia 23851	757-597-8366	Service/Crafts
Hampton Roads Automation LLC/Ryan Duke/Owner	1000 North High Street Franklin, Virginia 23851	757-353-5459	Service/Consultant
Enonit LLC/Valdez Artis/Owner	206 Washington Street Franklin, Virginia 23851	757-556-9077	Service/Cleaning
NG Market/Nageeb Saleh/Owner	2016 A South Street Franklin, Virginia 23851	757-562-3672	Retail/Convenience Store/New Owner

	A	B	C	D	E	F	G	H	I	K	L	M	N	O	P	Q	R	S	T		
1				Franklin Department of Parks & Recreation																	
2				Sep-21																	
3																					
4																					
5																					
6	Athletics																				
7	Franklin High School Games (Soccer)				0																
8	Franklin High School Games (Softball)				0																
9	Franklin High School Games (Baseball)				0																
10	DTMF Games (Coach Pitch and Tball)				0																
11	PDCCC Games (Softball)				0																
12	Franklin High School Practice (Soccer)				0																
13	Franklin High School Games (Football)				618																
14	Franklin High School Practice (Softball)				0																
15	Franklin High School Practice (Baseball)				0																
16	Adult Coed Games (Softball)				0																
17	Adult Games (Soccer)				0																
18	Camp 25 Games (Soccer)				0																
19	Camp 25 Practice (Soccer)				0																
20	DTMF Practice (Softball)				315																
21	DTMF Practice (T-Ball)				25																
22	DTMF Practice (Coach Pitch)				268																
23	PDCCC Practice (Softball)				600																
24	Total				1,826																
25																					
26	Programs																				
27	Girls on the Run				0																
28	Aikido				0																
29	Pool Club				6																
30	Domino Club				0																
31	Open Recreation				291																
32	Pinocle				0																
33	Franklin Ministers Association				0																
34	Bid Whist Club				0																
35	Dance Team Practice				0																
36	Activity of the week				0																
37	Franklin wellness coalition 9/21/21				23																
38	Martial Arts				102																
39	Cornhole				0																
40	Total				416																
41																					
42	Cover 3 Feeding																				
43	Breakfast				0																
44	Lunch				0																
45	Snacks				0																
46	Dinners				0																



	U	V	W	X	Y	Z
1						
2						
3						
4						
5						
6						
7						
8						
9						
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						
21						
22						
23						
24						
25						
26						19
27						
28						
29						
30						
31						
32						
33						
34						
35						
36						
37						
38						
39						
40						
41						
42						
43						
44						
45						
46						

Enjoy a **FREE** family-friendly event!!

2021 SUMMER OUTDOOR

MOVIE NIGHTS
AT THE PARK




DOLITTLE

Date: July 24th 2021
Armory Park Complex
920 Armory Drive
Franklin, VA 23851

MONSTERS INC.

Date: August 21st , 2021
Park: Barrett's Landing Park
100 Barrett St.
Franklin, VA 23851



THE LION KING

Date: September 25, 2021
Park: Armory Park Complex
920 Armory Drive Street
Franklin, VA 23851

Movie Night(s) Info:

Movie Start Time: 8:30pm
Seating opens: 7:15pm
Movie Day: Saturday

*** Be sure to bring chairs and blankets. There is limited bleachers space.**

*** Please note: No alcohol is permitted in the park. All children must be accompanied by adult.**

*** Light concessions will be available to purchase.**



CRAFTS IN THE PARK



2021

**JUNE
28**

ARMORY PARK

6:00-7:00 PM

DESIGN BIRD HOUSES
&
FRISBEES

MAKE WINDMILLS
&
FLOWER POTS

COLLEGE PARK

6:00-7:00 PM

**JULY
26**

**AUG
30**

BARRETTS LANDING

6:00-7:30 PM

POP
&
PAINT

PAINT WESTERN
VESTS &
SUN VISORS

ADKINSON PARK

6:00-7:00 PM

**SEPT
27**



For More Information Call:
757-562-2475

Franklin Youth Football & Cheer

ARE YA READY FOR SOME FOOTBALL?

Franklin Youth Football & Cheer is cranking up for another great year of youth football. The league offers football/cheerleading squads for all youth.

The age groups will be as followed:

6-8 (Flag Football)

9-11—Juniors

12-13—Seniors

All interested boys & girls are invited to register for a team that is closest to their home. Each player must present a birth certificate or legal record of birth. All players have to be the age set for each division prior to the first game of each season to be eligible to play.

Teams-Coaches & Telephone

Surry Cougars—Glenn Lyttle—757-294-3044

Boykins Bulldogs—Christopher Hill—757-377-8066

Franklin Mustangs-Derek Bynum-757-650-8224

Windsor Knights-Deniss Bradshaw- 757-650-8499

Holland Razorbacks-Charles Lovern-757-282-9656

League Cheering Director—Lee Ann Sweat- 757-304-7694



For Further Information Please
Contact the League Commissioner:
Michael Bradshaw
Cell #: 757-653-7291

MARTIAL ARTS

OKINAWAN SHORIN RYU KARATE



Monday & Wednesday
5-6:30 pm
at City of Franklin Parks & Rec
Call Renshi Tony Leigh
Ski Warrior
Cell: (757) 653-7560
Home: (434) 658-4148




Dojo Located at:
Franklin Parks & Recreation
683 Oak Street
Franklin, VA


Kyoshi Warren Cobb
Warrior Within
(757) 742-1709

Hours:
Mon. and Tue. 5 - 6:30pm

Classes available to
all Adults down to 6 years old



Class Fee \$50.00
per month
Class A Day \$15.00
Drop In



I AM
THE BREAD
OF LIFE...

JOHN 6:35

MOUNT OLIVE FOOD PANTRY

Kingdom - Community Partnership

A ministry of MOHC, Inc., a 501 (c) 3 faith-based organization

DISTRIBUTION FRIDAYS

12-1PM

WHILE SUPPLIES LAST



DR. MARTIN LUTHER KING, JR.

Community Center,

683 Oak Street, Franklin, VA

BISHOP SAMUEL HALL, DIRECTOR

MORE **FREE** FOOD

**COME JOIN US FOR THE KICKOFF OF OUR
NEW COMMUNITY PRODUCE HUB**

At the MLK Community Center
683 Oak Street, Franklin, VA 23851



**Open to the
General Public!
Beginning March 2
10:00am – 3:00pm**

To Pre-Register for a personal shopping appointment,

CALL OUR **HOTLINE**

(757) 876-1768

Hotline Hours: Monday – Friday, 10:00a – 2:00p

Open the 1st and 2nd Tuesday of every Month



**Under a Doctor's Care?!
Ask us about our Healthy Food Pantry Program**

2021 Market Schedule

Market Time 9 am - 12 pm Saturdays

Spring Market: March- April- May

Summer Market: June- July- August

Fall Market: September - October- November

Winter Market: December - January - February

Wednesday Afternoon Market:

June 2 - Sept 8th 4pm - 7 pm

Farmers Market Week: August 1st-7th

Fall Market: September 18th

Harvest Market: October 2nd

Thanksgiving Market: November 20th

Christmas Market: December 18th

(Specialty Markets open to Craft & Specialty Vendors)

Music:

August 11th: Lou Vangeri Farmers Market Week

(Wednesday)

September 8th: Lou Vangeri Last Wednesday Market

Saturday Dates:

Lou Vangeri: May 1st, June 5th, July 3rd, Oct 2nd,

Nov 6, Dec 4th

For More
Information Call:
Karen Cobb
757-613-0104



Location:
210 South Main
Street Franklin,
Virginia 23851



MOBILE PANTRY

**Free Food
Distribution**
at the
**Martin Luther King, Jr.
Community Center**

Drive Thru Grab & Go

EVERY 2ND SATURDAY EACH MONTH
1:00 PM - 2:30 PM
683 OAK STREET, FRANKLIN, VA

Sponsored by The Foodbank of Southeastern
Virginia and the Eastern Shore and
Celebration Church

Date: 9/12/2021
Location: 612 Gardner St
Time first call came in:
Actual Time of Outage: 9:50am
Power restored: 11:00am
Response time:
Problem: **squirrel**
of customers effected: 1

Date: 9/13/2021
Location: 8:30am
Time first call came in:
Actual Time of Outage:
Power restored: 9:30am
Response time:
Problem: **squirrel**
of customers effected: 4

Date: 9/26/2021
Location: Washington St
Time first call came in: 8:30am
Actual Time of Outage:
Power restored: 9:30am
Response time:
Problem: **broke jumper**
of customers effected: 57

COPY

**CITY OF FRANKLIN
WATER SYSTEM CHLORINATION REPORT**

SEPTEMBER 2021

	Pretlow	Hunterdale.	Armory Dr	Public Works	Cypress Ave	Trail Road	2nd Ave
	Well # 6	Well # 7	Dist. Sys	Dist. Sys.	Dist. Sys.	Dist. Sys.	Dist. Sys.
	Cl2 Res.	Cl2 Res.	Cl2 Res.	Cl2 Res.	Cl2 Res	Cl2 Res	Cl2 Res.
Date	Mg/l	Mg/l	Mg/l	Mg/l	Mg/l	Mg/l	Mg/l
1	0.86	0.84	0.57	0.53	0.52	0.54	0.18
2	0.84	0.81	0.49	0.41	0.47	0.51	0.14
3	0.59	0.82	0.48	0.42	0.50	0.49	0.16
4	0.86	0.91	0.48	0.47	0.46	0.48	0.14
5	0.81	0.83	0.44	0.49	0.47	0.45	0.17
6	0.99	0.79	0.45	0.46	0.48	0.43	0.17
7	0.76	0.95	0.45	0.62	0.53	0.47	0.35
8	0.80	0.78	0.58	0.52	0.45	0.40	0.24
9	0.78	0.89	0.45	0.45	0.47	0.59	0.37
10	0.90	0.82	0.49	0.51	0.40	0.50	0.31
11	0.83	0.87	0.46	0.49	0.45	0.51	0.20
12	0.98	0.81	0.45	0.61	0.41	0.52	0.29
13	0.91	0.76	0.49	0.59	0.64	0.65	0.39
14	0.80	0.79	0.45	0.51	0.48	0.57	0.25
15	0.78	0.78	0.60	0.58	0.50	0.56	0.35
16	0.80	0.82	0.47	0.58	0.54	0.66	0.32
17	0.77	0.81	0.54	0.60	0.50	0.55	0.41
18	0.65	0.66	0.25	0.27	0.26	0.46	0.17
19	0.90	0.68	0.41	0.22	0.28	0.34	0.12
20	1.08	0.85	0.51	0.62	0.29	0.31	0.36
21	1.04	0.84	0.67	0.70	0.52	0.59	0.35
22	0.87	0.86	0.39	0.43	0.55	0.64	0.22
23	0.83	0.86	0.64	0.70	0.52	0.63	0.35
24	1.02	0.88	0.63	0.70	0.57	0.63	0.39
25	0.97	1.03	0.61	0.60	0.51	0.66	0.37
26	0.92	0.98	0.57	0.68	0.49	0.59	0.32
27	0.90	0.90	0.56	0.69	0.55	0.62	0.35
28	0.92	0.97	0.66	0.72	0.67	0.63	0.43
29	0.95	0.85	0.67	0.72	0.52	0.62	0.42
30	0.92	0.89	0.57	0.69	0.57	0.65	0.42

**COMMONWEALTH OF VIRGINIA
GROUND WATER PUMPAGE AND USE REPORT**

Year 2021
MONTH September
Quarter 1 2 3 4
(Circle One)
County/ City
City of Franklin

Water Source:

Well(s)
 Spring(s)
 Wells and Spring(s)

Public. Send copy of report to Regional State Water Control Board Office and
Regional State Health Department Office
Industrial. Send copy of report to Regional State Water Control Office
Other. Send copy of report to Regional State Water Control Board Office

Name of Waterworks
City of Franklin

Name of Operator Stephen W. Watson
Position/ Title Utility Superintendent

Owner Same
Address: P. O. Box 179
Franklin, Va. 23851 Phone (757)562-8564

Signature Stephen W. Watson Date 10-1-2021
Population Served (Public) 9,000
No. of Connections (Public) 3,500
Operation Permit Number (public) 3620350

Type of use: Public Industrial Other (Specify)

If measurements are for a single-meter field reading, list wells included in field

SWCB No. _____ Owner No. _____ SWCB No. _____ Owner No. _____
SWCB No. _____ Owner No. _____ SWCB No. _____ Owner No. _____
SWCB No. _____ Owner No. _____ SWCB No. _____ Owner No. _____

Meter readings are in Gallons (gallons, 1000's of gallons, cubic feet, etc.)

SWCB No.	Owner No.	# 4 Well
Last	Months Reading	49,725,000
Date	Meter Reading*	Gal. used
2		0
3		0
4		0
5		0
6		0
7		0
8		0
9		0
10		0
11		0
12		0
13		0
14		0
15		0

Date	Meter Reading*	Gal. Used	Water Level****
16		0	
17		0	
18		0	
19		0	
20		0	
21		0	
22		0	
23		0	
24		0	
25		0	
26		0	
27		0	
28		0	
29		0	
30	49,725,000	0	
		0	

* Read meter same time each day
** If taken, read at end of non pumping period
***If taken, read at end of heavy- pumping period
****If taken in one well in a field, specify which
Well - COLLEGE DR

Total Gallons During Month	0	Total Gallons During Quarter	25,000.00
Total Oper. Days this Month	0	Total Oper. Days this Quarter	1
Daily Average During Month	0.00	Daily Average During Quarter	25,000.00

**COMMONWEALTH OF VIRGINIA
GROUND WATER PUMPAGE AND USE REPORT**

Year 2021
MONTH September
Quarter 1 2 3 4
(Circle One)
County/ City
City of Franklin

State Department of Health and State Water Control Board

Water Source: X Well(s) Public. Send copy of report to Regional State Water Control Board Office and
Regional State Health Department Office
Spring(s) Industrial. Send copy of report to Regional State Water Control Office
Wells and Spring(s) Other. Send copy of report to Regional State Water Control Board Office

Name of Waterworks
City of Franklin
Owner Same
Address: P. O. Box 179
Franklin, Va. 23851 Phone (757)562-8564

Name of Operator Stephen W. Watson
Position/ Title Utility Superintendent
Signature Stephen W. Watson Date 10-1-2021
Population Served (Public) 9,000
No. of Connections (Public) 3,500
Operation Permit Number (public) 3620350

Type of use: Public X Industrial Other (Specify)

If measurements are for a single-meter field reading, list wells included in field

SWCB No. <u> </u>	Owner No. <u> </u>	SWCB No. <u> </u>	Owner No. <u> </u>
SWCB No. <u> </u>	Owner No. <u> </u>	SWCB No. <u> </u>	Owner No. <u> </u>
SWCB No. <u> </u>	Owner No. <u> </u>	SWCB No. <u> </u>	Owner No. <u> </u>

Meter readings are in Gallons (gallons, 1000's of gallons, cubic feet, etc.)

SWCB No.	Owner No.	# 6 Well
Last	Months Reading	82,446,000
Date	Meter Reading*	Gal. used
1		454,000
2		441,000
3		475,000
4		464,000
5		467,000
6		474,000
7		421,000
8		638,000
9		405,000
10		345,000
11		463,000
12		473,000
13		437,000
14		458,000
15		462,000

Date	Meter Reading*	Gal. Used	Water Level****
16		437,000	
17		437,000	
18		611,000	
19		338,000	
20		318,000	
21		446,000	
22		437,000	
23		439,000	
24		441,000	
25		600,000	
26		347,000	
27		444,000	
28		413,000	
29		449,000	
30	95,918,000	438,000	

* Read meter same time each day
** If taken, read at end of non pumping period
***If taken, read at end of heavy- pumping period
****If taken in one well in a field, specify which
Well - PRETLOW

Total Gallons During Month	13,472,000	Total Gallons During Quarter	42,828,000
Total Oper. Days this Month	30	Total Oper. Days this Quarter	92
Daily Average During Month	449,067.00	Daily Average During Quarter	465,521.74

**COMMONWEALTH OF VIRGINIA
GROUND WATER PUMPAGE AND USE REPORT**

Year 2021
MONTH September
Quarter 1 2 3 4
(Circle One)
County/ City
City of Franklin

Water Source: X Well(s)
 Spring(s)
 Wells and Spring(s)

Public. Send copy of report to Regional State Water Control Board Office and
Regional State Health Department Office

Industrial. Send copy of report to Regional State Water Control Office

Other. Send copy of report to Regional State Water Control Board Office

Name of Waterworks
City of Franklin

Owner Same

Address: P. O. Box 179
Franklin, Va. 23851 Phone (757)562-8564

Name of Operator Stephen W. Watson
Position/ Title Utility Superintendent
Signature Stephen W. Watson Date 10-1-2021

Population Served (Public) 9,000
No. of Connections (Public) 3,500
Operation Permit Number (public) 3620350

Type of use: Public X Industrial Other (Specify)

If measurements are for a single-meter field reading, list wells included in field

SWCB No. Owner No. SWCB No. Owner No.
SWCB No. Owner No. SWCB No. Owner No.
SWCB No. Owner No. SWCB No. Owner No.

Meter readings are in Gallons (gallons, 1000's of gallons, cubic feet, etc.)

SWCB No.	Owner No.	# 7 Well
Last	Months Reading	283,475,000
Date	Meter Reading*	Gal. used
2		305,000
3		246,000
4		485,000
5		175,000
6		327,000
7		297,000
8		503,000
9		236,000
10		471,000
11		360,000
12		177,000
13		288,000
14		506,000
15		375,000
		309,000

Date	Meter Reading*	Gal. Used	Water Level****
16		445,000	
17		357,000	
18		361,000	
19		352,000	
20		188,000	
21		498,000	
22		196,000	
23		487,000	
24		357,000	
25		183,000	
26		323,000	
27		516,000	
28		357,000	
29		300,000	
30	293,796,000	341,000	

* Read meter same time each day
** If taken, read at end of non pumping period
***If taken, read at end of heavy- pumping period
****If taken in one well in a field, specify which
Well - HUNTERDALE # 7

Total Gallons
During Month

Total Oper.
Days this Month

Daily Average
During Month

10,321,000
30
344,033.00

Total Gallons
During Quarter

Total Oper.
Days this Quarter

Daily Average
During Quarter

33,214,000
92
361,022.00

Year: 2021
 Month: SEPTEMBER

**Virginia Department of Health
 Office of Drinking Water
 Monthly Disinfection Monitoring Report**

PWSID: 3620350

Waterworks: City of Franklin

Monitoring Location: Pretlow Entry Point (EP006)

Required Residual: 0.3 mg/L

Date	Time	Gallons Hypochlorite	Entry Point Residual(mg/L)	Distribution Residual (mg/L)	Chlorine Tank Gals
1	8:04	5.00 gpd	0.86	0.57	275
2	8:00	5.00 gpd	0.84	0.49	
3	7:54	5.00 gpd	0.89	0.48	
4	7:05	5.00 gpd	0.86	0.48	
5	9:48	5.00 gpd	0.81	0.44	
6	8:53	5.00 gpd	0.99	0.45	
7	8:05	5.00 gpd	0.76	0.45	
8	12:51	5.00 gpd	0.80	0.58	
9	7:57	5.00 gpd	0.78	0.45	
10	7:50	5.00 gpd	0.90	0.49	
11	9:23	5.00 gpd	0.83	0.46	
12	8:47	5.00 gpd	0.98	0.45	
13	8:58	5.00 gpd	0.91	0.49	
14	8:02	5.00 gpd	0.80	0.45	
15	7:56	5.00 gpd	0.78	0.60	
16	7:49	5.00 gpd	0.80	0.47	
17	7:54	5.00 gpd	0.77	0.54	
18	12:08	5.00 gpd	0.65	0.25	
19	12:38	5.00 gpd	0.90	0.41	
20	7:52	5.00 gpd	1.08	0.51	
21	8:03	5.00 gpd	1.04	0.67	
22	8:05	5.00 gpd	0.87	0.39	
23	8:16	5.00 gpd	0.87	0.64	
24	8:06	5.00 gpd	1.02	0.63	
25	9:55	5.00 gpd	0.97	0.61	
26	9:35	5.00 gpd	0.92	0.57	
27	7:56	5.00 gpd	0.90	0.56	
28	8:00	5.00 gpd	0.92	0.66	
29	7:51	5.00 gpd	0.95	0.67	
30	7:49	5.00 gpd	0.92	0.57	125

Chlorine Compound Used: Sodium Hypochlorite Liquid 12.5 %

** Indicate the dates the chlorine compound was replenished and any operational changes/issues.

Year: 2021
 Month: SEPTEMBER

**Virginia Department of Health
 Office of Drinking Water
 Monthly Disinfection Monitoring Report**

PWSID: 3620350

Waterworks: City of Franklin

Monitoring Location: Hunterdale Entry Point (EP007)

Required Residual: 0.3 mg/L

Date	Time	Gallons Hypochlorite	Entry Point Residual(mg/L)	Distribution Residual (mg/L)	Chlorine Tank Gals
1	10:47	3.33 gpd	0.84	0.54	325
2	9:43	3.33 gpd	0.81	0.51	
3	11:20	3.33 gpd	0.82	0.49	
4	8:19	3.33 gpd	0.91	0.48	
5	8:30	3.33 gpd	0.83	0.45	
6	8:10	3.33 gpd	0.79	0.43	
7	11:09	3.33 gpd	0.95	0.47	
8	8:23	3.33 gpd	0.78	0.40	
9	10:14	3.33 gpd	0.89	0.59	
10	10:53	3.33 gpd	0.82	0.50	
11	8:20	3.33 gpd	0.87	0.51	
12	7:58	3.33 gpd	0.81	0.52	
13	9:35	3.33 gpd	0.76	0.65	
14	11:21	3.33 gpd	0.79	0.57	
15	9:30	3.33 gpd	0.78	0.56	
16	9:41	3.33 gpd	0.82	0.66	
17	11:14	3.33 gpd	0.81	0.55	
18	13:12	3.33 gpd	0.66	0.46	
19	13:50	3.33 gpd	0.68	0.34	
20	9:34	3.33 gpd	0.85	0.31	
21	11:36	3.33 gpd	0.84	0.59	
22	9:13	3.33 gpd	0.86	0.64	
23	10:07	3.33 gpd	0.86	0.63	
24	11:21	3.33 gpd	0.88	0.63	
25	9:15	3.33 gpd	1.03	0.66	
26	9:00	3.33 gpd	0.98	0.59	
27	9:49	3.33 gpd	0.90	0.62	
28	13:40	3.33 gpd	0.97	0.63	
29	10:40	3.33 gpd	0.85	0.62	
30	9:36	3.33 gpd	0.89	0.65	225

Chlorine Compound Used: Sodium Hypochlorite Liquid 12.5 %

** Indicate the dates the chlorine compound was replenished and any operational changes/issues.



COMMONWEALTH OF VIRGINIA
DEPARTMENT OF ENVIRONMENTAL QUALITY

COPY

Quarter 1 2021

Quarterly Ground Water Withdrawal Report

Owner: City of Franklin Name of Operator Stephen W. Watson
 Facility: City of Franklin Public Works Position/Title Utility Superintendent
 Address 1050 Pretlow Street Signature Stephen W. Watson Date 10-1-2021
Franklin, Virginia 23851 Phone 757-562-8564
 Permit # GW0042901 (Expires December 07, 2027)
 Note: New Application Due – March 12, 2027

Meter Readings are reported in Gallons (gallons, 100's or 1000's of gallons, cubic feet, etc.)

Month of July Year of 2021

Total Year to Date from Previous Quarter

143046000

Owner Well Number	DEQ Well Number and VWUDS MPID Number	Present Reading	Previous Reading	Total Gallons
College Drive #4	233-00014 364015076561804	49,725,000	49,700,000	25,000
Hunterdale #5	233-00005 364047076552405	3,125,000	3,050,000	75,000
Pretlow Industrial Park #6	233-00015 363932076553701	67,810,000	53,090,000	14,720,000
Hunterdale #7	233-00016 364151076571701	272,367,000	260,582,000	11,785,000
Total Gallons This Month				26,605,000
Total Gallons Year to Date				169651000

Month of August Year of 2021

Owner Well Number	DEQ Well Number and VWUDS MPID Number	Present Reading	Previous Reading	Total Gallons
College Drive #4	233-00014 364015076561804	49,725,000	49,725,000	0
Hunterdale #5	233-00005 364047076552405	3,125,000	3,125,000	0
Pretlow Industrial Park #6	233-00015 363932076553701	82,446,000	67,810,000	14,636,000
Hunterdale #7	233-00016 364151076571701	283,475,000	272,367,000	11,108,000
Total Gallons This Month				25,744,000
Total Gallons Year to Date				195395000

Quarterly Groundwater Withdrawal Report

Quarter 1 2021

System Name City of Franklin

Month of September Year of 2021

Owner Well Number	DEQ Well Number and VWUDS MPID Number	Present Reading	Previous Reading	Total Gallons
College Drive #4	233-00014 364015076561804	49,725,000	49,725,000	0
Hunterdale #5	233-00005 364047076552405	3,125,000	3,125,000	0
Pretlow Industrial Park #6	233-00015 363932076553701	95,918,000	82,446,000	13,472,000
Hunterdale #7	233-00016 364151076571701	293,796,000	283,475,000	10,321,000
Total Gallons This Month				23,793,000
Total Gallons Year to Date				219188000

I certify under penalty of the law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel

NAME: Stephen W. Watson DATE: 10-1-2021

SIGNATURE: Stephen W. Watson

Return Completed Form To:
Virginia Department of Environmental Quality
Central Office
Attn: Groundwater Withdrawal Permitting Program
P.O. Box 1105
Richmond, Virginia 23218

Isle of Wight County

Flow Report and Rain Fall

Month of: **Sep-21**

Last Reading Prior Month

Rain:

1	30035378	71714	0.00
2	30121612	86234	0.40
3	30191470	69858	0.00
4	30251710	60240	0.00
5	30315682	63972	0.00
6	30381070	65388	0.00
7	30447540	66470	0.00
8	30514836	67296	0.00
9	30582974	68138	0.20
10	30697552	114578	1.10
11	30765104	67552	0.00
12	30831760	66656	0.00
13	30902180	70420	0.00
14	30971899	69719	0.00
15	31039822	67923	0.00
16	31102184	62362	0.00
17	31168252	66068	0.00
18	31242152	73900	1.00
19	31310490	68338	0.00
20	31378400	67910	0.00
21	31444626	66226	0.00
22	31507798	63172	0.00
23	31576370	68572	0.20
24	31667412	91042	0.80
25	31732060	64648	0.00
26	31793256	61196	0.00
27	31856480	63224	0.00
28	31926476	69996	0.00
29	31994602	68126	0.00

30
31

32053908

59306

0.00

Total

2,090,244

3.70

29963664

COURTLAND WASTEWATER TREATMENT PLANT

FLOW DATA CHART

EDGEHILL PUMP STATION

MONTH: Sept.

YEAR: 2021

	DATE	DAY	OPERATOR	TIME	METER READING	GALLONS PUMPED
.3"	09/01/2021	Wednesday	PD	11:46 AM	13335500	14,270
	09/02/2021	Thursday	TC	9:49 AM	13349770	13,070
	09/03/2021	Friday	CC	12:30 PM	13362840	8,680
	09/04/2021	Saturday	TC	11:23 AM	13371520	11,950
	09/05/2021	Sunday	CC	12:30 PM	13383470	10,310
	09/06/2021	Monday	CC	12:40 PM	13393780	10,340
	09/07/2021	Tuesday	MB	12:46 PM	13404120	8,000
.2"	09/08/2021	Wednesday	PD	9:57 AM	13412120	9,670
1."	09/09/2021	Thursday	MB	10:20 AM	13421790	39,250
	09/10/2021	Friday	PD	11:38 AM	13461040	10,850
	09/11/2021	Saturday	MB	9:01 AM	13471890	14,700
	09/12/2021	Sunday	PD	12:45 PM	13486590	11,840
	09/13/2021	Monday	CC	12:44 PM	13498430	9,040
	09/14/2021	Tuesday	TC	10:51 AM	13507470	10,080
	09/15/2021	Wednesday	CC	11:33 AM	13617550	10,070
	09/16/2021	Thursday	TC	12:57 AM	13527620	9,000
.7"	09/17/2021	Friday	CC	12:15 PM	13536620	26,060
	09/18/2021	Saturday	TC	10:57 AM	13562680	13,730
	09/19/2021	Sunday	CC	1:30 PM	13576410	12,030
	09/20/2021	Monday	TC	1:38 PM	13588440	7,060
	09/21/2021	Tuesday	PD	9:15 AM	13595500	10,210
	09/22/2021	Wednesday	MB	11:39 AM	13605710	9,260
.3"	09/23/2021	Thursday	PD	10:09 AM	13614970	51,200
1.1"	09/24/2021	Friday	MB	11:39 AM	13666170	12,670
	09/25/2021	Saturday	PD	12:23 PM	13678840	8,840
	09/26/2021	Sunday	PD	12:15 PM	13687680	13,860
	09/27/2021	Monday	MB	10:37 PM	13701540	10,770
	09/28/2021	Tuesday	CL	12:05 PM	13712310	9,360
	09/29/2021	Wednesday	TC	11:45 AM	13721940	10,010
	09/30/2021	Thursday	CL	1:30 PM	13731950	9,510
Totals						405,960
Average						13,532
		October 1, 2021		13741460		

